# PRICE LIST 2024



FLEXIBILITY
DELIVERED



### Table of Content

#### Chairs 40/4 4 4 Side chair 5 Side chair - upholstered 6 Side chair Xtra 7 Arm chair 8 Arm chair - upholstered 9 Swivel 10 Swivel - upholstered 11 Bar and Lounge 12 Metal and Wood 13 SixE 13 4-leg 14 4-leg on castors 15 16 Barstool 17 Swivel 18 Learn 19 MN1 19 Cantilever 20 X-base 21 5-star 22 AS100 23 Accessories for chairs 30 Notes for chairs



31

### Table of Content

Tables

#### 36 Moveo 36 Training 37 Meeting 38 Conference, modular 39 Conference, stand alone 40 Modesty panel 41 Simpla 41 Tables 43 Modesty panel Tempest 44 44 Flip top 46 Fold 49 Fix 51 Flip top café 52 Fix café and lounge Flip top bar 53 54 Fix bar 55 Drop-in top 56 Modesty panel 57 Tutor 58 Usu 59 AS table series 59 AS400 60 AS500 61 Folding Surfaces 62 Other accessories for tables 70 Notes for tables Finish overview 72 Sales Terms 77 81



82

### 40/4 side chair - polyamide and veneer

#### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warrantyStacks 40 chairs on a dolly
- EN 15373 / ANSI/BIFMA X5.1 M7.1
   GreenTag<sup>CertTM</sup>

- Quick ship LINKFSC wood certified



		AMIDE PA)			
STANDARD FRAME COLOURS  B1 B6 B7 B9 B10 B30	PA200 PA300	PA260 PA320	V2 V3 V13	V1 V5 V15 V12	LW17 • LW30
RAL K7 colours available at customer request  Non linking (RA)  14.3 lb	\$	PA360 PA380 PA370 PA370	\$	\$	\$
We see that the se	489	528	711	759	823
Brace linking (BA)  14.6 lb  [5]  [490 mm. 19.3"   530 mm. 20.9"	556	595	780	828	892
Side chair outdoor (DOARA)  14.3 lb  Legister 1490 mm (20.9")  14.3 lb	731	770	N/A	N/A	N/A

Felt glides	20	\$
e per RAL K7 colour for frames or one colour if below 200 pcs)	+520	\$
e per RAL K7 colour for veneer	+520	\$



### 40/4 side chair upholstered

#### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
   Stacks 25 chairs on a dolly
   EN 16139 / Ansi/Bifma X5.1
   GreenTag<sup>CertTM</sup>
   FSC wood certified

				SEAT UPHOLSTERED								
					AMIDE (SA)		VENEER (DTA)		na) a			
B1 B6 B7 B9	● ○ B10 B30	omer request	GROUP	PA200 PA300		V2 V3 V13	V1 V5 V15 V12	LW17 LW30	FULLY UPHOLSTERED (DUA)			
				\$	\$	\$	\$	\$	\$			
Non linking (RA)		13.9 lbs	COM	627	651	848	878	922	711			
			1	666	690	887	917	961	767			
		77 T	2	718	742	939	969	1013	841			
		(/ g	3	768	792	989	1019	1063	914			
	18.1"	30.5"	4	845	869	1066	1096	1140	1023			
	8 8		5	871	895	1092	1122	1166	1059			
		530 mm	COL	785	809	1006	1036	1080	938			
7	490 mm 19.3"	530 mm 20.9"	LUBL	845	869	1066	1096	1140	1023			
		DAMPAGE	LUCL	947	971	1168	1198	1242	1169			
			LSL	1109	1133	1330	1360	1404	1399			
Brace linking (BA)		14.3 lbs	COM	694	718	915	945	989	780			
			1	733	757	954	984	1028	836			
		0. 1	2	785	809	1006	1036	1080	910			
		// E	3	835	859	1056	1086	1130	983			
	EI.	30.5"	4	912	936	1133	1163	1207	1092			
	18.1"	1 1 5 6	5	938	962	1159	1189	1233	1128			
			COL	852	876	1073	1103	1147	1007			
6	490 mm	530 mm 20.9"	LUBL	912	936	1133	1163	1207	1092			
	17.5	20.1	LUCL	1014	1038	1235	1265	1309	1238			
			LSL	1176	1200	1397	1427	1471	1468			

Felt glides	20	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$




## 40/4 side chair Xtra

#### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
   Stacks 40 chairs on a dolly
   EN 16139 / Ansi/Bifma X5.1
   GreenTag CenTIM

- 1.6" wider and 0.2" higher than the standard 40/4
  FSC wood certified



STANDARD FRAME COLOURS		V2 @	V1	LW17		V2 🌑	V1 🧓	LW17	FULLY UPHOLSTERE
		V3 🧶	V5 (6)	LW30	GROUP	V3	V5 🌑	LW30	STE
10000		V13	V15 👛		OKOOI	V13	V15		5
			V12				V12 🥮		\(\delta\)
P1 B4 B7 B0 P10 P20									
B1 B6 B7 B9 B10 B30									=
BALKZ I III									2
RAL K7 colours available at c	ustomer request	•		,				_	
	10.0 #	\$	\$	\$	6014	\$	\$	\$	\$
Non linking (RA)	13.9 lbs				сом	977	1007 1046	1051 1090	818 874
						1016 1068	1046	1142	948
	$\neg \qquad n  T$				3	1118	1148	1192	1021
	_				4	1116	1225	1269	1130
455 mm 17.9 m	30.5°	818	866	930	5	1221	1225	1269	1166
17.					COL	1135	1165	1273	1045
530 m					LUBL	1195	1225	1207	1130
20.9	20.9"				LUCL	1297	1327	1207	1276
					LSL	1459	#N/D	1207	1506
Brace linking (BA)	14.1 lbs				COM	1044	1074	1118	887
bide illiking (bA)	14.1 103				1	1083	1113	1157	943
					2	1135	1165	1209	1017
					3	1185	1215	1259	1090
rī eī	30.5°	007	005	000	4	1262	1292	1336	1199
455 mm 17.9 m	377	887	935	999	5	1288	1318	1362	1235
					COL	1202	1232	1276	1114
530 m					LUBL	1262	1292	1276	1199
20.7	2017				LUCL	1364	1394	1276	1345
					LSL	1526	1556	1276	1575

Felt glides	20	]\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer	+520	\$



## 40/4 armchair - polyamide and veneer

#### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warrantyStacks 40 chairs on a dolly
- EN 15373 / ANSI/BIFMA X5.1 M7.1
   GreenTag<sup>CertTM</sup>
- FSC wood certified



	POLYAMIDE VENEER (DVB)						
STANDARD FRAME COLOURS  B1 B6 B7 B9 B10 B30	PA200 • PA300	PA100 PA110 PA250 PA260 PA320 PA360 PA360	V2 V3 V13	V1 V5 V15 V12	LW17 • LW30		
RAL K7 colours available at customer request	\$	PA380 PA370 \$	\$	\$	\$		
Non linking (RA) 17 lbs	677	716	897	1009			
Armlinking (J) 17.2 lb.	787	826	1007	1055	1119		
Armchair outdoor (DOBRA)  17 lbs  18 8 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	919	958	N/A	N/A	N/A		

Felt glides	20	\$
Table surface protection	+23	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



## 40/4 armchair upholstered

#### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
   Stacks 25 chairs on a dolly
   EN 15373 / ANSI/BIFMA X5.1 M7.1
   GreenTag<sup>CertTM</sup>
   FSC wood certified

			SEAT UPHOLSTERED FULLY UPHOLST									TERED			
				POLYAMIDE VENEER							$\Box$		(DUB)		
			(DSB)			(DTB)									
STANDARD FRAME	COLOURS		GROUF	PA200 PA300	PA	100 110 250		V2 V3 V13	V1 V5 V15	0	LW17 LW30		BLACK POLYAMIDE ARMREST	STAINED ARMREST	ESTS
					PA	260 320	•	113	V12	0			K POLYA ARMREST	STAI RARN	ARMRESTS
B1 B6 B7 B9	9 B10 B30				PA	360 380	0						ACK F	BLACK ! VENEER ,	UPH. A
RAL K7 colours ave	ailable at customer rea	uest				370							B	_ >	_
				\$		\$		\$	\$		\$		\$	\$	\$
Non linking (RA)		16.8 lbs	сом	815		839		1036	1066		1110		898	972	972
			1	854		878		1075	1105		1149		954	1028	1053
	227		2	906		930		1127	1157		1201		1028	1102	1143
	T 9 F -	17 e [	3	956		980		1177	1207		1251		1101	1175	1229
	E IN EI.	26.2° 460 mm 18.1° 775 mm	4	1033		1057		1254	1284		1328		1210	1284	1350
	265 265 18.1		5	1059		1083		1280	1310		1354		1246	1320	1408
	T 41 m m f		COL	973		997		1194	1224		1268		1125	1199	1242
	605 mm 23.8" 530 mr	n <sub>+</sub>	LUBL	1033		1057		1254	1284		1328		1210	1284	1350
			LUCL	1135		1159		1356	1386		1430		1356	1430	1557
			LSL	1297		1321	_	1518	1548	_	1592	_	1586	1660	1805
Armlinking (J)		17 lbs	сом	925		949		1146	1176		1220		1008	1082	1082
			1	964		988		1185	1215		1259	_11	1064	1138	1163
		C T	2	1016		1040		1237	1267		1311		1138	1212	1253
	- 1 1 h "	7/ E.	3	1066		1090		1287	1317		1361	-11	1211	1285	1339
	26.2" Dmm 8.1"	30.5"	4	1143		1167		1364	1394		1438		1320	1394	1460
	26.2" 460 mm 18.1"	1 E e	5	1169		1193		1390	1420		1464		1356	1430	1518
	I 41	1	COL	1083		1107		1304	1334		1378		1235	1309	1352
	605 mm 23.8" 530 r	9"	LUBL	1143		1167		1364	1394		1438	-11	1320	1394	1460
			LUCL	1245		1269		1466	1496		1540		1466	1540	1667
			LSL	1407		1431		1628	1658		1702	_	1696	1770	1915

Felt glides	20	\$
Table surface protection	+23	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



# 40/4 swivel - polyamide and veneer

#### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
- Castors or glides available

Height adjustable     Soft castors as an option     GreenTag CertIM     FSC wood certified		AMIDE OP)		VENEER (DV)	
STANDARD FRAME COLOURS  ( )	_	PA110	0.000	V1 V5 V15 V12	LW17 LW30
Side chair (DPESS) 25.6 lbs	911	950	1 125	1 173	1 237
Armchair (DPFSA) 27.3 lbs	1 101	1 140	1 311	1 359	1 423

	Soft lane castors	20	\$
	Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
ľ	Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



### 40/4 swivel upholstered

#### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warrantyCastors or glides available
- Height adjustable
- Soft lane castor as an option
   GreenTag<sup>CertTM</sup>

FSC wood certified			SEAT	UPHOLST	ERED			FULLY	
			amide DS)		VENEER (DT)		UPHOI	IOLSTERED (DU)	
STANDARD FRAME COLOURS	GROUP	PA200 PA300	PA100 PA110 PA250 PA260 PA260	V2 V3 V13		V17 • V30	BLACK POLYAMIDE ARMREST	BLACK STAINED VENEER ARMREST	W-W/O UPH. ARM
B1 B6 B7 B9 B10 B30  RAL K7 colours available at customer request			PA320 PA360 PA380 PA370				BLACK PC ARM	BLACK S VENEER A	N-W/O
·		\$	\$	\$	\$	\$	\$	\$	\$
Side chair (DUESS) 25.1 lb	COM	1049	1073	1272	1302	1346	N/A	N/A	1135
// EI:	1	1088	1112	1311	1341	1385	N/A	N/A	1191
	2	1140	1164	1363	1393	1437	N/A	N/A	1265
.5.55 mm .5234". .775-900 mm	3	1190	1214	1413	1443	1487	N/A	N/A	1338
18.5°-23.4° (19.5°)	4	1267	1291	1490	1520	1564	N/A	N/A	1447
2 2 2 2 2 2 8	5	1293	1317	1516	1546	1590	N/A	N/A	1483
£4.60	COL	1207	1231	1430	1460	1504	N/A	N/A	1362
660 mm 26"	LUBL	1267	1291	1490	1520	1564	N/A	N/A	1447
2008	LUCL	1369	1393	1592	1622	1666	N/A	N/A	1593
	LSL	1531	1555	1754	1784	1828	N/A	N/A	1823
Armchair (DUFSA) 26.9 lb	COM	1237	1261	1460	1490	1534	1322	1396	1396
	1	1276	1300	1499	1529	1573	1378	1452	1477
E [] E[e,	2	1328	1352	1551	1581	1625	1452	1526	1567
5 - 800 mm 14.6" -31.5" 5" - 23.4" 775 - 900 mm	3	1378	1402	1601	1631	1675	1525	1599	1653
8812 3818	4	1455	1479	1678	1708	1752	1634	1708	1774
26.5°-31.5° 470-595 mm 18.5°-23.4° 775-900 mm	5	1481	1505	1704	1734	1778	1670	1744	1832
4	COL	1395	1419	1618	1648	1692	1549	1623	1666
, 660 mm 26"	LUBL	1455	1479	1678	1708	1752	1634	1708	1774
	LUCL	1557	1581	1780	1810	1854	1780	1854	1981
	LSL	1719	1743	1942	1972	2016	2010	2084	2229

Soft lane castors	20 \$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	



### 40/4 barstool and lounge chair

#### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warrantyStacks up to 10 barstools on the follor
- Stacks up to 20 lounge chairs on the floor
  EN 15373 / ANSI/BIFMA X5.1
- FSC wood certified




13C WOOd Commed							
• GreenTag <sup>CertTM</sup>	POLY	AMIDE		VENEER		FULLY UPHOLSTERED	
STANDARD FRAME COLOURS  B1 B6 B7 B9 B10 B30  RAL K7 colours available at customer request	PA200 PA300	PA100 PA110 PA250 PA260 PA320 PA360 PA380 PA370 \$	V3 🌘		LW17 LW30 \$	GROUP	PRICE
Lounge chair (DVDRA)  13.2 lb  13.2 lb  13.2 lb	s N/A	N/A	895	943	1 007	COM 1 2 3 4 5 COL LUBL LUCL LSL	984 1040 1114 1187 1296 1332 1211 1296 1442 1672
Barstool (DPCAA) 22.9 lb	900	939	1 123	1 171	1 235	COM 1 2 3 4 5 COL LUBL LUCL LSL	1123 1179 1253 1326 1435 1471 1350 1435 1581
Barstool counter height (DPCCA) 20.3 lb	900	939	1 123	1 171	1 235	COM 1 2 3 4 5 COL LUBL LUCL LSL	1123 1179 1253 1326 1435 1471 1350 1435 1581 1811
Barstool outdoor (DOCCA) 22.9 lb	1 144	1 183	N/A	N/A	N/A		

Felt glides	20	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



### 40/4 wood frame and 40/4 metal



Felt glides	20	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



### SixE 4-leg

#### By PearsonLloyd

No matter how you look at SixE, it presents itself as a perfectly bold move

- bending the rules of how comfortable a simple polypropylene shell chair can be.
- 10 year warranty
  SixE stacks up to 25 chairs on a dolly
  GreenTag<sup>CertTM</sup>
  Quick ship LINK



FRAMA_KEPBMA    PP200   PP100   PP300   PP30		POLYPR	OPYLENE	UPHOLSTERY					
P300	Standard frame colours:		88188						
## PP200 PP300 PP3	orandara marrie colodis.		-		SEAT	UPH.	FULLY UPH.		
RAL K7 colours available at customer request \$ \$ Sidechair (EPAMA)    11 lbs	Choose matching frame and shell colour without additional costs:		PP310 PP270 PP120 PP340	GROUP	(EFA/	(EFA/		BLACK ARM (EUB)	
Sidechair (EPAMA)  11 lbs  420  468    Com		PP200 •	PP100		¢	¢	<b>¢</b>	¢	
1			Φ	COM					
2	Sidectidii (EPAMA)	'							
3   739   787   1335   N/A     4   781   829   1463   N/A     5   824   872   1586   N/A     781   829   N/A     820   N/A     830   N/A     831   N/A     831   N/A     831   N/A     832   N/A     833   N/A     834   894   942     834   N/A     835   833     836   N/A     836   N/A     837   N/A     837   N/A     838   N/A     838   N/A     839   N/A     830   N/A     831   N/A     831   N/A     831   N/A     832   N/A     833   N/A     834   N/A     834   N/A     835   N/A     836   N/A     837   N/A     837   N/A     838   N/A     838   N/A     839   N/A     830   N/A     830   N/A     831   N/A     831   N/A     832   N/A     833   N/A     834   N/A     834   N/A     836   N/A     836   N/A     837   N/A     837   N/A     838   N/A     838									
420   468   468   468   468   468   566   420   468   468   468   566   469   468   468   566   469   468   468   566   469   468   468   566   469   468   468   566   469   468   468   566   469   468   469   468   469   468   469   468   469   468   469   468   469   468   469   468   469   468   469   468   469   468   469   468   469   468   469   469   468   469	( E							-	
Somm	EI.	400	140						
Sidechair with Quicklinking (EPAMA-R)   11 lbs   List   993   1041   N/A   N	E \(\frac{7}{80}\)\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	420	468	5					
LUBL   781   829   N/A				COL	760				
LiuCL   883   931   N/A   N/A   N/A   N/A   List   993   1041   N/A	520 mm 535 mm			LUBL	781	829			
Sidechair with Quicklinking (EPAMA-R) 11 lbs  497 545  COM 726 774 1141 N/A 1 757 805 1237 N/A 2 791 839 1335 N/A 3 816 864 1412 N/A 4 858 906 1540 N/A 5 901 949 1663 N/A 1000 mm 41.3*  Armchair (EPBMA) 12.6 lbs 5 93 545  545 593  Armchair with armlinkina (EPBMA-Y) 12.6 lbs 1 12.7 l175 N/A N/A 1 1300 1 1814 862 N/A 1288 1 1281 1127 l175 N/A N/A 1 1006 N/A N/A 1 1006 N/A N/A 1 1006 N/A N/A 1 1007 l118 N/A N/A 1 1007 l118 N/A N/A 1 1008 N/A N/A 1 1	20.5" 21.1"			LUCL	883	931		N/A	
497 545    1				LSL	993	1041	N/A	N/A	
497 545    1	Sidechair with Quicklinking (FPAMA-R) 11 lbs			COM	726	774		N/A	
497 545  497 545  498 864 1412 N/A  4 858 906 1540 N/A  COL 837 885 N/A N/A  IUGL 960 1008 N/A N/A  IUGL 960 1008 N/A N/A  IUGL 960 1118 N/A N/A  12.6 lbs  5 938 831 N/A 1187  1 814 862 N/A 1187  1 814 862 N/A 1381  1 816 864 1412 N/A  Armchair (EPBMA)  545 593  545 593  545 593  546 614  54 915 963 N/A N/A  IUGL 1017 1065 N/A  IUGL 1017 N/A  IUGL 1018 N	- · · · · · · · · · · · · · · · · · · ·			1	757	805	1237		
497 545  498 906 1540 N/A 5 901 949 1663 N/A N/A COL 837 885 N/A N/A N/A N/A N/A LUCL 960 1008 N/A N/A LIST 1070 1118 N/A N/A LIST 1070 1118 N/A N/A  COM 783 831 N/A 1187 1 814 862 N/A 1283 2 848 896 N/A 1381 3 873 921 N/A 1458 4 915 963 N/A 1381 3 873 921 N/A 1458 4 915 963 N/A 1709 COL 894 942 N/A N/A LUCL 1017 1065 N/A N/A LUCL 1018 N/A N/A	530 mm			2	791	839	1335	N/A	
5 901 949 1663 N/A  N/A  COL 837 885 N/A N/A  LUBL 858 906 N/A N/A  LUCL 960 1008 N/A N/A  LUCL 1070 1118 N/A N/A  1 814 862 N/A 1283  2 848 896 N/A 1381  3 873 921 N/A 1458  4 915 963 N/A 1709  COL 894 942 N/A N/A  LUCL 1017 1065 N/A N/A  LUCL 1018 1086 N/A N/A				3	816	864	1412	N/A	
S   901   949   1663   N/A   N/A		107	545	4	858	906	1540	N/A	
Armchair (EPBMA)  12.6 lbs  12.6 lbs  12.6 lbs  545  593  LUBL 10CL 960 1008 N/A N/A N/A N/A 1187  1 814 862 N/A 1283 2 848 896 N/A 1381 3 873 921 N/A 1458 3 873 921 N/A 1458 4 915 963 N/A 1586 5 958 1006 N/A N/A 1586 5 958 1006 N/A N/A 1709 COL 894 942 N/A N/A LUCL 1017 1065 N/A N/A N/A LUCL 1017 1065 N/A N/A N/A LUCL 1017 1065 N/A N/A N/A 1208 1 835 883 N/A 1304 2 869 917 N/A 1402 3 894 942 N/A N/A 1402 1 835 883 N/A 1304 5 979 1027 N/A 1402 1 836 984 N/A 1479 1402 1 836 984 N/A 1479 1402 1 836 984 N/A 1479 1402 1 836 984 N/A 1402 1 836 1 894 936 984 N/A N/A N/A 1402 1 836 1 894 936 984 N/A		47/	343	5	901	949	1663	N/A	
1000 mm   1000	12 mm			COL	837	885	N/A	N/A	
Armchair (EPBMA)  12.6 lbs  545  593  12.6 lbs  545  545  545  545  545  546  614  1000 N/A				LUBL	858	906	N/A	N/A	
Armchair (EPBMA)  12.6 lbs  545  593  COM 783 831 N/A 1187 1 814 862 N/A 1283 2 848 896 N/A 1381 3 873 921 N/A 1458 4 915 963 N/A 1586 5 958 1006 N/A 1709 COL 894 942 N/A N/A LUCL 1017 1065 N/A N/A LUCL 1017 1065 N/A N/A LUCL 1017 1065 N/A N/A  COM 804 852 N/A 1208 1 835 883 N/A 1304 2 869 917 N/A 1402 3 894 942 N/A 1304 2 869 917 N/A 1402 3 894 942 N/A 1304 1 835 883 N/A 1304 2 869 917 N/A 1402 3 894 942 N/A 1479 4 936 984 N/A 1402 3 894 942 N/A 1479 5 979 1027 N/A 1730 COL 915 963 N/A N/A LUCL 1038 1086 N/A N/A	1050 mm 41.3"			LUCL	960	1008	N/A	N/A	
1 814 862 N/A 1283 2 848 896 N/A 1381 3 873 921 N/A 1458 4 915 963 N/A 1586 5 958 1006 N/A 1709 COL 894 942 N/A N/A LUCL 1017 1065 N/A N/A 1283 3 873 921 N/A 1458 5 958 1006 N/A 1709 COL 894 942 N/A N/A LUCL 1017 1065 N/A N/A LUCL 1018 1086 N/A N/A LUCL 1017 1065 N/A N/A LUCL 1018 1086 N/A N/A LUCL 1018 1086 N/A N/A				LSL	1070	1118	N/A	N/A	
2 848 896 N/A 1381 3 873 921 N/A 1458 4 915 963 N/A 1586 5 958 1006 N/A 1709 COL 894 942 N/A N/A LIUBL 915 963 N/A N/A N/A LIUBL 1127 1175 N/A N/A LISL 1127 1175 N/A N/A 1304 1 835 883 N/A 1304 1 836 984 N/A 1607 5 979 1027 N/A 1730 COL 915 963 N/A N/A LIUBL 936 984 N/A 1607 5 979 1027 N/A 1730 COL 915 963 N/A N/A LIUBL 936 984 N/A LIUBL 936 984 N/A LIUBL 936 984 N/A LIUBL 936 984	Armchair (EPBMA) 12.6 lb	s		COM	783	831	N/A	1187	
3 873 921 N/A 1458 4 915 963 N/A 1586 5 958 1006 N/A 1709 COL 894 942 N/A N/A LIBL 915 963 N/A N/A LISL 1127 1175 N/A N/A LISL 1127 1175 N/A N/A LISL 1127 1175 N/A N/A  COM 804 852 N/A 1208 1 835 883 N/A 1304 2 869 917 N/A 1402 3 894 942 N/A 1402 3 894 942 N/A 1402 4 936 984 N/A 1607 5 979 1027 N/A 1730 COL 915 963 N/A N/A LISL 1127 1175 N/A LISL 1127 LI				1	814	862	N/A	1283	
Signary 535 mm 221.1"    Solution   Signary				2	848	896	N/A	1381	
Signary 535 mm 221.1"    Solution   Signary	E			_		_			
Signary 535 mm 221.1"    Solution   Signary	30.00	545	593						
Solution	89 812	0.10	0/0	_					
22.2" 21.1" LUCL 1017 1065 N/A N/A N/A LSL 11127 1175 N/A N/A N/A N/A STORMS ST									
LSL   1127   1175   N/A   N/A	22.2" 21.1"								
Armchair with armlinking (EPBMA-Y)  12.6 lbs  1 835 883 N/A 1304  1 835 883 N/A 1402  3 894 942 N/A 1479  4 936 984 N/A 1607  5 979 1027 N/A 1730  COL 915 963 N/A N/A  1 UBL 936 984 N/A N/A  1 UBL 1038 1086 N/A N/A									
1 835 883 N/A 1304 2 869 917 N/A 1402 3 894 942 N/A 1479 4 936 984 N/A 1607 5 979 1027 N/A 1730 COL 915 963 N/A N/A LUCL 1038 1086 N/A N/A		-							
2 869 917 N/A 1402 3 894 942 N/A 1479 4 936 984 N/A 1607 5 979 1027 N/A 1730 COL 915 963 N/A N/A LUCL 1038 1086 N/A N/A	Armchair with armlinking (EPBMA-Y) 12.6 lb	S							
566  566  614  2 089 917 N/A 1402 3 894 942 N/A 1479 4 936 984 N/A 1607 5 979 1027 N/A 1730 COL 915 963 N/A N/A LUCL 1038 1086 N/A N/A	570 mm								
566 614 4 936 984 N/A 1607 5 979 1027 N/A 1730 COL 915 963 N/A N/A LUBL 936 984 N/A N/A LUCL 1038 1086 N/A N/A	25								
566 614 5 979 1027 N/A 1730 COL 915 963 N/A N/A 1730 LUBL 936 984 N/A N/A 125° LUCL 1038 1086 N/A N/A									
S 7/7 102/ N/A 1730  COL 915 963 N/A N/A  LUBL 936 984 N/A N/A  LUCL 1038 1086 N/A N/A		566	614						
LUBL 936 984 N/A N/A LUCL 1038 1086 N/A N/A									
LUCL 1038 1086 N/A N/A	3 SZ mm 2"							-	
			_						
LSL       48     196   N/A   N/A	42.5								
11.12 11/0 19/1				LSL	1148	1176	IN/A	IN/A	

Price List 2024 - USD excl. sales tax - Version 1.1

Felt glides 21 \$

Fee per RAL K7 colour for frames (for one colour if below 200 pcs)



# SixE 4-leg on castors

#### By PearsonLloyd

No matter how you look at SixE,

- it presents itself as a perfectly bold move
- bending the rules of how comfortable a simple polypropylene shell chair can be.
- 10 year warranty
  SixE stacks up to 15 chairs on a dolly
  GreenTag<sup>CertTM</sup>



	POLYPR	OPYLENE		UPHOLSTERY				
	(EPASC	(/EPBSE)						
Standard frame colours:	PP200 •	PP100		SEAT	UPH.	FULLY UPH.		
B1 B6 B7 B9 B10 B30		PP300 O PP310 PP270 PP120		BLACK (EFA/	COLOUR (EFA/	NO ARM (EUA)	BLACK ARM (EUB)	
Choose matching frame and shell colour without additional costs:		PP340 PP350	GROUP	EFB)	EFB)	, ,		
	RECYCLED PP200	RECYCLED PP100 PP300 PP120						
RAL K7 colours available at customer request	\$	\$		\$	\$	\$	\$	
Sidechair (EPA) 17.421	b		COW	904	952	1296	N/A	
( E			1	935	983	1392	N/A	
			2	969	1017	1490	N/A	
30.9"	654		3	994	1042	1567	N/A	
785 m 30.9		702	4	1036	1084	1695	N/A	
	00-	/02	5	1079	1127	1818	N/A	
( ) ( )			COL	1015	1063	N/A	N/A	
520 mm, 535 mm, 20.5"			LUBL	1036	1084	N/A	N/A	
200			LUCL	1138	1186	N/A	N/A	
			LSL	1248	N/A	N/A	N/A	
Armchair (EPB) 20.3 lb			COM	1038	1086	N/A	1421	
	1		1	1069	1117	N/A	1517	
			2	1103	1151	N/A	1615	
25.4.mm 7.7.mm 30.9"			3	1128	1176	N/A	1692	
28.5 mm 27.4 mm 788 mm 30.5 mm	777	825	4	1170	1218	N/A	1820	
27.4° 17.7° 17.7° 18.5° 17.7° 18.5° 17.3° 18.5° 17.3° 18.5° 17.3° 18.5° 17.3° 18.5°	///	025	5	1213	1261	N/A	1943	
// //			COL	1149	1197	N/A	N/A	
,565 mm, 22.2", 21.1"			LUBL	1170	1218	N/A	N/A	
22.2" 21.1"			LUCL	1272	1320	N/A	N/A	
			LSL	1382	N/A	N/A	N/A	

Price List 2024 - USD excl. sales tax - Version 1.1

Soft lane castors

Fee per RAL K7 colour for frames (for one colour if below 200 pcs) +520



### SixE sled

#### By PearsonLloyd

No matter how you look at SixE, it presents itself as a perfectly bold move

- bending the rules of how comfortable a simple polypropylene shell chair can be.
- 10 year warranty
  SixE stacks up to 25 chairs on a dolly
  GreenTag<sup>CertTM</sup>



	POLYPRO	POYLENE		UPHOLSTERY					
Standard frame colours:	(EPA	/EPB)							
B1 B6 B7 B9 B10 B30  Choose matching frame and shell colour without additional costs:	11200	PP300 PP310 PP270 PP120 PP340 PP350	GROUP	BLACK (EFA/ EFB)	COLOUR (EFA/ EFB)	NO ARM (EUA)	BLACK ARM (EUB)		
	RECYCLED PP200	RECYCLED PP100 PP300 PP120							
RAL K7 colours available at customer request	\$	\$	2011	\$ 751	\$	\$	\$		
Sidechair (EPARB) 13.2	lbs		сом	751	799	1154	N/A		
Minister (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)			1	782	830	1250	N/A		
			2	816 841	864 889	1348 1425	N/A N/A		
385 mm 385 mm 389.9°			4	883	931	1553			
450 mm m 17.17.17.18.50 mm m 18.50 mm m 18.50 mm m 18.50 mm m 18.50 mm m 19.50 mm m 19.5	510	558	5	926	974	1676	N/A N/A		
392			COL	862	910	N/A	N/A		
500 mm 545 mm			LUBL	883	931	N/A	N/A		
19.7" 21.5"			LUCL	985	1033	N/A	N/A		
			LSL	1095	1143	N/A	N/A		
Sidechair with bracelinking (EPABB) 13.7	lbs		COM	833	881	1233	N/A		
Sidectical with bracelliking (EFADD) 10.7 1	1103		1	864	912	1329	N/A		
			2	898	946	1427	N/A		
			3	923	971	1504	N/A		
	500	637	4	965	1013	1632	N/A		
	589		5	1008	1056	1755	N/A		
12mm 0.5	8		COL	944	992	N/A	N/A		
			LUBL	965	1013	N/A	N/A		
1045 mm	8		LUCL	1067	1115	N/A	N/A		
			LSL	1177	1225	N/A	N/A		
Armchair (EPBRB) 16.1	lbs		сом	885	933	N/A	1277		
, unional (El Bitb)			1	916	964	N/A	1373		
• · · · · · · · · · · · · · · · · · · ·			2	950	998	N/A	1471		
27.4" 27.4" 28.5 mm 28.5 mm			3	975	1023	N/A	1548		
77.7 mm 77.7 mm 7.7 mm	635	683	4	1017	1065	N/A	1676		
27.4. 27.4. 17.7. 785.m	000	665	5	1060	1108	N/A	1799		
565 mm 545 mm			COL	996	1044	N/A	N/A		
22.2" 21.5"			LUBL	1017	1065	N/A	N/A		
			LUCL	1119	1167	N/A	N/A		
			LSL	1229	1277	N/A	N/A		
Armchair with armlinking (EPBRB-Y) 16.1	lbs		сом	906	954	N/A	1298		
570 mm			1	937	985	N/A	1394		
23			2	971	1019	N/A	1492		
			3	996	1044	N/A	1569		
	656	704	4 5	1038 1081	1086 1129	N/A N/A	1697 1820		
1 H-1			COL	1081	1065	,	N/A		
70 mm 28"			LUBL	1017	1065	N/A N/A	N/A N/A		
1075 mm			LUCL	1140	1188		-		
42.3"			LUCL	1250	1298	N/A N/A	N/A N/A		
			LJL	1230	1∠70	IN/A	IN/A		

Price List 2024 - USD excl. sales tax - Version 1.1

Felt glides 21 \$

Fee per RAL K7 colour for frames (for one colour if below 200 pcs)



### SixE barstool

#### By PearsonLloyd

No matter how you look at SixE, it presents itself as a perfectly bold move

- bending the rules of how comfortable a simple polypropylene shell chair can be.
- 10 year warranty
   SixE stacks up to 10 chairs on a dolly
   GreenTag<sup>CertTM</sup>



		OPYLENE		UPHOLSTERY			
Standard frame colours:	PP200	PP100					
Sidiladia lidille Coloois.	11200	PP100 PP300		SEAT UPH.		FULLY	
B1 B6 B7 B9 B10 B30	PP310 PP270 PP120			BLACK (EFC)	COLOUR (EFC)	UPH. (EUC)	
Choose matching frame and shell colour without additional costs:	PECYCLED	PP340 PP350	GROUP				
	RECYCLED PP200	PP100 PP120 PP120					
RAL K7 colours available at customer request	\$	\$	2211	\$	\$	\$	
Barstool 4 Leg (EPCAO) 16.1 lb	s		сом	1018	1066	1402	
			1 2	1049 1083	1097	1498	
			3	11083	1131 1156	1596 1673	
0 mm 20.3° 1105 mm			4		1198	1801	
30.3° 1105 m 43.5°	762	810	5	1150 1193	1241	1924	
			COL	1129			
			LUBL		1177	N/A	
550 mm 21.7" ( )535 mm			LUCL	1150 1252	1198 1300	N/A N/A	
			LSL	1362		-	
D	-		COW	1018	N/A 1066	N/A 1402	
Barstool 4 Lea, counter height (EPCAP) 11.7 lb	S		1 1	1018	1066	1402	
			2	1049	1131	1596	
			_		-		
4.6° mm			3	1108	1156	1673	
24.8° m 965 m 965 m	762	810	4	1150	1198	1801	
3 -			5	1193	1241	1924	
,540 mm , 535 mm ,			COL	1129	1177	N/A	
21.3" 21.1"			LUBL	1150	1198	N/A	
			LUCL	1252 1362	1300	N/A	
D   101   15   (FDO+++)					N/A	N/A	
Barstool Sled frame (EPCAM) 20.9 lb.	S		COM 1	1120	1168	1494	
				1151	1199	1590	
			2	1185 1210	1233	1688 1765	
03.7 43.5			3		1258		
30.3 - 1105 n 43.5	852	900	-	1252	1300	1893	
			5 COL	1295 1231	1343 1279	2016	
,530 mm, ,560 mm,			LUBL	1251	1300	N/A N/A	
530 mm 20,9" , 560 mm 22"			LUCL	1354	1402	-	
			LUCL	1354	1512	N/A N/A	
			LSL	1404	1312	IN/A	

Price List 2024 - USD excl. sales tax - Version 1.1

Felt glides 21

Fee per RAL K7 colour for frames (for one colour if below 200 pcs) +520 \$



### SixE swivel

#### By PearsonLloyd

- No matter how you look at SixE, it presents itself as a perfectly bold move.
- bending the rules of how comfortable a simple polypropylene shell chair can be.
- 10\* year warranty
   Design for Disassembly
   GreenTag<sup>CertTM</sup>



	POLYPR	OPYLENE		UPHOLSTERY			
	(EPEES	S/EPFES)					
Standard frame colours:	PP200 •	PP100 PP300		SEAT UPH.		FULLY	
B10		PP310 PP270 PP120		BLACK (EPO/ EPP)	COLOUR (EPO/ EPP)	UPH. (EFSES/ EFTES)	
BAIN - HOWE Grey		PP340 PP350	GROUP				
	RECYCLED PP200	RECYCLED PP100 • PP300 OPP120					
0:1 1:	\$	\$	2011	\$	\$	\$ 1027	
Sidechair 15.9 II	IDS		СОМ	839 870	887 918	1236 1332	
			1 2	904	952	1430	
E 50   E 80	2		3	929	977	1507	
	<sup>2</sup>		4	971	1019	1635	
	595	643	5	1014	1062	1758	
385-515mm 15.6"-203" 3 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	?		COL	950	998	N/A	
590 mm			LUBL	971	1019	N/A	
23.2"			LUCL	1073	1121	N/A	
			LSL	1183	1231	N/A	
Armchair 18.3	lbs		СОМ	973	1021	1361	
/ unclaii			1	1004	1052	1457	
			2	1038	1086	1555	
	0		3	1063	1111	1632	
51.88 mm	710	7//	4	1105	1153	1760	
2 1 1 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1	718	766	5	1148	1196	1883	
244"-29.1" 244"-29.1" 15.6"-20.3" 15.6"-20.3" 26.585 mn	8		COL	1084	1132	N/A	
67 590 mm			LUBL	1105	1153	N/A	
23.2"			LUCL	1207	1255	N/A	
			LSL	1317	1365	N/A	
				1017	1000	14//	

Price List 2024 - USD excl. sales tax - Version 1.1

Soft lane castors



### SixE Learn

#### By PearsonLloyd

No matter how you look at SixE,

- it presents itself as a perfectly bold move
- bending the rules of how comfortable a simple polypropylene shell chair can be.

- 10\* year warranty
   Design for Disassembly
   Chair for active learning environments, classrooms and higher education
   GreenTag CertTM



				POLYPR	OPYLE	NE					
				(EPC	/EPP)						
Standard frame colours:				PP200 •	PP100 PP300	•		SEAT	UPH.	FULLY	
BAIN - HOWE Grey					PP310 PP270 PP120 PP340 PP350		GROUF	BLACK (EFO/ EFP)	COLOUR (EFO/ EFP)	UPH. (EFQ/ EFR)	
				RECYCLED PP200 •	RECYC PP100 PP300 PP120	• •		\$	\$	\$	
Learn side chair			25.8 lbs				COM	1421	1461	1770	
					1			1492	1866		
					2	1486	1526	1964			
	660 - 780 mm 26" - 30.7"	E					3	1511	1551	2041	
	8 8	395-515mm 15.6"-20.3"		1127	116	47	4	1553	1593	2169	
	97	5.5		112/	110	"	5	1596	1636	2292	
	21.	5.5	ைய மேல				COL	1532	1572	N/A	
		e –	720 mm 28.3"				LUBL	1553	1593	N/A	
			28.3				LUCL	1655	1695	N/A	
							LSL	1765	1805	N/A	
Learn armchair			28 lbs				сом	1555	1603	1893	
							1	1586	1634	1989	
	CT	_	0				2	1620	1668	2087	
	E I	e: जी	r				3	1645	1693	2164	
	88	ETS.		1050	120	0	4	1687	1735	2292	
	660 - 780 mm 26" - 30.7"	-2	ň	1252	130	JU	5	1730	1778	2415	
	1252 13			COL	1666	1714	N/A				
-	5550	8 - 7	720 mm			LUBL	1687	1735	N/A		
			28.3"				LUCL	1789	1837	N/A	
							LSL	1899	1947	N/A	
							131	10//	1/7/	14//1	

Soft lane castors	21	\$
Bag hook	52	\$
Cupholder	46	\$



### MN1 cantilever

#### By Morten Nikolajsen

Whenever comfort, classic lines, and functionality are vital, the MN1 chair is the obvious choice.

- 5 year warrantyStacks 5 chairsFSC certifiedDesign for Disassembly



		ME	ESH	FULLY	UPH.		chrome	oad with or black
		(KELCC	/KELCD)	(KYLCC	/KYLCD)	Black base	bo	ise
Standard base finish is chrome		V3 <b>6</b>	LW25	V3 (6)	LW25	w. or w/o		
Black base and armrests as an option	GROUP		LW17		LW17	black		
Standard armrests is polished aluminium		Back frame	Back frame	Back frame	Back frame	armrests	Uph.	Veneer
			Black or		Black or		armrests	armrests
(P ●		Oak	walnut	Oak	walnut			
81 87			stained		stained			
		\$	\$	\$	\$	\$	\$	\$
Side chair, normal back (A) 19.8 lbs	COM	1379	1467	1548	1636			
( ,	1	1406	1494	1631	1719			
	2	1437	1525	1715	1803			
	3	1467	1555	1815	1903			
ξ.	4	1531	1619	2001	2089	+46	+N/A	+N/A
480 mm 890 mm 35°	5	1552	1640	2064	2152	1 140	114/71	114//
88 88	COL	1508	1596	1934	2022			
	LUBL	1531	1619	2001	2089			
480 mm 575 mm 22.6"	LUCL	1684	1772	2460	2548			
101	LSL	1867	1955	N/A	3099			
Side chair, high back (B) 20.7 lbs	COM	1515	1603	1682	1770			
	1	1542	1630	1765	1853			
	2	1573	1661	1849	1937			
	3	1603	1691	1949	2037			
	4	1667	1755	2135	2223	+46	+N/A	+N/A
EI. 200 800	5	1688	1776	2198	2286	1 40		114//1
1887 mm 1897 m	COL	1644	1732	2068	2156			
	LUBL	1667	1755	2135	2223			
480 mm 18.9" 620 mm	LUCL	1820	1908	2594	2682			
	LSL	N/A	2091	3145	3233			
Armchair, normal back (A) 20.9 lbs		1510	1598	1548	1767			
	1	1537	1625	1762	1850			
	2	1568	1656	1846	1934			
	3	1598	1686	1946	2034			
E	4	1662	1750	2132	2220	+90	+303	+204
880 mm 18.9° mm 18.9° mm 38.00 mm 18.9° mm 38.00 mm 18.9° mm 38.00	5	1683	1771	2195	2283			
88 2 88 8	COL	1639	1727	2065	2153			
	LUBL	1662	1750	2132	2220			
570 mm 22.4" 575 mm 22.6"	LUCL	1815	1903	2591	2679 3230			
AND THE PROPERTY OF THE PROPER		1998 1646	2086 1734	3142 1813	1901	$\vdash$		
Armchair, high back (B) 21.8 lbs	1 COM	1646	1734	1813	1901			
	2	1704	1761	1980	2068			
	3	1704	1822	2080	2068			
ε	4	1734	1886	2266	2354			
E 68 81 44 47 47 47 47 47 47 47 47 47 47 47 47	5	1819	1907	2329	2417	+90	+303	+204
2680 mm 18.9° mm 19.0° mm 19.0	COL	1775	1863	2199	2287			
%   § ∞   _	LUBL	1773	1886	2199	2354			
570 mm 620 mm	LUCL	1951	2039	2725	2813			
22.4" 24.4"	LSL	2134	2037	3276	3364			
	LJL	2104	<b>LLLL</b>	52/0	5504			

Price list 2024 - USD excl. V.A.T. - Version 1.1

Felt glides 42 \$



### MN1 X-base

#### By Morten Nikolajsen

Whenever comfort, classic lines, and functionality are vital, the MN1 chair is the obvious choice.

- 5 year warrantySimple and elegant aestheticsDesign for DisassemblyHeight adjustableFSC certified



				ME	ESH	FULLY	UPH.		Armrest p	or black
				(KE	M)	(K)	(M)	Black base	bo	ise
Black base and	l armrests as an opti	ion		V3		V3	LW25	w. or w/o		
			GROUP		LW17		LW17	black		
	and armrests is polis	shed		Back frame	Back frame	Back frame		armrests	Uph.	Veneer
aluminium	40. A				Black or		Black or		armrests	armrests
				Oak	walnut	Oak	walnut			
	B51 B7				stained		stained			
				\$	\$	\$	\$	\$	\$	\$
Side chair, norn	nal back (A)	23.1 lbs		1642	1730	1803	1891			
			1	1669	1757	1886	1974			
		P-T	2	1700	1788	1970	2058			
1855	_	mm 7.2.	3	1730	1818	2070	2158			+N/A +N/A
Buck !	ET P	-945 mm	4 5	1792	1880	2256	2344	+46	+N/A	
	50-540 mm	33.7	-	1815	1903	2319	2407			
	35	33.7	COL	1773 1792	1861 1880	2189 2256	2277 2344			
-	485 mm	570 mm	LUCL			2715	2803			
C	19.1"	22.4"	LSL	1947 2130	2035 2218	3266	3354			
C: -l l : - l- : - : - :	I I- (D)	24 lbs	COM	1778	1866	1937	2025			
Side chair, high	pack (R)	24 IDS	1 1	1805	1893	2020	2108			
			2	1836	1924	2104	2192			
1000		1 c 1	3	1866	1954	2204	2292			
		/ m :-:	4	1928	2016	2390	2478	+46	+N/A	
	E.E.	4 1 4	5	1951	2010	2453	2541			+N/A
1183	450-540 mm 17.7"-21.3"	1055 - 1145 mm 41.5" - 45.1"	COL	1909	1997	2323	2411			
	7.5	9 '	LUBL	1928	2016	2390	2477			
	485 mm	615 mm	LUCL	2083	2171	2849	2937			
	19.1"	24.2"	LSL	2266	2354	3400	3488			
Armchair, norm	al back (A)	24.3 lbs	COM	1725	1813	1849	1937			
Annendii, noim	ai back (A)	24.0 103	1	1752	1840	1932	2020			
		11477 - 19467	2	1783	1871	2016	2104			
		PEL	3	1813	1901	2116	2204			
	E & E . 1	45 mn	4	1875	1963	2302	2390			
	SE ELE	0	5	1898	1986	2365	2453	+90	+303	+204
	645-735 mm 25.4"-28.9" 150-540 mm 17.7"-21.3"	855-945 mm 33.7"-37.2"	COL	1856	1944	2235	2323			
	214 815 -		LUBL	1875	1963	2302	2390			
	570 mm	570 mm	LUCL	2030	2118	2761	2849			
	22.4"	22.4"	LSL	2213	2301	3312	3400			
Armchair, high I	back (B)	25.1 lbs	COM	1861	1949	1983	2071			
, 3	` '		1	1888	1976	2066	2154			
		PI	2	1919	2007	2150	2238		+303 +20	
The same of the sa		/ 8	3	1949	2037	2250	2338			
	ET& E II	45 54	4	2011	2099	2436	2524	+90		+204
	25.4" - 28.9" 25.4" - 28.9" 177" - 21.3"	1055-1145 mm 41.5" - 45.1"	5	2034	2122	2499	2587	',	. 000	. 20-
	7 4 8 2	41.	COL	1992	2080	2369	2457			
	0.0		LUBL	2011	2099	2436	2524			
	570 mm 22.4"	615 mm 24.2"	LUCL	2166	2254	2895	2983			
	22.4"	24.2	LSL	2349	2437	3446	3534			

Price list 2024 - USD excl. V.A.T. - Version 1.1

Fixed with return swivel	61	\$
Felt glides	42	\$



### MN1 5-star

#### By Morten Nikolajsen

Whenever comfort, classic lines, and functionality are vital, the MN1 chair is the obvious choice.

- 5 year warrantySimple and elegant aestheticsDesign for DisassemblyHeight adjustableFSC certified



				ME	SH	FULLY	UPH.		chrome	or black
				(KENLA	/KENLB)	(KENLA	/KENLB)	Black base	bo	ise
	is polished aluminium			V3 🐞	LW25	V3 🌘	LW25	w. or w/o		
with black cast			GROUP		LW17		LW17	black		
	armrests as an option			Back frAHe	Back frAHe	Back frAHe		armrests	Uph.	Veneer
Standard armre	st is polished aluminium				Black or		Black or		armrests	armrests
				Oak	walnut	Oak	walnut			
	B51 87				stained		stained	.		
				\$	\$	\$	\$	\$	\$	\$
Side chair, norm	nal back (A)	23.6 lbs	сом	1824	1912	1978	2066			
			1	1851	1939	2061	2149			
		P_T	3	1882	1970	2147	2235			
	_	38.8"	4	1912	2000	2245	2333			
1000	ETS -	33 88	5	1976 1997	2064 2085	2433 2494	2521 2582	+46	+N/A	+N/A
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	875 - 985 mm 34.5" - 38.8"	COL	1997	2063	2364	2452			
	883-226 833-226	2000	LUBL	1976	2041	2433	2521			
	640 mm 640	mm .	LUCL	2129	2217	2890	2978			
	25.2" 25	.2"	LSL	2312	2400	3443	3531			
Side chair, high	back (B)	24.5 lbs	COM	1960	2048	2114	2202			
Side Chair, High	Dack (b)	24.0 103	1	1987	2075	2197	2285			
		Ø T	2	2018	2106	2283	2371			
		/ E	3	2048	2136	2381	2469			
Marie San Control		1055 - 1165 mm	4	2112	2200	2569	2657			
	1837-226"	- y = 1.	5	2133	2221	2630	2718	+46	+N/A	+N/A
	28 -1	41.5	COL	2089	2177	2500	2588			
	2 8 6 6 63 5	00 3	LUBL	2112	2200	2569	2657			
	640 mm 640	mm	LUCL	2265	2353	3026	3114			
• • •	25.2" 25	5.2"	LSL	2448	2536	3579	3667			
Armchair, norma	al back (A)	24.7 lbs	COM	1907	1995	2032	2120			
	, ,		1	1934	2022	2115	2203			
		Ø T	2	1965	2053	2201	2289			
	Et. a h	.8.8.	3	1995	2083	2299	2387			
	E 13 K 3	88	4	2059	2147	2487	2575	+90	+303	+204
	8 5 5 5	875 - 985 mn 34.5" - 38.8"	5	2080	2168	2548	2636			
	303"-346" 303"-346" 303"-326" 313"-226"	None of	COL	2036	2124	2418	2506			
	640 mm 640	ac of 1	LUBL	2059 2212	2147 2300	2487 2944	2575 3032			
	25.2" 25.	2"	LUCL	2395	2300	3497	3585			
Armondo estre latada la	AND	25.6 lbs		2395	2131	2168	2256	$\vdash$		
Armchair, high b	Dack (B)	∠3.6 IDS	1 1	2043	2158	2251	2339			
			2	2101	2189	2337	2425			
		/ E	3	2131	2219	2435	2523			
Maria A	E7. 0	1055 - 1165 mm 41.5" - 45.9"	4	2195	2283	2623	2711			
	E S Er o	7 5 4	5	2216	2304	2684	2772	+90	+303	+204
	0-890 m 803-34.6 503-34.6 31-22.6	55.7	COL	2172	2260	2554	2642			
-	303-346 303-346 303-346 333-326	2	LUBL	2195	2283	2623	2711			
	4 640 mm 640	mm .	LUCL	2348	2436	3080	3168			
	25.2" 2	5.2"	LSL	2531	2619	3633	3721			

Price list 2024 - USD excl. V.A.T. - Version 1.1

Soft lane castors 42 \$



### AS100

#### By Andreas Störiko

The AS series is highly inspired and highly functional. Combining elegance and utility with true mobility, the family of nesting chairs and tables leaves room for all imaginable purposes.

- 10 year warranty
  Lightweight and space-saving
  Easy to link multiple chairs for relocation
  Castro are weight activated brake castors
- Stacks horizontally as many chairs as wanted
- Return swivel mechanism with 4 positions



STANDARD ARMRESTS, SEATBAR AND BASE COLOURS  B6 B7 B51	GROUP	FULLY UPHOLSTERED (DU)
		\$
Side chair (CCS) 22 lbs	COW	1336
( ) )	1	1397
	2	1458
	3	1531
880mm	4	1640
1985 mm 34.5 mm 38.5 mm 34.5 mm 38.5 mm 34.5 m	5	1710
	COL	1594
700	LUBL	1640
700 mm 700 mm 27.6"	LUCL	1947
	LSL	2318
Armchair (CCA) 24 lbs	COM	1449
	1	1510 1571
	3	1644
	4	1753
25 mm	5	1823
880 mm (1955 mm) 347 mm (1955 mm) 347 mm (1955 mm) 347 mm (1955 mm) (1955 mm	COL	1707
	LUBL	1753
, 700 mm , , 700 mm .	LUCL	2060
700 mm 700 mm 77 K" 770 mm	LSL	2431

Price List 2024 - USD excl. sales tax - Version 1.1

Soft castors for hard floors	17	1
------------------------------	----	---



#### 40/4 Writing tablet

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.

Writing tab	let without or with cupholder	No.	Per Piece	
Writing tablet without cupholder 40/4 writing tablet, chrome frame, 0.4" compact laminate Left and right version is available		Tio.	\$	
No Cupholder	Black	DAZS	329	
No Cupholder	White	DAZS	329	
Cupholder	Black	DAZS_Y	372	
Cupholder	White	DAZS_Y	372	
40/4 and Six	E Transporter for writing tablets			
Writing tablet dolly, up Dolly with 3 boxes, ler height: 55".  Writing tablet dolly, up Double dolly with 6 bi height: 55".	ngth: 16", depth: 24",		Per Transporter	
			\$	
18 Pcs	3 boxes	404WTDLY01	1001	
36 pcs	6 boxes	404WTDLY02	2002	•



#### 40/4 Linking

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.



LD linking	No.	Per Piece	
Width between seats: 2.6". Linking side chair to side chair; allows to link chairs in a straight line.			
40/4 linking device LD1H in chrome	404ACCLD1H	57	
Width between seats: 4.9" Linking: side chair to side chair; side chair to armchair; allows to link chairs in a straight line.			
40/4 linking device LD2H in chrome	404ACCLD2H	72	
Width between seats: 7.3" Linking: side chair to side chair; side chair to armchair; armchair to armchair; allows to link chairs in a straight line.			
40/4 linking device LD3H in chrome	404ACCLD3H	79	
Width between seats: 3.2" Linking side chair to side chair; allows to form the arc of chairs; the radius is adjuastable, 0-12 degrees.			
40/4 radius linking device LD2RL in chrome	404ACCLD2R L	86	
Width between seats: 7.9" Linking armchairs with writing tablets to armchairs with writing tablets; allows to link chairs in a straight line.			
40/4 linking device LD4S in chrome	404ACCLD4S	100	
Width between seats: 2.75" Linking side chair to side chair; allows to link chairs in a straight line. Recommended for public spaces where EN 14703 is a requirement.			
40/4 safety linking device LD5S in chrome	404ACCLD5S	86	



#### 40/4 Dolly and Glides

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.



No.	Per Piece	
DLYSSAASF10	875	2
DLYSSBCSF10	875	
	Per Piece	
me frames	\$	101 A //
02328WS	7	
02329WS	7	
02352	7	
ıce-linking side cl	nairs	
02352	7	
17330	7	
	Per Piece	
me frames	\$	
02325WS	6	
02326WS	6	
02351	6	
I ace-linking side cl	nairs	
02351	6	
17327	6	
	DLYSSAASF10  DLYSSBCSF10  DLYSSBCSF10  DLYSSBCSF10  DLYSSBCSF10  D2328WS  02329WS  02352  D2352  D2352  D2352  D350  D351  D351  D350  D351  D351  D351  D351	\$ DLYSSAASF10 875 DLYSSBCSF10 875 Per Piece \$ me frames  02328WS 7 02329WS 7 02352 7  02352 7  17330 7 Per Piece \$ me frames  02325WS 6 02325WS 6 02325WS 6 02325WS 6 02351 6



#### 40/4 Linking items and book holders

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.



LD linking continued	No.	Per Piece	
Width between seats: 2.75" Linking side chair to side chair; allows to link chairs in a straight line. Recommended for public spaces where EN 14703 is a requirement.	NO.	rei riece	
40/4 safety linking device LD5S	404ACCLD5S		
Cup holder for 40/4 safety linking device LD5S	404ACCLD5S CUP	11	/
Numbering for 40/4 safety linking device LD5S	404ACCLD5S NUM	11	
Linking tool			
40/4 Linking tool In chrome. An aid to the linking/unlinking operation of side chairs with integrated linking.			
Linking tool (for side chairs with integrated linking)	404ACC0300 101	72	(A. C)
Row spacer bar  In HOWE grey powdercoating with rubber lock, allows a 13.78" aisle between rows.			
Row spacer bar for armchairs, 13.78" distance between the rows	404ACC027A 350	93	
Row spacer bar for side chairs, 13.78" distance between the rows	04ACC027\$35	93	
Bookholders			
40/4 book rack in chrome			
Book rack (for side chairs and armchairs)	404ACC0290 101	172	
Hymn book holder			
In chrome, 4.72" high and 6.89" long; 6.1" wide (distance between front legs of chairs) with integrated linking. Note! Hymn book holder does not work with the writing tablet.			
Hymn book holder (for side chairs and armchairs, non-linking)	404ACC0280 101	100	



#### 40/4 Numbering tag

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.

cnrome frames only.		_	
Numbering town for your and coat			
Numbering tags for row and seat  The price of one numbering tag. The start-up fee is 450 \$	No.	Per Piece	
		\$	
40/4 Row/seat numbering tag	404SN1120	57	

#### SixE Writing tablet and Dolly

No matter how you look at SixE, it presents itself as a perfectly bold move – bending the rules of how comfortable a simple polypropylene shell chair can be.

All accessories are recommended for chrome frames only.

cnrome trames on	ıy.			
Writing tablet without	rome frame, 0.4" compact laminate	No.	Per Piece	
			\$	
No Cupholder	Black	EAZS	343	
No Cupholder	White	EAZS	343	
Cupholder	Black	EAZS_Y	386	
Cupholder	White	EAZS_Y	386	
40/4 and Six	E Transporter for writing tablets			
Writing tablet dolly, u	ngth: 16", depth: 24", height: 55" p to 36 pcs.		Per Transporter	
Double dolly with 6 b	oxes, length: 32", depth: 24", height: 55"		\$	
18 Pcs	3 boxes	404WTDLY01	1001	
36 pcs	6 boxes	404WTDLY02	2002	•
Dolly for SixE 4-leg and sled				
Single HOWE grey do Accomodates up to 2	lly with multidirectional castors 25 chairs.		Per Dolly	
			\$	3 0
25 chairs		22920010	1373	



#### MN1 Dolly

Whenever comfort, classic lines, and functionality are vital, the MN1 chair is the obvious choice.



Price List 2024 - USD excl. sales tax - Version 1.1

Dolly

### Notes for chairs

Price list 2024 - USD excl. V.A.T. - Version 1.1

#### General

HOWE Standard delivery time within North America is determined on a case-to-case basis – please contact Customer Service for details.

In case of large quantities and/or customized products delivery time is usually longer than for standard products.

For chairs with upholstery, the lead time starts being counted once fabric reaches the production line.

We recommend linking only for chrome frames.

Frame colours from RAL K5 or K7 colour card are available. For quantities < 200 chairs the colour fee is 520 USD per RAL colour. For quantities ≥ 200 chairs there is no fee. Visual impressions of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

Stained veneer is possible with RAL colours from RAL K5 or K7 colour card. For quantities < 200 chairs the colour fee is 520 USD per RAL colour. For quantities ≥ 200 chairs there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

We recommend only stacking chairs with chrome frame.

Veneer is a natural material - differences in structure and colour may occur.

Upholstered armrests are as standard in the same fabric/leather type and colour as the seat and the back.

Soft castors are recommended for hard floors, hard castors for soft floors.

#### 40/4

Table surface protection protects the table surface when the chairs are hung up; it may be used only for non-linking chairs.

Please be aware that extra glides are not available for wooden frames.

40/4 can be stacked on a single, double, triple or quarto dolly. Double, triple and quarto can only be used with hook/eye linking.

As standard chair top frame and its swivel base are of the same colour but be aware that they are always matched by the chrome gas lift.

Glides for linking side chairs; the whole set for one linking side chair comprises of one male glide and one female glide at the front part of the frame (reinforcing the linking in the front part of the chair frame) plus two regular glides at the rear part of the frame; whether these are glides with or without felt depends only on customer's needs.

Regular glides are suitable for non-linking side chairs, for all types of armchairs and for lounge chairs; the whole set comprises of four clear regular glides per chair.

Glides for barstool with both chrome and painted frames; the whole set comprises of four regular glides per chair.

#### MN1

Fixed seating height - there is no possibility to install both height adjustable and return mechanism together.

Gas lift is black for black base and chrome for polished aluminium base.

#### SixE

Bag hook is recommended only for polypropylene backs.



### **FABRICS**

Enhance your designs with consciously chosen fabrics of top-notch performance and sustainable profiles. If you're seeking a solution that goes beyond standard options, please contact HOWE Customer Service.

40/4 MN1 SixE AS100



CURA by Gabriel		EMEA + US/CAN price group	EMEA + US/CAN price group 1		
Composition  Martindale: Washable: Cleanable:	: 98% post-consumer recycled polyester, 2% polyester 100.000 60-74°C YES	Added flame retardant: No Flammability M: No Crib 5: No Ecolabel: Yf	0		
		VIEW FULL COLOR RANGE			

40/4 MN1 SixE AS100



EVENT by Gabriel	EMEA + US/CAN price group 1		
Washable: 60°C Cleanable: YES	Flammability CAL 117: Added flame retardant: Flammability M: Crib 5: Ecolabel: Oeko-Tex:	YES NO NO NO YES YES	
	VIEW FULL COLOR RANGE		

40/4 MN1

SixE AS100 Needs testing



FIGHTER by Gabriel		EMEA + US/CAN price gr	EMEA + US/CAN price group 1		
Composition	: 100% recyclable polyester	Flammability CAL 117: Added flame retardant	YES		
Martindale: Washable:	130.000 YES	Flammability M: Crib 5:	NO NO		
Cleanable:	Only dry	Ecolabel: Oeko-Tex:	NO YES		
		VIEW FULL COLOR RANGE			

40/4 MN1 SixE AS100



MAIN LINE PLUS by Camira		EMEA + US/CAN price group 1		
Composition  Martindale: Washable: Cleanable:	: 67% wool, 20% flame retardant viscose, 13% viscose ≥50,000 YES YES	Flammability CAL 117: Added flame retardant: Flammability M: Crib 5: Ecolabel: Oeko-Tex:	YES YES NO YES NO YES	
		VIEW FULL COLOR RANGE		

40/4 MN1 SixE



OCEANIC by Camira		EMEA + US/CAN price group 1		
Composition  Martindale:  Washable:  Cleanable:	: 100% post-consumer recycled polyester ≥100,000 60°C YES		Flammability CAL 117: Added flame retardant: Flammability M: Crib 5: Ecolabel: Oeko-Tex:	YES NO NO NO YES YES
			VIEW FULL COLOR RANGE	



40/4 MN1 SixE	Tide - QUE12
40/4   MN1 SixE AS100	Joy - REP07
40/4 MN1 SixE	Resin - EGL04

QUEST by Camira		EMEA + US/CAN price group 1		
Composition: Martindale: Washable: Cleanable:	100% post-consumer recycled polyester ≥100,000 60°C YES	Flammability CAL 117: Added flame retardant: Flammability M: Crib 5: Ecolabel: Oeko-Tex:	YES NO NO NO YES YES	
		VIEW FULL COLOR RANGE		

**REPLAY** by Camira EMEA + US/CAN price group 1 Composition: 100% post-consumer Flammability CAL 117: recycled flame Added flame retardant: YES retardant polyester Flammability M: Martindale: ≥100,000 Crib 5: NO Washable: 60°C Ecolabel: YES Cleanable: YES Oeko-Tex: YES VIEW FULL COLOR RANGE



**RIVET** by Camira EMEA + US/CAN price group 1 Composition: 100% post-consumer Flammability CAL 117: recycled polyester Added flame retardant: NO Martindale: ≥80,000 Flammability M: NO Washable: 60°C Crib 5: NO Cleanable: YES Ecolabel: YES Oeko-Tex: NO

VIEW FULL COLOR RANGE

40/4 MN1 SixE



STEP by Gabriel EMEA + US/CAN price group 1 Composition: 100% Trevira CS Flammability CAL 117: Martindale: 100.000 Added flame retardant: YES Washable: 60-74°C Flammability M: M1 Cleanable: YES Crib 5: YES Ecolabel: YES Oeko-Tex: YES VIEW FULL COLOR RANGE

40/4 MN1 SixE AS100



STEP MELANGE by Gabriel	EMEA + US/CAN price group 1		
Composition: 100% Trevira CS Martindale: 100.000 Washable: 60-74°C Cleanable: YES	Flammability CAL 117: Added flame retardant: Flammability M: Crib 5: Ecolabel:	M1 YES YES	
	Oeko-Tex:	YES	

40/4 MN1 SixE AS100



TANNERY by Spradling	EMEA + US/CAN price group 1
Composition: Vinyl topcoat,	Flammability CAL 117: YES
Martindale: >100.000 Washable: NO	Flammability M: M2 Crib 5: NO
Cleanable: YES	Ecolabel: NO
	Oeko-Tex: NO  VIEW FULL COLOR RANGE



40/4
MN1
SixE



Blizzard - YS081

#### XTREME by Camira

EMEA + US/CAN price group 1

Composition: 100% post-consumer Flammability CAL 117:
recycled flame Added flame retardant

recycled flame Added flame retardant: YES retardant polyester Flammability M: NO

 Martindale:
 ≥100,000
 Crib 5:
 YES

 Washable:
 60°C
 Ecolabel:
 YES

 Cleanable:
 YES
 Oeko-Tex:
 YES

VIEW FULL COLOR RANGE

40/4 MN1 SixE AS100



Tooting - MLF17

#### MAIN LINE FLAX by Camira

EMEA + US/CAN price group 2

Composition: 70% virgin wool, 30% flax Flammability CAL 117: YES Martindale: ≥50,000 Added flame retardant: NO Washable: NO Flammability M: NO Cleanable: Crib 5: YES YES Ecolabel: YES Oeko-Tex: NO

VIEW FULL COLOR RANGE

40/4 MN1 SixE



Warrior - 466553-045

#### METAPHOR by Maharam

EMEA + US/CAN price group 2

Composition: 100% polyester Flammability CAL 117: YES Martindale: 100,000 double rubs Added flame retardant: NO

Wyzenbeek Flammability M: NO
Washable: NO Crib 5: NO
Cleanable: YES Ecolabel: NO
Oeko-Tex: NO

VIEW FULL COLOR RANGE

40/4 MN1



Skylight

#### VALENCIA B1 by Spradling

EMEA + US/CAN price group 2

Composition: Vinyl topcoat, Flammability CAL 117: YES cotton backing Added flame retardant: YES Flammability M: Martindale: >300.000 M1 Washable: NO Crib 5: YES Cleanable: YES NO Ecolabel: Oeko-Tex: NO

VIEW FULL COLOR RANGE

40/4 MN1 SixE AS100



CRISP by Gabriel

EMEA + US/CAN price group 3

Composition: 93% wool, 7% polyamide Flammability CAL 117: YES Martindale: 200 000 Added flame retardant: NO Flammability M: Washable: NO Cleanable: YES Crib 5: NO Ecolabel: YES Oeko-Tex: YES VIEW FULL COLOR RANGE

40/4 MN1 SixE AS100



FAME by Gabriel

EMEA + US/CAN price group 3

Composition: 95% wool, 5% polyamide Flammability CAL 117: Martindale: 200 000 Added flame retardant: NO Washable: NO Flammability M: NO Cleanable: Only dry Crib 5: YES Ecolabel: YES Oeko-Tex: YES

VIEW FULL COLOR RANGE



40/4 MN1 SixE AS100	0682
40/4   MN1 AS100	0926
40/4   MN1 AS100	Black - 41599

**REMIX 3** by Kvadrat EMEA + US/CAN price group 3 Composition: 90% new wool, 10% nylon Flammability CAL 117: Martindale: 100,000 Added flame retardant: NO Flammability M: Washable: NO NO Cleanable: Only dry Crib 5: NO Ecolabel: YES Oeko-Tex: NO VIEW FULL COLOR RANGE

CANVAS 2 by Kvadrat EMEA + US/CAN price group 4

Composition: 90% new wool, 10% nylon Flammability CAL 117: YES Martindale: 100,000 Added flame retardant: NO Washable: NO Flammability M: NO Only dry Crib 5: NO Cleanable: Ecolabel: YES Oeko-Tex: NO

VIEW FULL COLOR RANGE

ULTRA by Sørensen Leather EMEA + US/CAN price group 4 (TANGO), BLACK Flammability CAL 117: Added flame retardant: NO Composition: Protected Flammability M: Martindale: -Crib 5: Washable: Ecolabel: Cleanable: Oeko-Tex:

BLACK ONLY

AS100 40/4 MN1

Needs

testing

Black - 42438

BASIC by Sørensen Leather EMEA + US/CAN price group 5 (KNIGHT), BLACK Flammability CAL 117: Added flame retardant: NO Composition: Protected Flammability M: Martindale: Crib 5: Washable: Ecolabel: Cleanable: Oeko-Tex: YES BLACK ONLY

40/4 MN1 SixE AS100

0407

HALLINGDAL 65 by Kvadrat EMEA + US/CAN price group 5 Composition: 70% new wool, Flammability CAL 117: 30% viscose Added flame retardant: NO Flammability M: Martindale: 100.000 Washable: Crib 5: YES Cleanable: Only dry Ecolabel: YES Oeko-Tex: NO VIEW FULL COLOR RANGE

40/4 MN1 SixE AS100

0865

STEELCUT TRIO 3 by Kvadrat EMEA + US/CAN price group 5 Composition: 90% new wool, 10% nylon Flammability CAL 117: Martindale: 100.000 Added flame retardant: NO Washable: NO Flammability M: NO Cleanable: Only dry Crib 5: NO Ecolabel: YES Oeko-Tex: NO VIEW FULL COLOR RANGE



40/4 MN1 AS100



SAVANNE by Sørensen Leather EMEA + US/CAN price group LSL

Composition:Semi-anilineFlammability CAL 117:-Martindale:-Added flame retardant:-Washable:-Flammability M:-Cleanable:-Crib 5:-Ecolabel:-Deko-Tex:YES

VIEW FULL COLOR RANGE

40/4 MN1 AS100



ULTRA by Sørensen Leather

EMEA + US/CAN price group LUCL

(TANGO), COLOURED

Flammability CAL 117: Added flame retardant: Flammability M: Crib 5: Washable: Cleanable: Cleanable: 
VIEW FULL COLOR RANGE



### Moveo Training

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- GreenTag<sup>CertTM</sup>
- C-leg style
- Flip top table system



	Laminate (MBB)	Veneer (MBC)	Stained veneer (MBC)	
Laminate is with matching ABS edge. Veneer is with matching hardwood edge.  Table top thickness is 1"	LU45 LU31 LU35 LU300 LU400 LU200	VU1 VU3 VU5 VU15	LW17 LW25 LW30	Linking
B6 B51 B52 Standard frame* with castors with breaks *Other frame colours - see the notes	\$	\$	\$	
1200 mm *48"		960 mm 37.8°	450 mm	
Rectangular 48"x24" (321L)	2590	3237	3741	
Rectangular 60"x24" (342D)	2731	3414	3918	304
Rectangular 60"x30" (4410)	2795	3493	3997	304
Rectangular 72"x24" (362E)	2809	3511	4015	
	960 mm 37.8"	450 mm 17.7"	8-11-	
V-shape 48"x24" (222F)	2701	3376	3880	304
V-shape 60"x30" (442C)	2809	3511	4015	304

Price List 2024 - USD excl. sales tax - Version 1.1

#### Moveo Training - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops  $\bf Rectangle$ : length 28"-100" | width 18"-36"



## Moveo Meeting

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- GreenTag<sup>CertTM</sup>
- Inverted T-leg styleFlip top table system



	Laminate (MTB)	Veneer (MTC)	Stained veneer (MTC)	
Laminate is with matching ABS edge. Veneer is with matching hardwood edge.	LU45 LU31 LU35 LU300	VU1 VU3 VU5 VU15	LW17	
Table top thickness is 1"	LU400 LU200			Linking
B6 B51 B52 Standard frame* with castors with breaks *Other frame colours - see the notes	\$	\$	\$	\$
1500 mm *60"		1260 mm 49.6"	570 mm	
Rectangular 60"x30" (2410)	2798	3498	4002	304
Rectangular 72"x36" (461R)	3012	3765	4269	004
	1260 mm 49.6°	570 mm 22.5°	<b>.</b>	
Half-round 60"x30" (121E)	2897	3621	4125	152
	1260 mm 49.6°	570 mm 22.5	29.1"	
V-Shape 60"x30" (342C)	2811	3514	4018	N/A

Price List 2024 - USD excl. sales tax - Version 1.1

#### Moveo Meeting - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops Rectangle: length 28"-100" | width 24"-36"



## Moveo Conference modular

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- GreenTag<sup>CertTM</sup>
- Flip top table system



					70	The same of			
			Laminate	(MVB)	Veneer (A	MVC)	Stained ver	neer (MVC)	
Laminate is with mo Veneer is with mato	atching ABS edge. Ching hardwood edge.		LU45 LU31 LU35		VU1 VU3 VU5	0	LW17 LW25 LW30	•	
Table top thickness	is 1"		LU300 LU400 LU200	•	VU15	•			Linking
B6 B51 B52									
Standard frame* w *Other trame colou	ith castors with breaks irs - see the notes		\$		\$			<b>5</b>	\$
1	1	2200 mm	DOOR THE PARTY OF		1960	mm	, 850 mm		
Rectangular	88"x40" (485M)		573	4	7168	3	81	76	20.4
Rectangular	88"x48" (485N)		669	7	8372	2	93	80	304
				10/0		950 m	740 mm		
Half-Boat	96"x42" (786A)		<u> </u>	1960 mm		850 mm	74		
Half-Boat	96 x42 (786A) 96"x48" (786B)		662		8284		92		152
i iuii-buui	70 X40 (700D)		735	3	9192	2	102	200	

Price List 2024 - USD excl. sales tax - Version 1.1

#### Moveo Conference, Modular - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops Rectangle: length 28"-86" | width 36"-48"



# Moveo Conference stand alone

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- GreenTag<sup>CertTM</sup>
- Inverted T-leg style
- Flip top table system



		Laminate (MRB)	Veneer (MRC)	Stained veneer (MRC)	
Laminate is with mo	atching ABS edge. Ching hardwood edge.		U3	LW17 • LW25 • LW30	
Table top thickness	is 1"	LU400 VL LU200 VL	U15 •		Linking
B6 B51 B52					
Standard frame* w *Other frame colou	ith castors with breaks urs - see the notes	\$	\$	\$	\$
1	2400 mm		1760 mm	850 mm	
Rectangular	96"x42" (472V)	5983	7479	8487	20.4
Rectangular	96"x48" (47IW)	6954	8692	9700	304
			n n	740 mm	
		1760 mm	850 mm	740 mm	
Boat-shape	96"x42" (474M)	1760 mm 6879	850 mm	9608	304

Price List 2024 - USD excl. sales tax - Version 1.1

#### Moveo Conference, Stand alone - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops **Rectangle:** length 48"-100" | width 36"-48"



## Moveo modesty panel

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

• 10 year warranty



		La	minate	Veneer
M	ODESTY PANEL	LU4: LU3: LU3:	0	VU1 VU3 VU5
Moveo modesty par high, mounted on ho	el 0.35" thick and 10" oks.	LU3( LU4( LU2(	00 🚳	VU15 LW17 LW25 LW30
Beam length	975 mm (4C4C)		484	684
Beam length	1275 mm (4E4E)		532	752
Beam length	1575 mm (4H4H)		532	752

## Simpla

### By John Bollen

The unqiue folding system makes Simpla radically different. In addition to a minimalist and elegant silhouette, the two-piece table is flexible and space-saving.

- Lift off top
- Unique flat folding frame
- Up to 8 stacked tables on a transporter
- 5 year warranty



			Laminate	Veneer	
			(SGB)	(SGC)	
Veneer is standard  Table top thickness	th glides - optional to get glides	LU31 LU35 LU45 LU200 LU300 LU400		VU1 VU3 VU5 VU15 LW17 LW25 LW30	Linking
B1 B7 B9 B10	B30)		\$	\$	\$
Rectangular	48"x24" (1L1L)		2326	2909	Ψ
Rectangular	60"x30" (1010)		2512	3141	31
Rectangular	72"x36" (1R1R)		2775	3469	
			36°°		730 mm 28.7"
l l	, 180	0 mm 72"		1720 mm 820 mm 32.3"	-4
Square	30"x30" (1Z1Z)		2245	2807	31
			750 mm	670 mm 26.4"	
Half-round	60"x30" (1E1E)		2690	3363	31

Price List 2024 - USD excl. sales tax - Version 1.1

2 glides and 2 castors	20 \$
------------------------	-------

<u>Simpla - custom size ranges</u> Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Rectangle:** width 12"-40" | length 24"-80"

**Square:** 24"x24" – 48"x48" **Round:** Ø34" – Ø48" Half-round: 48"x24" – 80"x40" Bar height is NOT available.

Reinforcement applied when the length is 64" or more



## Simpla

### By John Bollen

The unqiue folding system makes Simpla radically different. In addition to a minimalist and elegant silhouette, the two-piece table is flexible and space-saving.

- Lift off topUnique flat folding frame
- 5 year warranty



		11 11 11 11		
		Laminate	Veneer	
		(SGB)	(SGC)	
Veneer is standa Table top thicknes Standard frame v and castors. Linki	with glides - optional to get glides ing is incl. 2 brackets	LU31 LU35 LU45 LU200 LU300 LU400	VUI VU3 VU5 VU15 LW17 LW25 LW30	Linking
B1 B7 B9 B1	0 B30	\$	\$	\$
Trapezoid	60"x30" (1M2A)	2550	3187	31
	62" 800 mr	1480 mm 58"	610 mm	
V-Shaped	60"x30" (1E2C)	2755	3445	31
		1500 mm *60"		
		E SA	7.00 mm 28.7-1	
<u> </u>	*30"	*30" 55.9"	26.4"	
Round	Ø42" (1Z1J)	2670	3340	31
Round	Ø48" (2B1K)	2868	3587	5'

Price List 2024 - USD excl. sales tax - Version 1.1

2 glides and 2 castors 20

<u>Simpla - custom size ranges</u> Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops **Round:** Ø34" – Ø48"

Bar height is NOT available.

# Simpla modesty panel

By John Bollen

The unqiue folding system makes Simpla radically different. In addition to a minimalist and elegant silhouette, the two-piece table is flexible and space-saving.



	Modesty panel	
Simpla modesty po 9.8" high, with integ hooks to hang it or Simpla modesty po	Steel (SPS)	
9.8" high, made of mounted on the ho	greenish acrylic plastic, ooks.	\$
For 48" tops	(3C3CGHY/DEDEY)	443
For 60" tops	(3D3DGHY/DHDHY)	517
For 72" tops	(3F3FGHY/DKDKY)	517

## Tempest flip top

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- World's leading flip-top table system
- Nesting depth of 5.1"
- 6 tables can be stacked on table transporter



<ul> <li>6 tables can be s</li> <li>Elegant elliptical</li> <li>GreenTag<sup>CertTM</sup></li> <li>Quick ship - LINK</li> </ul>					
		Laminate (TPB)	Veneer (TPC)	Stained veneer (TPC)	
Laminate is with m	atching ABS edge	LU31 LU35	VU1 VU3	LW17 • LW25 •	
	ching hardwood edge. available - ASK HOWE  BIO B30	LU35 LU45 LU200 LU300 LU400	VU3 VU5 VU15	LW30	Linking
Table top thickness	s is 1 1/8"				
Standard frame wi	ith glides and castors	\$	\$	\$	\$
		1105/1305 mm 43.5/51.4" 705/	900 mm 8/35.4" ************************************	550 mm - 21.7"	
Rectangular	48" x 24" (021B)	2021	3327	3831	
Rectangular	48" x 30" (021M)	2078	3444	3948	
Rectangular	60" x 30" (021O)	2155	3601	4105	
Rectangular	72" x 30" (031Q)	2248	3758	4262	304
Rectangular	72" x 36" (031R)	2480	3933	4437	
Rectangular	78" x 40" (031V)	2802	4266	4770	
		705/900 mm 27.8/35.4"	750 mm	550 mm 21.7"	
V-Shape	60" x 30" (022C)	2647	4109	4613	N/A
D-1 11-1 000 4 110D	vol. sales tax. Version 1.1				

Price List 2024 - USD excl. sales tax - Version 1.1

#### Tempest flip T/TT legs - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Rectangle:** length 32"-80" | width 22"-42" Bar height NOT available.



## Tempest flip top

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- World's leading flip-top table system
- Nesting depth of 5.1"
- 6 tables can be stacked on table transporter
- Elegant elliptical leg-design
- GreenTag<sup>CertTM</sup>



Greening			And the second second		
		Laminate (TPB)	Veneer (TPC)	Stained veneer (TPC)	
Veneer is with ma Other RAL colours	natching ABS edge tching hardwood edge. available - ASK HOWE  B10 B30 ss is 1 1/8"	LU35 LU45 LU200 LU300	VU1 VU3 VU5 VU15	LW17 • LW25 • LW30	Linking
Standard frame w	vith glides and castors	\$	\$	\$	\$
	TI	705/900 r 27.8/35.	# 250 mm 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	550 mm 21.7"	
Crescent	48" x 30" (021C)	3071	4640	5144	304
Crescent	60" x 30" (021D)	3411	5064	5568	304
		705/900 mm 27.8/35.4"	*750 mm 5500 *30" 21.	mm,	
Trapezoid	60" x 30" (012A)	2334	3718	4222	N/A
	T	705/900 mm 27.8/35.4"	750 mm 550 30" 550	omm T	
Half-round	60" x 30" (021E)	2302	3679	4183	152

## Tempest fold

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Inverted elliptical T-leg style
  Legs: concealed wheel + adjustable glides
- 5 tables can be stacked on table transporter



	The state of the s	( )		
	Laminate (TDB)	Veneer (TDC)	Stained veneer (TDC)	
Laminate is with matching ABS edge  Veneer is with matching hardwood edge.  Other RAL colours available - ASK HOWE  (1) (2) (3) (3) (4) (4) (5) (6) (6) (6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17 LW25 LW30	Linking
Table top thickness is 1 1/8"  Standard frame with glides and castors	\$	\$	\$	\$
30		115 mm 4.5%		Ť
*1600 mm *72"			1210 mm 47.6"	
Rectangular 48" x 24" (041L)	2244	4009	4559	
Rectangular 48" x 30" (041M)	2301	4129	4679	
Rectangular 60" x 30" (0510)	2506	4294	4844	304
Rectangular 72" x 30" (051Q)	2582	4460	5010	
Rectangular 72" x 36" (051R)	2811	4642	5192	
"2000 mm" "84"	(80mm)	e e e e e e e e e e e e e e e e e e e	1 m 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	
Conference				
Rectangular 84" x 42" (051S)	4608	5760	5760	304
Rectangular 96" x 48" (051W)	5094	6368	6368	

Price List 2024 - USD excl. sales tax - Version 1.1

#### Tempest fold T/TT legs - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Rectangle:** length 40"-96" | width 22"-48"

Bar height NOT available.



# Tempest fold

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
  Inverted elliptical T-leg style
  Legs: concealed wheel + adjustable glides
  5 tables can be stacked on table transporter



	Laminate (TDB)	Veneer (TDC)	Stained veneer (TDC)	
Veneer is with matching ABS edge  Veneer is with matching hardwood edge.  Other RAL colours available - ASK HOWE  ( )	LU31 LU35 LU45 LU200 LU300 LU300	VU1 VU3 VU5 VU15	LW17 • LW25 • LW30	Linking
Table top thickness is 1 1/8"				
Standard frame with glides and castors	\$	\$	\$	\$
		E 1210 mr 47.6"	n_	
Crescent 48" x 30" (041C)	N/A	5077	4	
	IN/A	5377	5927	304
Crescent 60" x 30" (051D)	N/A	53//	5927 6374	304
				304

## Tempest fold

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warrantyInverted elliptical T-leg styleLegs: concealed wheel + adjustable glides
- 5 tables can be stacked on table transporter



		Laminate (TD2)	Veneer (TD3)	Stained veneer (TD3)	
Veneer is with ma		LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17 • LW25 • LW30	Linking
Standard frame w	rith glides and castors	\$	\$	\$	\$
			# 1210 mm 47.6°		
V-Shape	60" x 30" (052C)	N/A	4827	5377	N/A
	T		E [ \$\dip{\chi_0}{2}\] 2 1210 mm 47.6"		
Half-round	60" x 30" (051E)	N/A	4377	4927	152

## Tempest fix

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Inverted elliptical T-leg style
   Legs: concealed wheel + adjustable glides
   GreenTag<sup>CertTM</sup>



	A CONTRACTOR OF THE PARTY OF TH	CONTRACTOR DESCRIPTION OF THE PROPERTY OF THE		The Control of the Co
	Laminate (TI2)	Veneer (TI3)	Stained veneer (TI3)	
Laminate is with matching ABS edge	LU31 LU35	VU1 VU3	LW17 • LW25 •	
Veneer is with matching hardwood edge. Other RAL colours available - ASK HOWE	LU45 LU200 LU300	VU5 VU15	LW30	Linking
B1 B6 B7 B9 B10 B30	LU400			Linking
Table top thickness is 1 1/8"				
Standard frame with glides and castors	\$	\$	\$	\$
	*800 mm	550 mm		
Rectangular 48" x 24" (061L)	2378	2971	3464	
Rectangular 48" x 30" (061M)	2464	3079	3572	
Rectangular 60" x 30" (0610)	2578	3221	3714	304
Rectangular 72" x 30" (061Q)	2686	3356	3849	
Rectangular 72" x 36" (061R)	2814	3516	4009	
		550 mm = 21.7"		
Half-round 60" x 30" (061E)	2631	3288	3781	152

Price List 2024 - USD excl. sales tax - Version 1.1

#### Tempest fix T/TT legs - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Rectangle:** length 32"-96" | width 22"-55"

Bar height NOT available.



## Tempest fix

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
   Inverted elliptical T-leg style
   Legs: concealed wheel + adjustable glides
   GreenTag<sup>CertTM</sup>



		Laminate (TI2)	Veneer (TI3)	Stained veneer (TI3)	
Veneer is with ma	W35000000	LU31 LU35 LU45 LU200 LU300 LU300	VU1 VU3 VU5 VU15	LW17 • LW25 • LW30	Linking
	vith glides and castors	\$	\$	\$	\$
			550 mm 21.7"		
Crescent	48" x 30" (061C)	3317	4144	4637	304
Crescent	60" x 30" (061D)	3617	4520	5013	304
			550 mm 21.7"		
Trapezoid	60" x 30" (062A)	2659	3323	3816	N/A
			550 mm 21.7"		
V-Shape	60" x 30" (062C)	2935	3668	4161	N/A

Tempest café flip top

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- World's leading flip-top table system
- X-leg style with 4 adjustable glides
- Elegant elliptical leg-design
   GreenTag CertTM
- Table base is 100% recyclable



		Laminate (TLB)		Veneer (TLC)	Stained veneer (TLC)	
Veneer is with r	h matching ABS edge matching hardwood edge. burs available - ASK HOWE	LU31 LU35 LU45 LU200 LU300 LU400	•	VU1 VU3 VU5 VU15	LW17	Linking
Table top thick	ness is 1 1/8"					
Standard frame	e with 4 glides	\$		\$	\$	\$
	1	*30° mm	800	780 mm 5.897 ". 5.		
Square	30" x 30" (121Z)	2048		2928	3307	304
		*1200 mm 48"	800	730 mm 287 "		
Round	Ø30" (111H)	1935		3040	3419	
Round	Ø36" (221I)	2058		3363	3742	
Round	Ø42" (321J)	2328		3762	4141	N/A
Round	Ø48" (331K)	2382		3886	4265	

Price List 2024 - USD excl. sales tax - Version 1.1

#### Tempest flip cafe - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Square:** 18"x18" – 40"x40" . Round: Ø24– Ø48"



Tempest café and lounge fix

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Fixed base
- X-leg style with 4 adjustable glides
- Elegant elliptical leg-design
  GreenTag<sup>CertTM</sup>
  Table base is 100% recyclable



Table base is 100%	recyclable	Market Allen			
		Laminate (TNB)	Veneer (TNC)	Stained veneer (TNC)	
Other RAL colours at B1 B6 B7 B3	hing hardwood edge. vailable - ASK HOWE ) 0	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17 • LW25 • LW30	Linking
Table top thickness i Standard frame with		\$	\$	\$	\$
		*30. mm	82 = £82		
Square	30" x 30" (121Z)	2023	2524	2902	304
		*1200 mm 48"	38.5 " 288 mm		
Round	Ø30" (111H)	2113	2636	3014	
Round	Ø36" (221I)	2275	2838	3216	N/A
Round	Ø42" (321J)	2594	3236	3614	IN/A
Round	Ø48" (331K)	2694	3361	3739	
	7	*600 mm	450 mm 17.7"		
Lounge - height	24" x 24" (121Y)	1837	2324	2702	N/A

Price List 2024 - USD excl. sales tax - Version 1.1

#### Tempest fix cafe - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Square:** 18"x18" – 40"x40" **Round:** Ø24- Ø48"



Tempest bar flip top

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- World's leading flip-top table system
- X-leg style with 4 adjustable glides
- Elegant elliptical leg-design
   GreenTag<sup>CertTM</sup>
- Table base is 100% recyclable



	,				
		Laminate (TLB)	Veneer (TLC)	Stained veneer (TLC)	
Veneer is with m Other RAL colour	matching ABS edge atching hardwood edge. rs available - ASK HOWE  B30	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17 • LW25 • LW30	Linking
Standard frame		\$	\$	\$	\$
		20. mm 868 22. 22. 22. 22. 22. 22. 22. 22. 22. 22.	450 mm 17.7 "		
Square	30" x 30" (121Z)	2074	2969	3348	304
Square	36" x 36" (232L)	2317	3255	3634	304
		750 mm 4	80 80 80 80 80 80 80 80 80 80 80 80 80 8		
Round	Ø30" (111H)	1962	3081	3460	
Round	Ø36" (221I)	2084	3444	3823	N/A

Price List 2024 - USD excl. sales tax - Version 1.1

<u>Tempest flip bar - custom size ranges</u>
Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Square:** 18"x18" – 40"x40" **Round:** Ø24" – Ø40"



## Tempest bar fix

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Fixed base
- X-leg style with 4 adjustable glides
- Elegant elliptical leg-design
  GreenTag<sup>CertTM</sup>
- Table base is 100% recyclable



		Laminate (TNB)	Veneer (TNC)	Stained veneer (TNC)	
	matching ABS edge atching hardwood edge.	LU31 LU35 LU45	VU1 VU3 VU5	LW17	
	rs available - ASK HOWE	LU200 LU300 LU400	VU15		Linking
B1 B6 B7 B3	0				
Table top thickne	ess is 1 1/8"				
Standard frame	with 4 glides	\$	\$	\$	\$
		SS rm Sz.6*	1090 mm 41.3°*		
		*800 mm *30"	450 mm 17 7 "		
Square	30" x 30" (121Z)	2064	2565	2943	204
Square	36" x 36" (232L)	2206	2730	3108	304
		750 mm , 45	1000 mm		
Round	Ø30" (111H)	2154	2677	3055	NI/A
Round	Ø36" (221I)	2356	2919	3297	N/A

Price List 2024 - USD excl. sales tax - Version 1.1

#### Tempest fix bar - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops


**Square:** 18"x18" - 40"x40" Round: Ø24" – Ø40"



# Tempest drop-in top

By KOMPLOT Design

flips, rolls and unfolds possibilities like no





# Tempest modesty panel

By KOMPLOT Design


Detail is everything. flips, rolls and unfold other table system in 10 year warranty				
		Laminate	Veneer	Stained veneer
Rectangular modes panel height 9,8". Suitabe for rectangu *standard colour, sc	ty panel, on hooks, ular flip-top, fold or fixed tables.	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	● LW17 ● LW25 ○ LW30
		\$	\$	\$
Rectangular	30" long tops (3A3A)	444	644	821 *
Rectangular	48" long tops (3C3C)	471	679	856 *
Rectangular	60" long tops (3D3D)	524	732	909 *
Rectangular	72" long tops (3F3F)	548	756	933 *
Rectangular modes panel height 9,8". Suitabe for rectangi *standard colour, so	ular flip-top or fixed tables.	Laminate	Veneer	Stained Veneer
Rectangular	30" long tops (3A3A)	467	667	844 *
Rectangular	48" long tops (3C3C)	496	705	882 *
Rectangular	60" long tops (3D3D)	549	758	935 *
Rectangular	72" long tops (3F3F)	573	781	958 *
MODESTY PANEL  Rectangular modes panel height 9,8".  Suitabe for rectangues *standard colour, so	ty panel, on hooks, ular fold tables.	Laminate	Veneer	Stained Veneer
Rectangular	30" long tops (3A3A)	787	987	1164 *
Rectangular	48" long tops (3C3C)	816	1025	1202 *
Rectangular	60" long tops (3D3D)	869	1078	1255 *
	72" long tops (3F3F)			

<sup>\*</sup>Color fee of USD 135 per color per order



### Tutor

### By John Bollen



Net price: RAL K7 colours for frame - see notes

**HOWE table size ranges** 

Price List 2024 - USD excl. sales tax - Version 1.1

Tutor US custom-size tabletops are not possible.

### By HOWE in-house design team

Usu is a study of simplicity in both form and function. The intuitive folding mechanism and transporter, with room for ten rectangular and square tables, make Usu easy to move.

- 5 year warranty
- Up to 10 rectangular and square tables stacked on a transporter
- Stylish round 4-leg design
- Design for disassembly



	Laminate
	(UFB)
Laminate is with matching ABS edge Table top thickness is 3/4" Standard frame with 2 glides and 2 castors. Linking is incl. 2 brackets	LU300 LU400 LU200
*Due to the technological B1 ** B7 * process, the black may slightly differ in terms of its gloss.	\$
Rectangular 48"x24" (1L1L)	1096
Rectangular 60"x24" (2D2D)	1181
Rectangular 72"x24" (2N2N)	1255
Rectangular 48"x30" (1M1M)	1162
Rectangular 60"x30" (1010)	1240
Rectangular 72" x 30" (1Q1Q)	1325
Rectangular 72" x 36" (1R1R)	1596
Round Ø48" (1K1K)	1353

Price List 2024 - USD excl. sales tax - Version 1.1

** Chrome base	118	_\$
----------------	-----	-----

**HOWE table size ranges**Usu US custom-size tabletops are not possible.



### **AS400**

#### By Andreas Störiko

The AS series is highly inspired and highly functional. Combining elegance and utility with true mobility, the family of nesting chairs and tables leaves room for all imaginable purposes.

- 10 year warranty
- Café height tables
- Unbelievably easy to maneuver
- Intuitive flip-top mechanism
- Special handle allows to lift the AS tables
- Smart elastic cord firmly joins concave tables\*
   Rubber humber protects tables from scratches.



18

<ul> <li>Rubber bumper prot</li> <li>An infinite number of together</li> </ul>			Laminate (ABB)	Linoleum (ABD)	Veneer (ABC)
Table tops have an ex transparent lacquer.	posed plywood ed	dge with	LU31 LU200 LU300 LU400	FL200	VU1 VU3
Other RAL colors availd Standard base colors:	able - ASK HOWE				
● ● ○ ● 86 B7 B31 B51			\$	\$	\$
		640 mm	745 mm 293	160 mm 6.3°	
Square (*tiny pre-drills in the top; p	25.2" x 25.2" possibility to order linki	ng later)	1314	1794	1949
Square with link	25.2" x 25.2"		1395	1875	2030
		830 mm	745 mm 29:3"	160 mm 6.3 <sup>4</sup>	
Round	Ø32.7"		1314	1794	1949
Concave with link	Ø32.7"		1422	1911	2074

oft castors for hard floors

### **HOWE table size ranges**

Price List 2024 - USD excl. sales tax - Version 1.1

AS400 Custom-size tabletops are not possible.

#### By Andreas Störiko

The AS series is highly inspired and highly functional. Combining elegance and utility with true mobility, the family of nesting chairs and tables leaves room for all imaginable purposes.

- 10 year warranty
- Bar height tables
- Unbelievably easy to maneuver
- Intuitive flip-top mechanism
- Special handle allows to lift the AS tables
- Smart elastic cord may join square tables together\*



Rubber bumper protects tables from scratches     An infinite number of tables can then be nested together	Laminate (ADB)	Linoleum (ADD)	Veneer (ADC)		
Table tops have an exposed plywood edge with transparent lacquer.	LU31 LU200 LU300 LU400	FL200	VU1 0 VU3		
Other RAL colors available - ASK HOWE Standard base colors:					
● ● ○ ● B6 B7 B31 B51	\$	\$	\$		
so mm	45 mm 160 mm 29.3				
Square 23.6" x 23.6" (*tiny pre-drills in the top; possibility to order linking later)	1408	1901	2064		
Square with link 23.6" x 23.6"	1489	1982	2145		
700 mm 745 mm 160 mm 63°					

Price List 2024 - USD excl. sales tax - Version 1.1

Soft castors for hard floors 18

1901

2064

1408

#### **HOWE table size ranges**

Round

AS500 Custom-size tabletops are not possible.

Ø27.6"

## Folding surfaces

### By Jones & Partners

With Folding Surfaces, users gain the ability to adjust their office space as necessary. This innovative product concept allows users to unfold a surface wherever needed, thereby redefining workspace dynamics.

- Cleverly integrated power solutions
- One of the largest mobile double-folding benches on the market
- Fold and tuck away the tables when not in use



<ul> <li>Fold and tuck away the tables when not in use</li> <li>Modern, aesthetic look</li> </ul>	L Lil a) an opt			
Intuitive and effortless handling	Melamine*	Laminate	Veneer*	
Surface levelling feature	FS1	FS2	FS3	
Melamine and laminate are standard with matching ABS edge.  Veneer is with matching hardwood edge.  Table top thickness is 25 mm - melamine; 27 mm laminate and veneer Standard B6 satin black frame, 4 castors.	1000	LU200 LU300	V3 *	
B6	\$	\$	\$	
1500 mm *60"    1500 mm   44.5"    1320 mm   52"		1500 mm	.09	
Square 60"x 60" (1010)				
without electrification	3,140	4,200	4,580	
Electrification cover top (CUT-OUTS ONLY) - incl. cover top, metal tray, felt cover. 2x cut-outs for battery, 2x cut-outs for pip (excl. battery and pip)	3,968	6,121	6,501	
Electrification cover top (incl. pip, excl battery) - incl. cover top, metal tray, felt cover. 2x cut-outs for battery, 2x cut-outs for pip, interconnecting cables, pip, battery docking (excl. battery)	5,283	7,436	7,816	
2030 mm 1320 mm 52"		2400 mm	1600 mm '60"	
Rectangular 96" x 60" (6C6C	)			
without electrification	3,660	5,200	5580	
Electrification cover top (CUT-OUTS ONLY) - incl. cover top, metal tray, felt cover. 2x cut-outs for battery, 2x cut-outs for pip (excl. battery and pip)	4,860	7,628	8,008	
Electrification cover top (incl. pip, excl battery) - incl. cover top, metal tray, felt cover. 2x cut-outs for battery, 2x cut-outs for pip, interconnecting cables, pip, battery docking (excl. battery)	6,175	8,943	9,323	
Battery**				
Battery and high power USB charging module in a portable housing (all black)		1,461		

Price list 2024 - USD excl. V.A.T. - Version 1.1



<sup>\*</sup> longer lead time

<sup>\*\*</sup>Shipment only directly to the end customer or to a warehouse certified for storage and handling of dangerous goods OE deliveries within North America may have shipping fee.

This depends on the order value and is shown separately in the offer.

Please contact Customer Service for details.

### Folding Surfaces Mobile Power Unit

As a natural extension for the family, Folding Surfaces come with mobile power units that provide extra power on demand.



Per Piece

\$

nit		
1576		
1128	TT	
	17 27	
2423		
Cut-outs only - preparation for battery, 2xCUT-OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)		
Black laminate		
Single, Rectangular 30"		
2182		
1734		
Double, Rectangular 60"		
3706		
2819		
\$		
1461		
	1576 1128 2423 1536 2182 1734 3706 2819	



<sup>\*</sup>Shipment only directly to the end customer or to a warehouse certified for storage and handling of dangerous goods OE deliveries within North America may have shipping fee.




This depends on the order value and is shown separately in the offer.

Please contact Customer Service for details.

#### Tables' transporters

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world



Price List 2024 - USD excl. sales tax - Version 1.1

**Tempest** 

L-kit



UNTLS000310

2317

### Tables' transporters cont.

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.



Simpla  Capacity up to 8 tables. Colour B10 Howe grey. Dimensions: height 74.5", depth 33", adjustable width Suitable for rectangular tables: length 40"-72" and width up to 36". For other shapes and sizes, please ask HOWE.  Transporter Simpla	No. STRA1000000	Per Piece	
Tutor single size  Capacity up to 30 tables. Suitable for single size Tutor tables. Color B10 Howe grey.  Transporter Tutor	OLYS0600SF1 0	Per Piece	
Tutor double size  Capacity up to 30 tables. Suitable for double size Tutor tables. Colour B10 Howe grey.  Transporter Tutor	OLYS1200SS1	Per Piece	

### Linking

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.



Linking for Usu tables  Usu linking bracket, black, 1 pcs*  Linking Usu	No.	Per Piece \$	
Linking for Simpla tables			
Simpla linking U-bracket, B1 Chrome, 1 pcs*		Per Piece	
Linking Simpla		\$	
	SAU01	31	
Linking for Tutor tables  Tutor linking bracket, B7 Black		Per Piece	
Linking Tutor	TUA1480	36	
Linking for Tutor tables			
Tutor file tray* linking, B30 White		Per Piece	
Linking Tutor	TUA1490	286	

### Grommets

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.

Round  SAPOP; white plastic Ø2 3/4"; suitable top thickness ≥ 3/4".	No.	Per Piece	
		\$	
	SAPOP	49	
Round  SAPOA; nature andolized aluminium with black brush, Ø3.5"; suitable top thickness ≥ 3/4".	SAPOA	Per Piece \$ 136	
Rectangular			
SAPRA¹; rectangular cable outlet comprised of two lids in nature anodized aluminium with black brushes; 12' x 4.25"; suitable top thickness ≥ 3/4".		Per Piece	
	A 41*		
	M1*	172	



#### Electrification

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.

All electrification solutions must be consulted with HOWEs Customer Service Team.



Quickpack carry*	No.	Туре	Prices from*	
Quickpack carry black - OE animate battery and high power USB charging module in a neat, portable housing				
			\$	J.
	OE4387596	Black	1461	
	OE4387602	White	1461	
Quick dock				
Quick dock black by OE - dedicated container for QIKPAC CARRY portable battery; it locates and secures in/under surfaces			Prices from	
			\$	
	OE438765744 31572	Black	265	
	OE438766444 31572	White	265	
Charger			\$	-A ref ref
Charger by OE - charging station for up to 3 QIKPAC batteries	OE6002275	charger black	1429	
	OE6002268	charger white	1429	
Wireless charge				
A wireless charger by AH Byrne called Qi Charging Puck. The sleek grommet design can be quickly installed in any worksurface, and once in place, provides cord-free, tangle-free power for any Qienabled device. Forget packing your own charger, simply place your smartphone or tablet on our puck's surface and it's powering up – all from a single outlet.			Prices from	
Wireless. Effortless.	BE07643	wireless charger	119	



<sup>\*</sup>Shipment only directly to the end customer or to a warehouse certified for storage and handling of dangerous goods OE deliveries within North America may have shipping fee.

This depends on the order value and is shown separately in the offer. Please contact Customer Service for details.

### Cable trays, channels & fittings

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.

All electrification solutions must be consulted with HOWEs Customer Service Team.

with HOWEs Customer Service Team.		3	
Cable tray  L-shaped cable tray in black coated steel; mounted with screws; for table top thickness ≥ 3/4"; height of cable tray is 4"; works as a low modesty panel.	No.	Per Piece	
The state of the s		\$	
15.75"	CTLS040007	72	
25"	CTLL064007	107	
33"	CTLL084007	143	
41"	CTLL104007	172	
Clickable cable channel Tempest  Cable channel for Tempest, in chrome powder coated aluminium as standard <sup>1</sup>		Per Piece	
Tempest	CHT053051	72	
Clickable cable channel Moveo			
Cable channel for Moveo, in anodised aluminium as standard <sup>1</sup>		Per Piece	
Moveo	CHM42052	33	of the second se
Cable holder	G	- 55	
Grey plastic cable holder to guide cables underneath the tabletop; 1pc double holder		Per Piece	
All tables	082011	N/A	

I



### AS tables privacy screens

Aesthetically pleasing, the innovative felt privacy screen creates enclosure to spaces during work, education, and meeting areas.

It gives flexibility to produce boundaries, as well as visual privacy.



Privacy screen	No.	Per Piece	
Privacy screen for AS round and round concave tables. 46.75"wide x13.75" high; 0.5 thick; light grey felt		\$	
Screen	66091001	572	

### Notes for tables

Price list 2024 - USD excl. V.A.T. - Version 1.1

#### General

HOWE Standard delivery time within North America is determined on a case-to-case basis – please contact Customer Service for details

In case of large quantities and/or customized products delivery time is usually longer than for standard products.

In case of using any electrification, accessories, or making configurations, the lead time starts being counted once technical drawings are approved by the customer.

Linking is recommended to ensure strong connection and levelling. Please use for both temporary and lasting tables' arrangements.

Crescent shape – the inside curve of top may be exchanged for straight edge, especially if Modesty panels are needed – ask Customer Service for details.

Table ranges are estimates, mostly for rectangular tops. For non-rectangular tables or questions for sizes outside of the ranges, please contact your local Customer Service (CS) representative. If chamfered edges are requested, minimum size increases - check with CS.

#### Moveo

Moveo linking for rectangular and V-shaped tables includes 4 brackets and 4 fittings. Moveo linking for half-round and half-boat tables includes 2 brackets and 2 fittings. This type of linking is available for tables with straight edges only. Another linking type is available for tables with chamfered edges. Here you also get 4 brackets and 4 fittings for rectangular and V-shape tables and 2 brackets and 2 fitting for half-round and half-boat tables.

All RAL colours from RAL K5 or K7 colour card available. For quantities < 20 tables the colour fee is 520 USD per RAL colour. For quantities ≥ 20 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

#### Simpla

Please note that Simpla linking does not need any pre-drills and may be ordered at any time as a separate accessory. There are 2 pcs of linking recommended per a set of two tables.

Please note that Modesty panels for Simpla are just hanged on the frame and may be ordered at any time as a separate accessory.

All RAL colours from RAL K5 or K7 colour card available. For quantities < 50 tables the colour fee is 520 USD per RAL colour. For quantities ≥ 50 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

#### **Tempest**

Tempest linking for rectangular, crescent, and square tables includes 4 brackets and 4 fittings. Tempest linking for half-round tables includes 2 brackets and 2 fittings. This type of linking is available for tables with straight edges only. Another linking type is available for tables with chamfered edges. Please contact HOWE for options.

All RAL colours from RAL K5 or K7 colour card available. For quantities < 20 tables the colour fee is 520 USD per RAL colour. For quantities ≥ 20 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

#### Usu

Please note that Usu linking may be ordered at any time as a separate accessory.

#### Tutor

All RAL colours from RAL K5 or K7 colour card available. For quantities < 50 tables the colour fee is 520 USD per RAL colour. For quantities ≥ 50 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.



40/4 Seats / backs Natural wood veneers



V2 - beech

V3 - oak







V5 - cherry

EMEA ONLY

V13 - birch EMEA ONLY

40/4 Seats / backs Stains





Any RAL

All RAL colours available based upon customer sample

40/4 Seats / backs Polyamide





PA100 - Howe grey







PA360 - olive green

PA320 - mandarin

PA250 - blue eyes PA370 - mint turquoise PA380 - aubergine

40/4 Seats / backs Metal









All RAL colours available based upon customer sample

40/4 WOOD FRAME Seats / backs

Natural wood veneers / stains









SixE Shells Polypropolyne



PP200 - black

VIRGIN OR

100% RECYCLED

PP270 - ocean VIRGIN



100% RECYCLED

PP120 - red ochre

PP300 - chalk

VIRGIN OR

50% RECYCLED

2









PP110 - Ayers Rock red PP360 - olive green VIRGIN

VIRGIN



MN1 Backs Natural wood veneers / stains



LW17 - black stain LW25 - walnut stain

**CHAIRS** NORTH AMERICA

40/4 SIXE Frames





B6 - satin black





B9 - alu grey

B10 - Howe grey



All RAL colours available based upon customer sample

SIXE ONLY







Fawn



SIXE SWIVEL SIXE LEARN

Base Polyamide



PA100 - Howe grey

SIXE SWIVEL SIXE LEARN\*

Swing arm\* Gas lift



B10 - Howe grey

MN1 Bases



- Cantilever only



B7 - black

B51 - polished alu

AS100 Bases / seat frames



B7 - black



B51 - polished alu





AS TABLES MOVEO SIMPLA **TEMPEST** 

Tops Natural wood veneers / stains



VU1 - maple



VU3 - oak

LW17 - black stain LW25 - walnut stain LW30 - white stain



VU5 - cherry



VU15 - walnut



Any RAL

AS tables standard: VU1 maple, VU3 oak ONLY

All RAL colors available based upon customer sample

#### FOLDING SURFACES

Natural wood veneers / stains



V3 - oak

AS TABLES MOVEO SIMPLA **TEMPEST** 

Tops Wood grain laminates



LU31 - maple




LU35 - cherry



LU45 - walnut

AS tables standard: LU31 maple ONLY



Tops Coloured laminates



LU300 - white



LU400 - grey



LU200 - black



Any FORMICA / WILSONART colored laminates

Folding Surfaces standard: LU300 white, LU200 black ONLY

\*Any FORMICA / WILSONART colored laminates does not apply to Usu and Folding Surfaces

TUTOR

Tops Bendable compact laminates

F300 - white



F200 - black



Any bendable



Tops Linoleums









Tops Melamines



M310 - white



74



SIMPLA TUTOR Bases Steel



B7 - black







B10 - Howe grey B30 - white

**TEMPEST** Bases Steel



B1 - chrome



B6 - satin black









USU Bases Steel





MOVEO Bases Aluminum







B6 - satin black

- feet only

B51 - polished alu B52 - anodized alu - columns only

AS TABLES

Bases



B6 - satin black



B7 - black



B31 satin white - columns only



B51 - polished alu - bases only

### FOLDING SURFACES

Bases



B6 - satin black



75 13





COLOUR REFERENCE ONLY
Variations in colours and structures may occur
Subject to ongoing changes and adjustments



### General conditions of sales

Price list 2024 - USD excl. V.A.T. - Version 1.1

#### General

These general conditions of sale and terms of delivery shall apply to all agreements concluded between HOWE US Inc. (hereinafter HOWE) and its customers (hereinafter the Buyer), unless otherwise specifically agreed in writing between the Parties

#### Conclusion of agreements, etc.

An agreement has not been concluded until HOWE has accepted an offer made by the Buyer by issuing an order acknowledgement, an invoice or other such written agreement based on the terms and conditions specified in this document. All prices stated in price lists and catalogues include packaging, such as pallets and transport containers, and exclude taxes and/or any other charges. HOWE reserves the right to adjust the prices stated without prior warning in case of an increase in the price of raw materials, production costs, transport costs, packaging, or other sudden changes in the cost level. All agreements are thus concluded on the basis of the prices in force at the time when the order is received.

The agreement basis is thus the information, including information relating to price, materials, qualities, etc., that is stated in the order acknowledgement, invoice, or other such agreement, since other information shall be deemed to be for guidance only and may be corrected up until but not later than the time when the agreement is concluded. Unless otherwise explicitly agreed in writing, the goods have been sold for normal, standard use for the intended purpose.

An Order shall constitute an offer for the sale of goods and does not constitute an acceptance by Buyer of any offer to sell, any quotation, or any proposal. No Order shall become a binding contract for the sale of goods unless and until such Order has been received and accepted by HOWE us Inc. in the state of Michigan.

#### Payment, etc.

Payment terms are subject to credit insurance at Coface. In case a customer cannot be insured a prepayment, or a bank guarantee will be required. If credit payment terms can be granted, payment shall be made in accordance with the terms of payment stated on the invoice, which basically means that payment shall be made in cash not later than 30 days after the date of invoice ("net 30 days"), unless otherwise explicitly agreed. The Buyer shall not be entitled to withhold any part of its' payments due and may under no circumstances offset. If payment is delayed, HOWE shall be entitled to charge interest at a rate of 0.75% per month or part thereof from the due date. Also, HOWE shall at its' discretion be entitled to fully or partially withhold subsequent deliveries, to demand special terms of payment, or cancel agreements with the Buyer.

HOWE shall be entitled to charge the following fees:

- o A fee of thirteen (\$13) for each reminder on late payment
- o All invoices sent by paper will be added an invoice fee of five (\$5)

#### **Property reservation**

HOWE shall retain property in all the goods stated in the order acknowledgement or other such written agreement until the full purchase sum has been paid. The Buyer shall keep the goods fully insured until such time as the purchase sum has been paid and during this period the Buyer shall be responsible towards HOWE for any all and any damage suffered by the goods. HOWE has the right to inspect the goods at any time.

#### Delivery

'Unless otherwise agreed, delivery in Zone 1 in the US shall be made to the Buyer's warehouse situated on the ground floor at a price of two and a half  $(2\frac{1}{2})$  % of the list price. Delivery in Zone 2 in the US shall be made to the Buyer's warehouse situated on the ground floor at a price of four and a half  $(4\frac{1}{2})$  % of the list price. Outside Zone 1 and 2 the added price for delivery is determined on a case-to-case basis by HOWE.

HOWE Standard delivery time within North America is determined on a case-to-case basis – please contact Customer Service for details.

Regardless of whether the Buyer is present at the time of delivery, all risks in relation to the goods shall pass to the Buyer upon delivery to the agreed location. The Buyer shall ensure that the place of delivery is accessible and appropriately laid out for unloading the goods and storing them in their standard packages.

Any deviation from the terms of delivery shall be deemed to constitute one joint deviation from the above, in which case the Buyer shall take over the risk in relation to the goods at the earlier time when the goods were collected or could have been collected in accordance with the agreement made.

If the Buyer requests a postponement of delivery the following charges shall apply:

- o If the Buyer requests postponement no later than five workdays prior to the planned and confirmed time of dispatch, a supplementary charge of ten (\$10) per pallet shall be made per month or part thereof. Minimum charge, forty (\$40) per month or part thereof.
- o If the Buyer changes its' delivery address no later than five workdays prior to dispatch, an administrative charge of one hundred (\$100) shall be added.
- o If the sales price is below net five hundred (\$500) a freight charge of one hundred (\$100) will be added.
- o If the Buyer wishes a fixed delivery, a fee of five hundred (\$500) will be added.

#### **BATTERIES' SHIPMENTS**

OE batteries contain Lithium-Ion (Li-ion) cells which are classed as hazardous materials. As such they are individually packed in UN38.3 compliant packaging, including special Li Ion Battery Label. They should be kept in that packaging until they are either fitted in the furniture or get to the site for use.

If one consolidates the battery into an outer carton, it must remain in the box it is shipped to the person in inside the outer carton. The outer carton would then need to be marked with 'OVERPACK' word in English and the local language – the rules are even stricter for air freight - consult details with your freight forwarder (OE can supply UN38.3 certificates).

That is why at HOWE we:

- a) always place a separate order and use road shipments for batteries,
- b) strongly recommend shipping batteries directly to the end customer.

OE is experienced in shipping batteries to a number of international locations. Still, we strongly advise to state in advance to which country destination one is quoting for. On that basis we can confirm that battery export to the said country is allowed and possible.

In case the customer asks for the shipment to the warehouse, they must confirm the place is officially complying with all the regulations regarding storage and handling of dangerous goods which include:

- Staff training on dangerous goods handling chargeable course required (renewable every couple of years) –
  also a DGSA must to be appointed or trained,
- Being equipped with fire proof cabinet storage,
- o Having Property owner and insurance authorisation.

#### Fee and MOQ for non-standard choices

For any non-standard product there is a \$500 fee. In most cases there is also a minimum order quantity (MOQ).

#### Buyers' cancellation of contract

Provided the manufacture/dispatch/delivery of the goods has not yet commenced the Buyer shall be entitled to cancel the contract up until forty-eight (48) hours after the order confirmation has been issued. A cancellation fee of 5% of the purchase sum and any extra loss incurred by HOWE as a consequence of the cancellation will apply. In the event more than five (5) workdays have passed since the order confirmation was issued, the contract may be cancelled only up until 4 (four) weeks before confirmed shipment time. A cancellation fee of fifty (50) % of the purchase sum plus transport and administration costs, and any extra loss incurred by HOWE as a consequence of the cancellation will apply. Following four (4) weeks before confirmed shipment time the contract cannot be cancelled.

#### **Delays**

The confirmed time of delivery is only an estimated deadline since HOWE shall be entitled to make changes to or temporarily postpone deliveries in order to be able to organize its goods deliveries and administration appropriately. HOWE cannot be held liable for any loss suffered by the Buyer as a result of a changed or postponed time of delivery. Furthermore, HOWE does not automatically offer loan furniture in these situations.

#### Deficiencies, etc.

HOWE shall only be liable for deficiencies in the goods sold if such deficiencies are the result of matters relating to the materials used or the craftsmanship applied. In particular, HOWE shall not be liable for matters resulting from wrong or abnormal use or storage, including in relation to climate and temperature conditions, or any other aspects related to HOWE's instructions.

When the risks in relation to the goods have passed to the Buyer, HOWE can only be held liable for faults and deficiencies to the extent specified in this provision.

The Buyer shall be obliged to carry out a detailed examination of the consignment immediately upon receipt. Complaints regarding deficiencies and/or visible transport damage which are – or should have been – discovered in this examination shall be written on the bill of landing (BOL), which must be given to carrier upon receipt of goods and HOWE CS notified. Any complaints regarding "non-visible" transport damage must reach HOWE not later than seven (7) days after the date of delivery and any complaints regarding any deficiencies ascertained must in each case be forwarded not later than seven (7) days after they were – or should have been – discovered. If the complaint is not made within these deadlines, the Buyer's access to advance claims in relation to any such deficiencies shall be forfeited.

A complaint shall be in writing and shall contain a specific description of the deficiencies with accompanying photo documentation or, alternatively, the deficient component/product shall be forwarded with the complaint.

Unless the deficiency ascertained is the result of gross negligence or intent on the part of HOWE, the Buyer shall in no instance not be entitled to any other rights than to have the goods replaced at no cost to the Buyer. Thus, the Buyer shall not be entitled to cancel the transaction or any rebate, damages, other compensation, or repayment. Further, HOWE shall under no circumstances whatsoever be liable for operating loss, loss of profit, time loss, other indirect loss or damages suffered by the Buyer as a consequence of deficiencies in the goods delivered.

The deficient goods belong to HOWE and shall be returned to HOWE upon request. Basically, the Buyer shall bear the costs and risk of such transport. Unless HOWE has explicitly undertaken to guarantee for the object sold for a longer period, HOWE shall under no circumstances be held liable for faults or deficiencies for which no written complaint has been sent within two years of the hand-over to the Buyer.

#### **Product liability**

The Buyer shall indemnify, defend, and hold harmless HOWE for any and all claims made by third parties for damage or injury for which HOWE is not liable towards the Buyer. HOWE's liability for product liability claims shall not exceed ten thousand (\$10,000), and HOWE shall under no circumstances be held liable to the Buyer for operating loss, loss of profit, time loss, other indirect loss or damages or punitive damages. The Buyer shall immediately inform HOWE of any lawsuit or type of claim for damage or injury caused by products manufactured by HOWE.

#### Design alterations

HOWE reserves the right at all times to make such changes to product design, etc., as HOWE deems to be necessary. In such case, information about significant alterations shall be forwarded to the Buyer prior to delivery.

#### Use and maintenance guides

The Buyer shall not change the content of Use- and Maintenance guides provided by HOWE. Further, the Buyer shall at all times provide its customers with copies of such guides and specifically draw the customers' attention to the warnings contained in the guides.

#### No waiver

If HOWE fails to exercise or claim its' rights under these Sales conditions, such failure shall not constitute a waiver of such right on the part of HOWE. Also, such failure shall not prevent the right to be invoked or claimed by HOWE at a later point in time.

#### Venue and Service of Process

If a dispute of any kind whatsoever arises between the Parties in connection with these Sales Conditions and other aspects in relation to the sales transaction, the Parties shall attempt to settle such dispute amicably.

Provided the Parties are not able to agree upon an amicable settlement within a reasonable time and not later than thirty (30) calendar days after initiation of settlement discussions, any controversy or claim arising (whether contractually or in tort) and including disputes regarding the validity of this provision shall be settled by the American Arbitration Association (AAA). The place of Arbitration shall be Grand Rapids, Michigan. Provided the dispute in question amounts to \$100,000.00 or less, the Arbitration Panel shall consist of one (1) arbitrator. Provided the dispute in question exceeds \$100,000.00 the Arbitration Panel

shall consist of three (3) arbitrators. The right to discovery shall be limited to the widest extent permitted by the AAA procedural rules.

The result of the Arbitration shall be final and binding upon the Parties, and the arbitrator(s) shall in their discretion have to power to award reasonable costs and attorney's fees to the prevailing Party.

Despite the arbitration procedure agreed upon above, the Parties shall not be precluded from carrying out interim measures via the appropriate judicial authority.

These Sales Conditions shall be governed by Michigan State law and applicable US Federal law.

Be advised that HOWE reserves the right to correct any printing errors, inaccuracies, or omissions.

# Shipping zone rates Price list 2024 - USD excl. V.A.T. - Version 1.0

#### Shipping zone rates

- For deliveries in zone 1 please add 2.5% to the list pricing. The minimum freight charge is \$200.
- For deliveries in zone 2 please add 4.5% to the list pricing. The minimum freight charge is \$200.
- For deliveries out of Zone 1 and 2, please ask HOWE.



### Warranties

Price list 2024 - USD excl. V.A.T. - Version 1.1

#### General

At HOWE US we recognize the value of products that can stand up to continuous use, and we know by experience that good material combined with true craftsmanship and thorough design provides sturdy and durable furniture.

Our high and uniform quality policy secures that our products are always tested to the highest level of international standards and legislations. We constantly strive to optimize our products and services to maintain the high level of quality and durability that is expected of a HOWE product.

HOWE US warrants its products against defects in materials and workmanship as follows:

#### Limited warranty

HOWE warrants its' products against defects in materials and workmanship as described in the following. All warranties are expressly limited to the types of warranties offered. Thus, no other implied or express warranties shall apply.

#### 10 year warranty

HOWE offers on all chairs of its David Rowland 40/4 chair collection a 10 (ten) year guarantee under normal use against weld breakages, defective material, workmanship, and performance. Only exception is the 40/4 wood frame, which has a 5 (five) year guarantee.

The 40/4 chair is compliant with the following tests in the ANSI/BIFMA X5.1-2011 Chair Test Standard:

- Back Strength
- o Drop-Dynamic
- Seating Durability
- Backrest Durability-Non-Tilt
- o Leg Strength

HOWE offers on Moveo and Tempest table systems, SixE, MN1 and AS chairs a 10 (ten) year guarantee under normal use against weld breakages, defective material, workmanship, and performance. Excluded are: gas lifts, turn / tilt mechanism, castors, folding adaptors, where 5 (five) year guarantee applies.

#### 5 year warranty

HOWE offers on all other furniture products, except Folding Surfaces, a 5 (five) year guarantee under normal use against weld breakages, defective material, workmanship, and performance.

#### 2 year warranty

On all power and data solutions we refer to our sub supplier. Their warranty period is 2 (two) years. The HOWE guarantee period runs from the date of shipment.

HOWE offers on AS privacy screens and Folding Surfaces a 2 (two) year guarantee under normal use against weld breakages, defective material, workmanship, and performance.

#### **Exclusions**

This warranty does not apply to product failure resulting from:

- Normal wear and tear
- o Abuse, misuse, accidents, or repeated knocks
- Improper handling/usage or improper cleaning/maintenance
- o Alteration or modification of the product

In addition, HOWE does not warrant:

- Changes in surface finishes due to aging, scratches, markings, stains, or other damage due to normal wear and tear, or due to contact with sharp or hard objects
- o Changes in surface finishes due to exposure to light
- Oxidizing of outdoor treated frames
- Natural variations in wood grain or the presence of character marks. This includes matching of grains, colors, or textures of natural materials
- Customers own fabrics and leather (COL & COM)
- o All service parts (meaning all moving and mechanical parts)
- Customized solutions
- o Marks in fabric/leather after stacking of chairs
- For leather: Marks as scars, insect bites, fat creases and neck wrinkles. This is beauty marks that reflect the normal life
  of an animal.

HOWE recommends chromium plated steel frames on all 40/4 chairs where repeated handling is intended. Please, be aware that constant impacts from handling of painted linking chairs are likely to cause scratches and flaking over time. This is considered normal wear and tear and therefore not covered by the HOWE Warranty.

#### Original spare parts delivery guarantee

Furniture programs from HOWE US are designed with focus on durability and timeless design. In case a product should be discontinued all original spare parts are available for 5 (five) years from the date the discontinuation has been carried through. If a component to a discontinued product for some reason is not available, a corresponding product is offered instead.

In case David Rowlands 40/4 chair should be discontinued all original spare parts are available for 10 (ten) years from the date the discontinuation has been carried through. In case the Tempest and Moveo table systems or the SixE chair family should be discontinued all original spare parts are available for 10 (ten) years from the date the discontinuation has been carried through.

The guarantee does not apply to product and component modifications and enhancements.