# PRICE LIST 2024



FLEXIBILITY
DELIVERED




### Table of Content

#### Chairs 40/4 4 4 Side chair 5 Side chair - upholstered 6 Side chair Xtra 7 Arm chair 8 Arm chair - upholstered 9 Swivel 10 Swivel - upholstered 11 Bar and Lounge 12 Metal and Wood 13 SixE 13 4-leg 14 4-leg on castors 15 16 Barstool 17 Swivel 18 Learn 19 MN1 19 Cantilever 20 X-base 21 5-star 22 AS100 23 Accessories for chairs 30 Notes for chairs 31



### Table of Content

Tables





82

## 40/4 side chair - polyamide and veneer

### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
   Stacks 40 chairs on a dolly
- EN 15373 / ANSI/BIFMA X5.1 M7.1
   GreenTag<sup>CertTM</sup>

- Quick ship LINKFSC wood certified



	POLYAMIDE VENEER (DVA)				
STANDARD FRAME COLOURS  ( )	PA200 PA300	PA260 PA320 PA360 PA380 PA380	V2 V3 V13	V1 V5 V15 V12	LW17 • LW30
RAL K7 colours available at customer request	\$	PA370 •	\$	\$	\$
Non linking (RA)  14.3 lb		528	711	759	823
Brace linking (BA)  14.6 lb  \$\frac{1}{20} \frac{1}{20} \	556	595	780	828	892
Side chair outdoor (DOARA)  14.3 lb  **End of the state o	731	770	N/A	N/A	N/A

Felt glides	20	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



## 40/4 side chair upholstered

### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
   Stacks 25 chairs on a dolly
   EN 16139 / Ansi/Bifma X5.1
   GreenTag<sup>CertTM</sup>
   FSC wood certified

					SEAT	UPHOLST	ERED		₹
					AMIDE (SA)		VENEER (DTA)		na) a
STANDARD FRAME C	B10 B30	mer request	GROUP	PA200 PA300		V2 V3 V13	V1 V5 V15 V12	LW17 • LW30	FULLY UPHOLSTERED (DUA)
TO LE TO COTOCIS GYAI	abio di como	111011040031		\$	\$	\$	\$	\$	\$
Non linking (RA)		13.9 lbs	COM	627	651	848	878	922	711
,			1	666	690	887	917	961	767
		/7 I	2	718	742	939	969	1013	841
		(/ <u>E</u>  .	3	768	792	989	1019	1063	914
	490 mm 530 mm 20.9"	30.5	4	845	869	1066	1096	1140	1023
			5	871	895	1092	1122	1166	1059
		1	COL	785	809	1006	1036	1080	938
7		20.9"	LUBL	845	869	1066	1096	1140	1023
			LUCL	947	971	1168	1198	1242	1169
			LSL	1109	1133	1330	1360	1404	1399
Brace linking (BA)		14.3 lbs	COM	694	718	915	945	989	780
			1	733	757	954	984	1028	836
			2	785	809	1006	1036	1080	910
		1/ 5	3	835	859	1056	1086	1130	983
	ET.	30.5"	4	912	936	1133	1163	1207	1092
	18.1"	3 3 1	5	938	962	1159	1189	1233	1128
	4]_		COL	852	876	1073	1103	1147	1007
	490 mm	530 mm 20.9"	LUBL	912	936	1133	1163	1207	1092
	17,3	20.7	LUCL	1014	1038	1235	1265	1309	1238
			LSL	1176	1200	1397	1427	1471	1468

Felt glides	20	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$




# 40/4 side chair Xtra

### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
   Stacks 40 chairs on a dolly
   EN 16139 / Ansi/Bifma X5.1
   GreenTag CenTIM

- 1.6" wider and 0.2" higher than the standard 40/4
  FSC wood certified



							(טוע)		
STANDARD FRAME C	OLOURS	V2 @	V1 (6)	LW17		V2 🌑	V1	LW17	
		V3 🌼	V5 @	LW30	GROUP	V3 🧶	V5 🌑	LW30 💮	STE
		V13 🥌	V15 💣		OKOOI	V13	V15	1 1	굽
			V12 🏐				V12	1	FULLY UPHOLSTERED
D: D/ D7 D0	P.O. DOO								5
B1 B6 B7 B9	B10 B30								=
									E
RAL K7 colours availed	able at customer request								
		\$	\$	\$		\$\$	\$	\$	\$
Non linking (RA)	13.9	bs			COM	977	1007	1051	818
					1	1016	1046	1090	874
					2	1068	1098	1142	948
					3	1118	1148	1192	1021
	5 mm 775 mm 30.5°	818	866	930	4	1195	1225	1269	1130
	77.5 m 30.5	010	000	/50	5	1221	1251	1295	1166
					COL	1135	1165	1209	1045
	530 mm 530 mm				LUBL	1195	1225	1209	1130
					LUCL	1297	1327	1209	1276
					LSL	1459	#N/D	1209	1506
Brace linking (BA)	14.1	bs			COM	1044	1074	1118	887
3 ( )					1	1083	1113	1157	943
					2	1135	1165	1209	1017
					3	1185	1215	1259	1090
	5 mm 775 mm 30.5"	887	935	999	4	1262	1292	1336	1199
	775 mm 7775 m	007	733	777	5	1288	1318	1362	1235
					COL	1202	1232	1276	1114
	530 mm 530 mm				LUBL	1262	1292	1276	1199
					LUCL	1364	1394	1276	1345
					LSL	1526	1556	1276	1575

Felt glides	20	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



# 40/4 armchair - polyamide and veneer

### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
   Stacks 40 chairs on a dolly
   EN 15373 / ANSI/BIFMA X5.1 M7.1
   GreenTag CertTM
- FSC wood certified



	POLYAMIDE VENEER (DPB) (DVB)				
STANDARD FRAME COLOURS	PA200 • PA300	PA100 PA110 PA250	V2 V3 V13	V1	LW17 • LW30
B1 B6 B7 B9 B10 B30		PA260 PA320 PA360 PA360	V13	V15 V12	
RAL K7 colours available at customer request	\$	PA380 PA370 S	\$	\$	\$
Non linking (RA) 17 lbs					
88 28 1 530 mm 20.9" 530 mm 20.9" 530 mm 20.9" 530 mm 20.9"	677	716	897	945	1009
Armlinking (J) 17.2 lbs	5				
www.959	787	826	1007	1055	1119
Armchair outdoor (DOBRA) 17 lbs					
883 F. S.	919	958	N/A	N/A	N/A

Felt glides	20	\$
Table surface protection	+23	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer	+520	\$



# 40/4 armchair upholstered

### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.


- 10 year warranty
   Stacks 25 chairs on a dolly
   EN 15373 / ANSI/BIFMA X5.1 M7.1
   GreenTag<sup>CertTM</sup>
   FSC wood certified

				FULLY	UPHOLS	TERED				
			POLY	AMIDE		VENEER			(DUB)	
			(C	SB)		(DTB)				
STANDARD FRAME C	COLOURS	GROUF	PA200 • PA300	PA100 PA110 PA250	V2 V3 V13	1	.W17 • .W30	BLACK POLYAMIDE ARMREST	STAINED ARMREST	RESTS
				PA260	0	V12		K POLYA ARMREST	STA	RMF
B1 B6 B7 B9	B10 B30			PA320 PA360 PA380				ACK P	BLACK (	UPH. ARMRESTS
RAL K7 colours avail	lable at customer request			PA370				ᅵᇳ	- >	_
			\$	\$	\$	\$	\$	\$	\$	\$
Non linking (RA)	16.8 lb	s COM	815	839	1036	1066	1110	898	972	972
		1	854	878	1075	1105	1149	954	1028	1053
	865 mm 28.2° 460 mm 1811" 1715 mm 30.5°	2	906	930	1127	1157	1201	1028	1102	1143
-		3	956	980	1177	1207	1251	1101	1175	1229
		4	1033	1057	1254	1284	1328	1210	1284	1350
		5	1059	1083	1280	1310	1354	1246	1320	1408
	I 41 " " T	COL	973	997	1194	1224	1268	1125	1199	1242
	605 mm 23.8" 1530 mm 20.9"	LUBL	1033	1057	1254	1284	1328	1210	1284	1350
	2010	LUCL	1135	1159	1356	1386	1430	1356	1430	1557
		LSL	1297	1321	1518	1548	1592	1586	1660	1805
Armlinking (J)	17 lbs	COM	925	949	1146	1176	1220	1008	1082	1082
		1	964	988	1185	1215	1259	1064	1138	1163
		2	1016	1040	1237	1267	1311	1138	1212	1253
		3	1066	1090	1287	1317	1361	1211	1285	1339
	26.2° 0mm 8.1" 30.5°	4	1143	1167	1364	1394	1438	1320	1394	1460
	26.2" 460 mm 18.1" 775 mm 30.5"	5	1169	1193	1390	1420	1464	1356	1430	1518
	I 41	COL	1083	1107	1304	1334	1378	1235	1309	1352
	605 mm 23.8" 530 mm 20.9"	LUBL	1143	1167	1364	1394	1438	1320	1394	1460
	23.8 20.9	LUCL	1245	1269	1466	1496	1540	1466	1540	1667
		LSL	1407	1431	1628	1658	1702	1696	1770	1915

Felt glides	20	\$
Table surface protection	+23	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



### 40/4 swivel - polyamide and veneer



Soft lane castors	20	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



## 40/4 swivel upholstered

### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warrantyCastors or glides available
- Height adjustable
- Soft lane castor as an option
   GreenTag<sup>CertTM</sup>
   FSC wood certified

FSC wood certified			SEAT	UPHOLST	ERED			FULLY	
			amide DS)		VENEER (DT)		UPHOLSTERED (DU)		
STANDARD FRAME COLOURS	GROUP	PA200 PA300		V2 V3 V13	V5 <b>•</b> V15	LW17 • LW30	YAMIDE	STAINED ARMREST	H. ARM
B1 B6 B7 B9 B10 B30  RAL K7 colours available at customer request			PA260 PA320 PA360 PA380 PA370		V12		BLACK POLYAMIDE ARMREST	BLACK ST, VENEER AR	W-W/O UPH. ARM
To le lo Cologia d'allable di costerno l'oquest		\$	\$	\$	\$	\$	\$	\$	\$
Side chair (DUESS) 25.1 lb	s COM	1049	1073	1272	1302	1346	N/A	N/A	1135
(= = = = = = = = = = = = = = = = = = =	1	1088	1112	1311	1341	1385	N/A	N/A	1191
/ ET:	2	1140	1164	1363	1393	1437	N/A	N/A	1265
3.5° - 23.4° - 30.5° - 33.4° - 30.5° - 33.4° - 30.5° - 35.4° - 30.5° - 35.4° - 30.5° - 35.4° - 30.5° - 35.4° - 30.5° - 35.4° - 30.5° - 35.4° - 30.5° - 35.4° - 30.5° - 35.4° - 30.5° - 35.4° - 30.5° - 35.4° - 30.5° - 35.4° - 30.5° - 35.4° - 30.5° - 35.4° - 30.5° - 35.4° - 30.5° - 35.4° - 30.5° - 35.4° - 30.5° - 35.4° - 30.5° -	3	1190	1214	1413	1443	1487	N/A	N/A	1338
470-595 mm 18.5°-23.4°	4	1267	1291	1490	1520	1564	N/A	N/A	1447
5/8	5	1293	1317	1516	1546	1590	N/A	N/A	1483
2 2	COL	1207	1231	1430	1460	1504	N/A	N/A	1362
660 mm 26"	LUBL	1267	1291	1490	1520	1564	N/A	N/A	1447
	LUCL	1369	1393	1592	1622	1666	N/A	N/A	1593
	LSL	1531	1555	1754	1784	1828	N/A	N/A	1823
Armchair (DUFSA) 26.9 lb	S COM	1237	1261	1460	1490	1534	1322	1396	1396
	1	1276	1300	1499	1529	1573	1378	1452	1477
ρ Γ ε <u>Ι</u> :	2	1328	1352	1551	1581	1625	1452	1526	1567
15.4 mm 1.5.4 mm 1.5.	3	1378	1402	1601	1631	1675	1525	1599	1653
	4	1455	1479	1678	1708	1752	1634	1708	1774
26.6° - 31.5° - 800 mm 26.6° - 31.5° - 800 mm 18.5° - 23.4° m 18.5° - 23.4° m 18.5° - 23.4° m 27.5° - 800 mm 27.5° - 800 mm	5	1481	1505	1704	1734	1778	1670	1744	1832
2	COL	1395	1419	1618	1648	1692	1549	1623	1666
660 mm	LUBL	1455	1479	1678	1708	1752	1634	1708	1774
20	LUCL	1557	1581	1780	1810	1854	1780	1854	1981
	LSL	1719	1743	1942	1972	2016	2010	2084	2229

Soft lane castors	20	\$
ee per RAL K7 colour for frames or one colour if below 200 pcs)	+520	\$
ee per RAL K7 colour for veneer or one colour if below 200 pcs)	+520	\$



## 40/4 barstool and lounge chair

### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warrantyStacks up to 10 barstools on the follor
- Stacks up to 20 lounge chairs on the floor
  EN 15373 / ANSI/BIFMA X5.1

- FSC wood certified
   GreenTag CertIM


POLYAMIDE	VENEER	FULLY UPHOLSTERED	

• GreenTag <sup>Cellim</sup>	POLY	AMIDE		VENEER		FUI UPHOL	
STANDARD FRAME COLOURS  B1 B6 B7 B9 B10 B30  RAL K7 colours available at customer request	PA200 PA300	PA110	V3 🌘		LW17 LW30	GROUP	PRICE
	\$	\$	\$	\$	\$	сом	\$ 984
Lounge chair (DVDRA)  13.2 lbs	N/A	N/A	895	943	1 007	1 2 3 4 5 COL LUBL LUCL LSL	1040 1114 1187 1296 1332 1211 1296 1442 1672
Barstool (DPCAA) 22.9 lbs	900	939	1 123	1 171	1 235	COM 1 2 3 4 5 COL LUBL LUCL LSL	1123 1179 1253 1326 1435 1471 1350 1435 1581
Barstool counter height (DPCCA) 20.3 lbs	900	939	1 123	1 171	1 235	COM 1 2 3 4 5 COL LUBL LUCL LSL	1123 1179 1253 1326 1435 1471 1350 1435 1581 1811
Barstool outdoor (DOCCA)  22.9 lbs  475 mm  475 mm  21.3°  22.9 lbs	1 144	1 183	N/A	N/A	N/A		

Felt glides	20	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



## 40/4 wood frame and 40/4 metal



Felt glides	20	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



## SixE 4-leg

### By PearsonLloyd

No matter how you look at SixE,

- it presents itself as a perfectly bold move
- bending the rules of how comfortable a simple polypropylene shell chair can be.
- 10 year warranty
  SixE stacks up to 25 chairs on a dolly
  GreenTag<sup>CertTM</sup>
  Quick ship LINK



	POLYPR	OPYLENE	UPHOLSTERY				
	(EPAMA	/EPBMA)					
Standard frame colours:		PP100 PP300		SEAT	UPH.	FULLY	UPH.
B1 B6 B7 B9 B10 B30  Choose matching frame and shell colour without additional costs:		PP310 PP270 PP120 PP340 PP350	GROUP	BLACK (EFA/ EFB)	COLOUR (EFA/ EFB)	NO ARM (EUA)	BLACK ARM (EUB)
	RECYCLED PP200	RECYCLED PP100 PP300 PP120		¢	, t	œ.	•
RAL K7 colours available at customer request	\$	\$	СОМ	\$ 649	\$ 697	\$ 1064	\$ N/A
Sidechair (EPAMA) 11 lbs			1 1	680	728	1160	N/A
			2	714	762	1258	N/A
			3	739	787	1335	N/A
785 mm 785 mm 30.9°"		4.0	4	781	829	1463	N/A
785 n 3055	420	468	5	824	872	1586	N/A
			COL	760	808	N/A	N/A
520 mm, 535 mm, 20.5" ,535 mm			LUBL	781	829	N/A	N/A
20.5" 21.1"			LUCL	883	931	N/A	N/A
			LSL	993	1041	N/A	N/A
Sidechair with Quicklinking (EPAMA-R) 11 lbs			COM	726	774	1141	N/A
			1	757	805	1237	N/A
530 mm,			2	791	839	1335	N/A
			3	816	864	1412	N/A
	497	545	4	858	906	1540	N/A
		545	5	901	949	1663	N/A
12 mm			COL	837	885	N/A	N/A
o's-			LUBL	858	906	N/A	N/A
1050 mm 41.3"			LUCL	960	1008	N/A	N/A
			LSL	1070	1118	N/A	N/A
Armchair (EPBMA) 12.6 lb	s		COM	783	831	N/A	1187
			1	814	862	N/A	1283
T TO TO			2	848	896	N/A	1381
21.4 mm 385 mm 37.4 mm 385 mm 38.5 mm 38.5 mm			3	873	921	N/A	1458
695 mm 27.4" 450 mm 17.7" 30.9"	545	593	4	915	963	N/A	1586
3  3 2			5 COL	958 894	1006 942	N/A N/A	1709 N/A
			LUBL	915	963	N/A N/A	N/A N/A
22.2" 21.1"			LUCL	1017	1065	N/A	N/A
			LSL	1127	1175	N/A	N/A
Armchair with armlinking (EPBMA-Y) 12.6 lb.			COM	804	852	N/A	1208
7 1111011011 111111 0111111111111111111	1		1	835	883	N/A	1304
, 570 mm 22.4°			2	869	917	N/A	1402
			3	894	942	N/A	1479
	E / /	,,,	4	936	984	N/A	1607
	566	614	5	979	1027	N/A	1730
52 mm			COL	915	963	N/A	N/A
2°			LUBL	936	984	N/A	N/A
1000 mm 42.9"			LUCL	1038	1086	N/A	N/A
			LSL	1148	1196	N/A	N/A

Price List 2024 - USD excl. sales tax - Version 1.1

Felt glides 21 \$

Fee per RAL K7 colour for frames (for one colour if below 200 pcs)



# SixE 4-leg on castors

### By PearsonLloyd

No matter how you look at SixE,

- it presents itself as a perfectly bold move
- bending the rules of how comfortable a simple polypropylene shell chair can be.
- 10 year warranty
  SixE stacks up to 15 chairs on a dolly
  GreenTag<sup>CertTM</sup>



	POLYPR	POLYPROPYLENE UPHOLSTERY						
	(EPASC	(/EPBSE)						
Standard frame colours:	PP200 •	PP100		SEAT	UPH.	FULLY	UPH.	
B1 B6 B7 B9 B10 B30		PP300 O PP310 PP270 PP120		BLACK (EFA/	COLOUR (EFA/	NO ARM (EUA)	BLACK ARM (EUB)	
Choose matching frame and shell colour without additional costs:		PP340 PP350	GROUP	EFB)	EFB)			
	RECYCLED PP200	RECYCLED PP100 • PP300 OPP120 •						
RAL K7 colours available at customer request	\$	\$		\$	\$	\$	\$	
Sidechair (EPA) 17.42	lb		COM	904	952	1296	N/A	
			1	935	983	1392	N/A	
E -			2	969	1017	1490	N/A	
30.9°			3	994	1042	1567	N/A	
785 T 30.9 mm	654	702	4	1036	1084	1695	N/A	
	001	'02	5	1079	1127	1818	N/A	
500 mm 525 mm			COL	1015	1063	N/A	N/A	
520 mm 20.5" 535 mm 21.1"			LUBL	1036	1084	N/A	N/A	
			LUCL	1138	1186	N/A	N/A	
			LSL	1248	N/A	N/A	N/A	
Armchair (EPB) 20.3	lb		COM	1038	1086	N/A	1421	
, ,			1	1069	1117	N/A	1517	
			2	1103	1151	N/A	1615	
25 Arm 77" 77" 77" 30,9" mm			3	1128	1176	N/A	1692	
695 mm 27.4 " 450 mm 17.7" 785 mm 30.9"	777	825	4	1170	1218	N/A	1820	
2 8 1 7 7 7	///	023	5	1213	1261	N/A	1943	
			COL	1149	1197	N/A	N/A	
565 mm, 535 mm, 22.1"			LUBL	1170	1218	N/A	N/A	
22.2" 21.1"			LUCL	1272	1320	N/A	N/A	
			LSL	1382	N/A	N/A	N/A	

Price List 2024 - USD excl. sales tax - Version 1.1

Soft lane castors	21	\$
-------------------	----	----

Fee per RAL K7 colour for frames (for one colour if below 200 pcs) +520



### SixE sled

### By PearsonLloyd

No matter how you look at SixE,

- it presents itself as a perfectly bold move
- bending the rules of how comfortable a simple polypropylene shell chair can be.
- 10 year warranty
  SixE stacks up to 25 chairs on a dolly
  GreenTag<sup>CertTM</sup>



	POLYPRO	POYLENE		UPHOLSTERY					
	(EPA	/EPB)							
Standard frame colours:	PP200 •	PP100		SEAT	UPH.	FULLY	UPH.		
		PP300 O							
B1 B6 B7 B9 B10 B30		PP270		BLACK	COLOUR	NO ARM	BLACK		
B1 B6 B7 B9 B10 B30		PP120		(EFA/	(EFA/	(EUA)	ARM (EUB)		
Choose matching frame and shell colour without additional costs:		PP340 PP350	GROUP	EFB)	EFB)				
	RECYCLED	RECYCLED							
	PP200 •	PP100 🌑							
		PP300 🔘							
DALKZl	_	PP120 🌘		<b>.</b>		<b>.</b>	_		
RAL K7 colours available at customer request Sidechair (FPARB) 13.2 lb	\$	\$	СОМ	\$ 751	\$ 799	\$ 1154	\$ N/A		
Sidechair (EPARB) 13.2 lb			1	782	830	1250	N/A		
			2	816	864	1348	N/A		
ET WEEK.			3	841	889	1425	N/A		
30% mm	510	558	4	883	931	1553	N/A		
17.77" 785 m	310		5	926	974	1676	N/A		
			COL	862	910	N/A	N/A		
500 mm 19.7" 545 mm 21.5"			LUBL	883	931	N/A	N/A		
			LUCL	985 1095	1033 1143	N/A N/A	N/A N/A		
Sidechair with bracelinking (EPABB) 13.7 lb.			COW	833	881	1233	N/A		
			1	864	912	1329	N/A		
515 mm 20.3°			2	898	946	1427	N/A		
			3	923	971	1504	N/A		
	589	637	4	965	1013	1632	N/A		
	307	00/	5	1008	1056	1755	N/A		
12 mm 0.5"			COL	944	992	N/A	N/A		
1045 mm			LUBL	965	1013	N/A	N/A		
			LUCL	1067 1177	1115 1225	N/A N/A	N/A N/A		
Armchair (EPBRB) 16.1 lb.			COM	885	933	N/A	1277		
Afficial (Li bkb)			1	916	964	N/A	1373		
			2	950	998	N/A	1471		
[ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]			3	975	1023	N/A	1548		
27.4" 27.4"   17.7"   17.7"   30.9"	635	683	4	1017	1065	N/A	1676		
41 41 V			5	1060	1108	N/A	1799		
565 mm 545 mm			COL LUBL	996	1044 1065	N/A	N/A		
22.2" 21.5"			LUCL	1017 1119	1167	N/A N/A	N/A N/A		
			LSL	1229	1277	N/A	N/A		
Armchair with armlinking (EPBRB-Y) 16.1 lb.	s		COM	906	954	N/A	1298		
- · · · · · · · · · · · · · · · · · · ·			1	937	985	N/A	1394		
570 mm - 22.4"			2	971	1019	N/A	1492		
			3	996	1044	N/A	1569		
	656	704	4	1038	1086	N/A	1697		
111			5	1081	1129	N/A	1820		
70 mm 2.8°			COL	1017 1038	1065 1086	N/A N/A	N/A N/A		
1075 mm 42.3"			LUCL	1140	1188	N/A N/A	N/A N/A		
423"			LSL	1250	1298	N/A	N/A		
						, , , , ,			

Price List 2024 - USD excl. sales tax - Version 1.1

Felt glides 21 \$

Fee per RAL K7 colour for frames (for one colour if below 200 pcs)



### SixE barstool

### By PearsonLloyd

No matter how you look at SixE,

- it presents itself as a perfectly bold move
- bending the rules of how comfortable a simple polypropylene shell chair can be.
- 10 year warranty
   SixE stacks up to 10 chairs on a dolly
   GreenTag<sup>CertTM</sup>



		LYPROPYLENE UPHOLSTERY  (EPC)				
Standard frame colours:	PP200 •	PP100 PP300		SEAT	FULLY	
B1 B6 B7 B9 B10 B30  Choose matching frame and shell colour without additional costs:		PP310 PP270 PP120 PP340 PP350	GROUP	BLACK (EFC)	COLOUR (EFC)	UPH. (EUC)
RAL K7 colours available at customer request	RECYCLED PP200 •	RECYCLED PP100 • PP300 OPP120 • \$		\$	\$	\$
Barstool 4 Leg (EPCAO) 16.1 lb.		Ψ	СОМ	1018	1066	1402
Buistool 4 Leg (EFCAO)	1		1	1049	1097	1498
			2	1083	1131	1596
			3	1108	1156	1673
0mm 83.3"			4	1150	1198	1801
30.3°mm 30.3°m 1105 m	762	810	5	1193	1241	1924
			COL	1129	1177	N/A
550 mm 535 mm			LUBL	1150	1198	N/A
550 mm 21.7" , 535 mm 21.1"			LUCL	1252	1300	N/A
			LSL	1362	N/A	N/A
Barstool 4 Lea Counter height (FPCAP) 11.7 lb			COM	1018	1066	1402
Barstool 4 Lea, counter height (EPCAP) 11.7 lb			1	1049	1000	1498
			2	1047	1131	1596
			3	1108	1156	1673
4.8° mm			4	1150	1198	1801
24.8° 945 m	762	810	5			
3 -			_	1193	1241	1924
540 mm , 535 mm ,			COL	1129	1177	N/A
21.3" 21.1"			LUBL	1150 1252	1198	N/A
1.5			LUCL		1300	N/A
D			COM	1362 1120	N/A	N/A 1494
Barstool Sled frame (EPCAM) 20.9 lb.	5		1 1	1151	1168 1199	1590
			2	1185	1233	1688
			_			
E			3	1210	1258	1765
30.3" 1105 mm 13.5"	852	900	4	1252	1300	1893
E "			5	1295	1343	2016
530 mm, 560 mm,			COL	1231	1279	N/A
20.9" 22"			LUBL	1252	1300	N/A
			LUCL	1354	1402	N/A
			LSL	1464	1512	N/A

Price List 2024 - USD excl. sales tax - Version 1.1

Felt glides 21

Fee per RAL K7 colour for frames (for one colour if below 200 pcs) +520 \$



## SixE swivel

### By PearsonLloyd

- No matter how you look at SixE, it presents itself as a perfectly bold move.
- bending the rules of how comfortable a simple polypropylene shell chair can be.
- 10\* year warranty
   Design for Disassembly
   GreenTag<sup>CertTM</sup>



	POLYPR	OPYLENE	UPHOLSTERY			
	(EPEES	/EPFES)				
Standard frame colours:	PP200 •	PP100 PP300		SEAT	UPH.	FULLY
B10 BAIN - HOWE Grey		PP310 PP270 PP120 PP340 PP350	GROUP	BLACK (EPO/ EPP)	COLOUR (EPO/ EPP)	UPH. (EFSES/ EFTES)
	RECYCLED PP200 •	RECYCLED PP100 PP300 PP120 \$		\$	\$	\$
Sidechair 15.91		<del>                                     </del>	СОМ	839	887	1236
			1	870	918	1332
5.5.15 mm 5.6.7.20.3" 7.65.885 mm	,		2	904	952	1430
385-515mm 15.6"-203" 765-885 m 765-885 m			3	929	977	1507
25 5	595	643	4	971	1019	1635
31:0	373	043	5	1014	1062	1758
			COL	950	998	N/A
590 mm			LUBL	971	1019	N/A
23.2			LUCL	1073	1121	N/A
			LSL	1183	1231	N/A
Armchair 18.31	bs		сом	973	1021	1361
7 unionali			1	1004	1052	1457
			2	1038	1086	1555
	9		3	1063	1111	1632
20.3" - 28.1" - 28.1" - 28.8 mm	710	7//	4	1105	1153	1760
2515 15 15 15 15 15 15 15 15 15 15 15 15	718	766	5	1148	1196	1883
24.729.11 24.729.11 15.620.31 15.620.31 15.620.31 15.620.31 15.620.31 15.620.31 15.620.31	3		COL	1084	1132	N/A
590 mm			LUBL	1105	1153	N/A
23.2"			LUCL	1207	1255	N/A
			LSL	1317	1365	N/A
				.517	.500	1.971

Price List 2024 - USD excl. sales tax - Version 1.1

Soft lane castors



### SixE Learn

### By PearsonLloyd

No matter how you look at SixE,

- it presents itself as a perfectly bold move
- bending the rules of how comfortable a simple polypropylene shell chair can be.

- 10\* year warranty
   Design for Disassembly
   Chair for active learning environments, classrooms and higher education
   GreenTag CertTM



				POLYPR	OPYLE	NE		UPHO	LSTERY		
				(EPC	/EPP)						
Standard frame colours:				PP200 •	PP100 PP300	0		SEAT	SEAT UPH.		
BAIN - HOWE Grey					PP310 PP270 PP120 PP340 PP350		GROUI	BLACK (EFO/ EFP)	COLOUR (EFO/ EFP)	UPH. (EFQ/ EFR)	
				RECYCLED PP200	RECYC PP100 PP300 PP120 \$	LED		\$	\$	\$	
Learn side chair			25.8 lbs				COM	1421	1461	1770	
						1	1452	1492	1866		
	ET.	660-780 mm 26"-30,7" 395-515 mm 15.6"-20,3"				2	1486	1526	1964		
	E   7				1167		3	1511	1551	2041	
	8 8			1127		7	4	1553	1593	2169	
e e	8 8			1127		1107	5	1596	1636	2292	
	ØI.,						COL	1532	1572	N/A	
		(*)	720 mm 28.3"				LUBL	1553	1593	N/A	
			20.3				LUCL	1655	1695	N/A	
							LSL	1765	1805	N/A	
Learn armchair			28 lbs				сом	1555	1603	1893	
							1	1586	1634	1989	
	CT						2	1620	1668	2087	
	E I	٤ ۽	- T				3	1645	1693	2164	
	88	ETC:		1050	120	, l	4	1687	1735	2292	
	6	515	Ħ	1252	130	JU	5	1730	1778	2415	
	260 - 780 mm 26" - 30.7" 15.6" - 20.3"	<b>மெ ப</b> ம் ம				COL	1666	1714	N/A		
		38	720 mm				LUBL	1687	1735	N/A	
	28.3"				LUCL	1789	1837	N/A			
							LSL	1899	1947	N/A	
										,, .	

Soft lane castors	21	\$
Bag hook	52	\$
Cupholder	46	\$



## MN1 cantilever

### By Morten Nikolajsen

Whenever comfort, classic lines, and functionality are vital, the MN1 chair is the obvious choice.

- 5 year warrantyStacks 5 chairsFSC certifiedDesign for Disassembly



		MESH		FULLY	FULLY UPH.			oad with or black
		IKFICC	/KELCD)	(KYLCC	/KYLCD)	Black base	bo	ise
Standard base finish is chrome	1	V3		V3 (0)	LW25	w. or w/o		
Black base and armrests as an option	GROUP		LW17		LW17	black		
Standard armrests is polished aluminium		Back frame	Back frame	Back frame	Back frame	armrests	Uph.	Veneer
			Black or		Black or		armrests	armrests
(1) ●		Oak	walnut	Oak	walnut			
81 87			stained		stained			
		\$	\$	\$	\$	\$	\$	\$
Side chair, normal back (A) 19.8 lb	COM	1379	1467	1548	1636			
( ,	1	1406	1494	1631	1719			
	2	1437	1525	1715	1803			
	3	1467	1555	1815	1903			
[ E   -	4	1531	1619	2001	2089	+46	+N/A	+N/A
35. mm	5	1552	1640	2064	2152		,,,	,
18.9°°° S800 m	COL	1508	1596	1934	2022			
480 mm 575 mm	LUBL	1531	1619	2001	2089			
18.9" 22.6"	LUCL	1684	1772	2460	2548			
1670-002 1727-0020-1	LSL	1867	1955	N/A	3099			
Side chair, high back (B) 20.7 lb		1515	1603	1682	1770			
	1	1542	1630	1765	1853			
	2	1573	1661	1849	1937			
F	3	1603	1691	1949	2037			
257m	4	1667	1755	2135	2223	+46	+N/A	+N/A
189° I	5	1688	1776	2198	2286			
8 8 8	COL	1644	1732	2068	2156			
480 mm 620 mm	LUBL	1667	1755	2135	2223			
18.9" 24.4"	LUCL	1820	1908	2594	2682			
A 1 : 11 1 (A) 00 0 II-	LSL	N/A 1510	2091 1598	3145 1548	3233 1767	$\overline{}$		
Armchair, normal back (A) 20.9 lb	s COM	1510	1625	1762	1850			
	2	1568	1625	1846	1934			
	3	1598	1686	1946	2034			
I D D C E	4	1662	1750	2132	2220			
38.88 mm	5	1683	1771	2195	2283	+90	+303	+204
880 mm 26.8 m 18.9 m 18.9 m 35" 35" 35"	COL	1639	1727	2065	2153			
ol 4l =	LUBL	1662	1750	2132	2220			
570 mm , 575 mm ,	LUCL	1815	1903	2591	2679			
22.4" 22.6"	LSL	1998	2086	3142	3230			
Armchair, high back (B) 21.8 lb	COM	1646	1734	1813	1901			
	1	1673	1761	1896	1984			
	2	1704	1792	1980	2068			
	3	1734	1822	2080	2168			
T N N A EL	4	1798	1886	2266	2354	+90	+303	+204
E E EI. 1	5	1819	1907	2329	2417	+70	±3∪3	T204
28.87 mm 18.97 mm 18.97 mm 100.5 r	COL	1775	1863	2199	2287			
1 41	LUBL	1798	1886	2266	2354			
570 mm 620 mm 24.4"	LUCL	1951	2039	2725	2813			
22.4" 24.4"	LSL	2134	2222	3276	3364	1		1

Price list 2024 - USD excl. V.A.T. - Version 1.1

Felt glides 42



### MN1 X-base

### By Morten Nikolajsen

Whenever comfort, classic lines, and functionality are vital, the MN1 chair is the obvious choice.

- 5 year warrantySimple and elegant aestheticsDesign for DisassemblyHeight adjustableFSC certified



			MESH		FULLY UPH.			Armrest   chrome	oad with or black
			IKE	EM)	(K)	(M)	Black base	bo	ise
Black base and armrests as an op	tion		V3 (NL		V3 (N)	LW25	w. or w/o		
Black base and anniests as an op	11011	GROUP	, ,	LW17	, ,	LW17	black		
Standard base and armrests is pol	shed	OKOOI	Back frame	Back frame	Back frame	_	armrests	Uph.	Veneer
aluminium	3110 4		Back irainio	Black or	Dack II allie	Black or		armrests	armrests
			Oak	walnut	Oak	walnut			
				stained		stained			
B51 B7			\$	\$	\$	\$	\$	\$	\$
Side chair, normal back (A)	23.1 lbs	сом	1642	1730	1803	1891			
oldo chall, horrial back (7)		1	1669	1757	1886	1974			
	Ф. т	2	1700	1788	1970	2058			
	E 12	3	1730	1818	2070	2158			
E i.	37.2"	4	1792	1880	2256	2344			
E S	0	5	1815	1903	2319	2407	+46	+N/A	+N/A
1777-213"	33.7	COL	1773	1861	2189	2277			
877.		LUBL	1792	1880	2256	2344			
485 mm	570 mm	LUCL	1947	2035	2715	2803			
19.1"	22.4"	LSL	2130	2218	3266	3354			
Side chair, high back (B)	24 lbs	COM	1778	1866	1937	2025			
		1	1805	1893	2020	2108			
	Ø T	2	1836	1924	2104	2192			
VIII I	/ E .	3	1866	1954	2204	2292			
	1055 - 1145 mm 41.5" - 45.1"	4	1928	2016	2390	2478		151/4	+N/A
450 - 540 mm 17,7" - 21 3"		5	1951	2039	2453	2541	+46	+N/A	+N/A
25.	41,4	COL	1909	1997	2323	2411			
81.		LUBL	1928	2016	2390	2478			
, 485 mm	615 mm	LUCL	2083	2171	2849	2937			
19.1"	24.2"	LSL	2266	2354	3400	3488			
Armchair, normal back (A)	24.3 lbs	COM	1725	1813	1849	1937			
( ,		1	1752	1840	1932	2020			
	A T	2	1783	1871	2016	2104			
S <sub>v</sub>	mm 7.2"	3	1813	1901	2116	2204			
E & E	-37.	4	1875	1963	2302	2390	+90	+303	+204
8 2 2 2 2	0	5	1898	1986	2365	2453	+70	±3∪3	TZU4
25.4" - 28.9" T.7" - 21.3" T.7" - 21.3"	33.7" - 37	COL	1856	1944	2235	2323			
v - v		LUBL	1875	1963	2302	2390			
, 5/U mm ,	570 mm	LUCL	2030	2118	2761	2849			
22.4"	22.4"	LSL	2213	2301	3312	3400			
Armchair, high back (B)	25.1 lbs	COM	1861	1949	1983	2071			
		1	1888	1976	2066	2154			
	PI	2	1919	2007	2150	2238			
	1055-1145 mm 41.5" - 45.1"	3	1949	2037	2250	2338			
ETA C D	45.1	4	2011	2099	2436	2524	+90	+303	+204
25.738 mm 25.47.788 gr 0.540 mm 77.21.3°	= 15	5	2034	2122	2499	2587	'/0	1000	1204
55 4 55 5	41.	COL	1992	2080	2369	2457			
8 8 8 8		LUBL	2011	2099	2436	2524			
570 mm	615 mm	LUCL	2166	2254	2895	2983			
22.4"	24.2"	LSL	2349	2437	3446	3534			

Price list 2024 - USD excl. V.A.T. - Version 1.1

Fixed with return swivel	61	\$
Felt glides	42	\$



### MN1 5-star

### By Morten Nikolajsen

Whenever comfort, classic lines, and functionality are vital, the MN1 chair is the obvious choice.

- 5 year warrantySimple and elegant aestheticsDesign for DisassemblyHeight adjustableFSC certified



Standard base is polished aluminium with black costors.   Black base and armrests as an option   Standard armrest is polished aluminium   Standard armrest is				MI	ESH	FULLY	UPH.			oad with
Standard base is polished aluminium with black castors.   W23				/VENIL A	/// ENIL DA	/IZENII A	(KEVILD)	Discolute and		
with black castors. Slack brack and ammests as an option Standard ammest is polished aluminium    Black brack and ammests as an option Standard ammest is polished aluminium   Black brack fixed   Black fixed   Bla	Standard base	is polished aluminium	_	_						
Black base and armests as an option   Standard armest is polished aluminium   Standa			CPOUR		_	V3 <b>(</b>				
Standard armrest is polished aluminium    Cook   Wainut   Stained   Stained			GROUP		_	Donale frallo	_		Hob	Veneer
Side chair, normal back (A)  23.6 lbs  COM  1824 1912 1978 2061 2147 2235 3 1912 2002 2248 2 1882 1970 2147 2233 3 1912 2000 2245 2 1882 1970 2 147 2 2333 2 2521 2 1972 2 2018 2 2014 2 2333 2 2521 2 2018 2 217 2 2890 2 297 2 297 2 297 2 297 2 297 2 297 2 297 2 297 2 297 2 297 2 297 2 297 2 297 2 297 2 298 2 298 2 298 3 2041 1 1987 2 2052 2 2018 2 2114 2 208 3 2041 2 298 2 2018				BOCK TRAHE		васк тгане		diffilesis		
Side chair, normal back (A)  2.5 (B)  2.5 (B)  2.7 (B)  2.7 (B)  2.7 (B)  3.7 (C)  3.8 (C)  3.8 (C)  3.9 (C)  1.1 (B)  1	3idildala diffile	si is polistied diornirilotti		Oak		Oak			diffilesis	Girilesis
Side chair, normal back (A)  23.6 lbs  COM  1824 1912 1939 20.61 2147 2253 3 1912 2000 2248 2333 2331 4 1976 2064 2433 2521 1900 2447 2582 2 1882 1970 2000 2248 2333 2521 1001 1953 2041 2344 2433 2521 1001 1953 2041 2344 2433 2521 1001 252* 2018 2106 2283 2371 252* 2018 2106 2283 2371 2482 2536 3 2049 2114 2200 2569 2657 5 2133 2048 2114 2200 2569 2657 5 2133 2048 2114 2200 2569 2657 257 2018 2112 2200 2569 2657 257 2018 2112 2200 2569 2657 2588 1181 2449 2536 3 2049 2158 22018 2106 2283 2371 2401 2402 247 lbs 247 lbs 247 lbs 2482 2536 3579 3687 3687 3687 3687 3687 3687 3687 3687				Ouk		Ouk				
Side chair, normal back (A)  23.6 lbs  COM  1824 1912 1978 2066 2 1882 1970 2147 2235 3 1912 2000 2245 2333 2521 460 mm 25.2" 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1987 2075 2117 2085 2117 2085 2117 2085 2117 2085 2117 2085 2117 2085 2117 2085 2117 2085 2117 2085 2117 2085 2117 2085 2117 2085 2117 2085 2118 2106 2286 2333 221 2300 2216 2300 2559 2657 2657 260 mm		B51 B7		•	1	•		•	<b>¢</b>	•
1 1851 1939 2061 2149 2 1882 1970 2147 2235 3 1912 2000 2245 2333 4 1976 2064 2433 2521 2494 2582 Cot 1953 2041 2364 2452 UUCL 2129 2217 2890 2978 1 1987 2075 2197 2285 2 2018 2114 2202 2 218 2312 2400 3443 3531 2 208 2114 2202 2 208 2114 2202 2 208 2114 2202 2 208 2114 2202 2 208 2114 2202 2 208 2116 2283 2371 3 2048 21136 2283 2371 3 2048 2136 2381 2469 4 2112 2200 2569 2657 4 2112 2200 2569 2657 UUCL 2265 2333 3026 3114 2 200 2569 2657 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Cida abair narm	and book (A)	lbs COM					Φ	Ψ	Φ
2 1882 1970 2147 2235 3 1912 2000 2245 2333 4 1976 2064 2433 2221 5 1977 2065 2494 2582 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	side Chair, Horri	Idi back (A)								
3 1912 2000 2245 2333 2521										
## ## ## ## ## ## ## ## ## ## ## ## ##		P =	2							
Cot. 1953 2041 2364 2452 LUBL 1976 2064 2433 2521 LUBL 1976 2064 2433 2521 LUBL 1976 2064 2433 2521 LUBL 2129 2217 2890 2978 LSL 2312 2400 3443 3531 Side chair, high back (B)  24.5 lbs 2018 2106 2283 2371 LUBL 2112 2200 2569 2657 LSL 2333 2221 2409 LUBL 2112 2200 2569 2657 LSL 2448 2535 3026 3114 LSL 2448 2536 3579 3667 LSL 2448 2535 3299 2387 LSL 2459 2487 2575 LSL 2468 25548 2535 3698 LSL 2459 2487 2575 LSL 2459 2578 3679 LSL 2459 2578 LSL 245		[ ]	4							
Side chair, high back (B)  24.5 lbs  COM  1960  2048  2114  2202  2197  2208  2114  2202  22018  2108  2108  2114  2202  22018  2108  22018  2108  22018  22018  22018  22018  22018  22018  2312  2200  2569  2657  2601  1018  12112  2200  2569  2657  2601  1018  12112  2200  2569  2657  2	1000	8 8	5					+46	+N/A	+N/A
Side chair, high back (B)  24.5 lbs  COM  1960  2048  2114  2202  2197  2208  2114  2202  22018  2108  2108  2114  2202  22018  2108  22018  2108  22018  22018  22018  22018  22018  22018  2312  2200  2569  2657  2601  1018  12112  2200  2569  2657  2601  1018  12112  2200  2569  2657  2		5 L L 5	COL							
Side chair, high back (B)  24.5 lbs  COM  1960  2048  2114  2202  2197  2208  2114  2202  22018  2108  2108  2114  2202  22018  2108  22018  2108  22018  22018  22018  22018  22018  22018  2312  2200  2569  2657  2601  1018  12112  2200  2569  2657  2601  1018  12112  2200  2569  2657  2		3 8 6 60 60 40 40 40								
Side chair, high back (B)  24.5 lbs  COM  1960  2048  2114  2202  1187  2208  22197  2285  22018  2106  2283  2371  24.5 lbs  COL  1987  2075  2197  2285  22018  2301  24.5 lbs  COL  2089  2177  2500  2589  2177  2500  2589  2177  2500  2589  2177  2500  2589  2171  2500  2589  2171  2500  2589  2171  2500  2589  2171  2500  2589  2171  2500  2589  2171  2500  2589  2171  2500  2589  257  LISL  2448  2536  3379  3667  Armchair, normal back (A)  24.7 lbs  COM  1907  1995  2032  2115  2203  22115  2203  22115  2203  22115  2203  22115  2203  22115  2203  22115  2203  22199  2387  4  24.7 lbs  COM  1907  1995  2032  2115  2203  22199  2387  24.8 2536  2508  2147  2487  2575  5  2080  2168  2548  2558  4  2559  2147  2487  2559  11  2070  2158  2251  2399  2387  2448  3303  4  2559  2147  2487  2559  2148  2506  LIUCL  2212  2300  2944  3032  2418  2506  COL  2036  2124  2418  2506  LIUCL  2212  2300  2944  3032  2418  2506  LIUCL  2212  2300  2944  3032  2418  2506  LIUCL  2212  2300  2944  3033  2418  2506  LIUCL  2212  2300  2944  3033  2418  2506  LIUCL  2212  2300  2944  3032  2418  2506  2525  3  3  2131  2189  2256  2251  33  2131  2189  2256  2251  2399  2387  44  2456  2554  2642  2771  2040  2554  2642  LIUCL  2348  2348  2436  3080  3168										
Side chair, high back (B)  24.5 lbs  COM 1960 2048 2114 2202 1 1987 2075 2197 2285 2 2018 2106 2283 2371 3 2048 2136 2381 2449 4 2112 2200 2569 2657 5 2133 2221 2630 2718 COL 2089 2177 2500 2588 LIUGL 2265 2353 3026 3114 LIUCL 2265 2353 3026 3114 LIUCL 2265 2053 2201 2289 3 3 1995 2032 2120 2 1965 2053 2201 2289 3 3 1995 2032 2200 2289 3 3 1995 2033 2291 2289 3 3 1995 2033 2291 2889 4 2059 2147 2487 2575 5 2080 2168 2548 2636 LIUBL 2059 2147 2487 2575 LIUCL 2212 2300 2944 3032 LIUGL 2212 2300 2944 3032 LIUCL 2212 1289 2337 2425 LIUCL 2212 2300 2944 3032 LIUGL 21189 2337 2425 LIUCL 2212 2300 2944 3032 LIUGL 21189 2337 2425 LIUCL 2212 2300 2944 3032 LIUGL 2212 2300 2944 3032 LIUGL 2212 2300 2944 3032 LIUGL 2212 2300 2944 3032 LIUCL 2212 2300 2944 3032 LIUGL 2212 2200 2944 3032 LIUGL 2212 2200 2944 3032 LIUGL 2212 2	•	25.2" 25.2"								
1 1987 2075 2197 2285 2 2018 2106 2283 2371 3 2048 2136 2381 2469 4 2112 2200 2569 2657 5 2133 2221 2630 2718 COL 2089 2177 2500 2588 LUBL 2112 2200 2569 2657 LUCL 2265 2353 3026 3114 25.2" 15st 2448 2536 3579 3667 LUCL 2265 2053 3026 3114 25.2" 248 2536 3579 3667  Armchair, normal back (A) 24.7 lbs 1 1934 2022 2115 2203 2 2 1965 2053 2201 2289 3 1995 2083 2299 2387 4 2059 2147 2487 2575 5 2080 2148 2548 2536 COL 2036 2124 2418 2506 LUBL 2059 2147 2487 2575 5 2080 2148 2548 2536 COL 2036 2124 2418 2506 LUBL 2059 2147 2487 2575 LUCL 212 2300 2944 3032 LUCL 212 2200 2554 2642 LUCL 218 2300 2554 2642 LUCL 218 2300 2554 2642 LUCL 2172 2260 2555 2642 LUCL 2172 2260 2556 2657 LUCL 2172 2260 2556 2657 LUCL 2172 2260 2567 LUCL 2172 2260 2567 LUCL 2172 2260 2567 LUC	Side chair high	back (B) 24.5								
2 2018 2106 2283 2371 3 2048 2136 2381 2469 4 2112 2200 2569 2657 5 2133 2221 2630 2718 COL 2089 2177 2500 2588 LUGL 2112 2200 2569 2657 LUGL 2265 2353 3026 3114 LUGL 2265 2503 2201 2289 LUGL 2212 2000 2694 LUGL 2212 2000 2694 LUGL 2212 2300 2944 LUGL 2348 2356 LUGL 23565 LUG	Side Cridii, riigiri	DUCK (b)	103							
3 2048 2136 2381 2469 4 2112 2200 2569 2657 COL 2089 2177 2500 2588 LIBIL 2112 2200 2569 2657 LIUCL 2265 2353 3026 3114 LIUCL 2265 2353 3026 3114 LIUCL 2265 2353 3026 3114 LIUCL 2265 2033 2210 2448 2536 3579 3667 COM 1907 1995 2032 2120 2 11965 2053 2201 2289 3 1995 2083 2299 2387 4 2059 2147 2487 2575 5 2080 2168 2548 2636 COL 2036 2124 2418 2506 COL 2036 2124 2408 2506 COL 2036 2247 2457 COL 2036 2247 2457 COL 2036 2247 COL 2036 2										
## 4 2112 2200 2569 2657  5 2133 2221 2630 2718  COL 2089 2177 2500 2588  LIUEL 2112 2200 2569 2657  LIUEL 2265 2353 3026 3114  LSL 2448 2536 3579 3667  Armchair, normal back (A)  24.7 lbs  COM 1907 1975 2032 2120  2 1965 2053 2201 2289  3 1995 2083 2299 2387  4 2059 2147 2487 2575  5 2080 2188 2548 2636  COL 2036 2124 2418 2506  LIUEL 2059 2147 2487 2575  5 2080 2188 2548 2636  COL 2036 2124 2418 2506  LIUEL 2059 2147 2487 2575  LIUCL 2212 2300 2944 3032  LSL 2059 2147 2487 2575  5 2080 2188 2548 2636  COL 2036 2124 2418 2506  LIUEL 2059 2147 2487 2575  LIUCL 2212 2300 2944 3032  LSL 2059 2147 2487 2575  5 2080 2188 2548 2636  COL 2036 2124 2418 2506  LIUEL 2059 2147 2487 2575  5 2010 2189 2337 2425  3 2131 219 2435 2523  3 2131 2219 2435 2523  3 2131 2219 2435 2523  3 2131 2219 2435 2523  3 2131 2219 2435 2523  3 2131 2219 2435 2523  3 2131 2219 2435 2523  3 2131 2219 2435 2523  3 2131 2219 2435 2523  3 2131 2219 2435 2523  3 2131 2219 2435 2523  3 2131 2219 2435 2523  2 2101 2189 2337 2425  3 2131 2219 2435 2523  2 2101 2189 2337 2425  3 2131 2219 2435 2523  2 2101 2189 2237 2425  3 2131 2219 2435 2523  2 2101 2189 2237 2425  3 2131 2219 2435 2523  4 2195 2283 2623 2711  LIUCL 2348 2436 3080 3168		/ F								
Armchair, normal back (A)  24.7 lbs  COM  1907  1 1934  2002  2 11965  2032  2 1120  1 1934  2002  2 1151  2289  3 1995  2083  2299  2387  4 2059  2147  2487  2575  5 2080  2168  2548  2556  COL  2036  2148  2556  1 2059  2147  2487  2575  5 2080  2148  2556  1 2059  2147  2487  2575  1 LIUCL  2112  2300  2944  3032  Armchair, high back (B)  25.2"  25.6 lbs  COM  2043  2131  2168  2256  3 2131  2199  2337  2425  4 2195  2339  2435  2523  4 2195  283 2623  2711  1081  1081  2195  2283  2280  2387  490  4303  400  400  400  400  400  40	No. of the last of	ا ا	4							
Armchair, normal back (A)  24.7 lbs  COM  1907  1 1934  2002  2 11965  2032  2 1120  1 1934  2002  2 1151  2289  3 1995  2083  2299  2387  4 2059  2147  2487  2575  5 2080  2168  2548  2556  COL  2036  2148  2556  1 2059  2147  2487  2575  5 2080  2148  2556  1 2059  2147  2487  2575  1 LIUCL  2112  2300  2944  3032  Armchair, high back (B)  25.2"  25.6 lbs  COM  2043  2131  2168  2256  3 2131  2199  2337  2425  4 2195  2339  2435  2523  4 2195  283 2623  2711  1081  1081  2195  2283  2280  2387  490  4303  400  400  400  400  400  40		E-10 - 13	5					+46	+N/A	+N/A
Armchair, normal back (A)  24.7 lbs  COM  1907  1 1934  2002  2 11965  2032  2 1120  1 1934  2002  2 1151  2289  3 1995  2083  2299  2387  4 2059  2147  2487  2575  5 2080  2168  2548  2556  COL  2036  2148  2556  1 2059  2147  2487  2575  5 2080  2148  2556  1 2059  2147  2487  2575  1 LIUCL  2112  2300  2944  3032  Armchair, high back (B)  25.2"  25.6 lbs  COM  2043  2131  2168  2256  3 2131  2199  2337  2425  4 2195  2339  2435  2523  4 2195  283 2623  2711  1081  1081  2195  2283  2280  2387  490  4303  400  400  400  400  400  40		28.	COL							
Armchair, normal back (A)  24.7 lbs  COM  1907  1995  2032  2120  2 1965  2053  2201  2289  3 1995  2083  2299  2387  4 2059  2147  2487  25.75  5 2080  2168  25.6 lbs  COL  2036  2124  2418  2536  3579  3667  2032  2115  2203  2209  2387  4 2059  2147  2487  2575  5 2080  2168  2548  2636  COL  2036  2124  2418  2506  2575  LIUCL  2121  22300  2944  3032  LISL  2395  2483  3497  3585  Armchair, high back (B)  25.6 lbs  COM  2043  2131  2189  2337  2425  3 2131  2199  2435  2523  4 2195  2283  2623  2711  5 2283  2623  2711  400 mm  400 mm  400 mm  400 mm  LUCL  2348  2348  2348  3080  3168		0 0	LUBL	2112		2569	2657			
Armchair, normal back (A)  24.7 lbs  COM  1907  1995  2032  2120  1 1934  2022  2115  2203  2 1965  2053  2201  2289  3 1995  2083  2299  2387  4 2059  2147  2487  2575  5 2080  COL  2036  2124  2418  2059  2147  2487  2575  5 2080  2148  2595  COL  2036  2124  2418  2506  LIUCL  2121  2300  2944  3032  LSL  2395  2483  3497  3585  Armchair, high back (B)  25.6 lbs  COM  2043  2131  2168  2256  3 2131  2168  2256  3 2131  2170  2487  2575  2575  2583  2483  3497  3585  Armchair, high back (B)  25.6 lbs  COM  2043  2131  2168  2256  3 2131  2170  2487  2575  2575  2583  2483  3497  3585  Armchair, high back (B)  25.6 lbs  COM  2043  2131  2168  2256  3 2131  219  2435  2523  4 2195  283  2623  2711  5 2216  2004  2004  2004  2004  2005  2006  2007  2006  2007  2006  2007  2008		27 0 0 0 0 D 0 0 1								
Armchair, normal back (A)  24.7 lbs  COM  1907  1995  2032  2115  2203  2 1965  2053  2201  2289  3 1995  2083  2299  2387  4 2059  2147  2487  2575  5 2080  2168  2528  COL  10BL  25.2"  25.6 lbs  COM  2036  2124  2418  2506  1UBL  255.2"  25.6 lbs  COM  2043  2131  2168  2256  2309  2483  3497  3585  COM  2043  2131  2168  2256  2399  2483  2499  2487  2575  LUCL  2212  2300  2944  3032  LSL  2395  2483  3497  3585  COM  2043  2131  2168  2256  3 2211  2189  2337  2425  3 2131  2199  2435  2523  4 2195  2283  2210  2101  2189  2337  2425  3 2131  2199  2435  2523  4 2195  2283  2201  2435  2523  4 2195  2283  2201  2486  2772  COL  LUBL  2172  2260  2554  2642  LUBL  2195  2283  2623  2711  LUCL  2348  2436  3080  3168		25.2" 25.2"	LSL	2448	2536	3579	3667			
1 1934 2022 2115 2203 2 1965 2053 2201 2289 3 1995 2083 2299 2387 4 2059 2147 2487 2575 5 2080 2168 2548 2636 COL 2036 2124 2418 2506 LUBL 2059 2147 2487 2575 LUCL 2212 2300 2944 3032 LSL 2395 2483 3497 3585 1 2070 2158 2251 2339 2 2101 2189 2337 2425 3 2131 2219 2435 2523 2 2101 2189 2337 2425 3 2131 2219 2435 2523 4 2195 2283 2623 2711 5 2216 2304 2684 2772 COL 2172 2260 2554 2642 LUBL 2195 2283 2623 2711 LUCL 2348 2436 3080 3168	Armchair norm	al back (A) 24.7	lbs COM	1907						
3 1995 2083 2299 2387 4 2059 2147 2487 2575 5 2080 2168 2548 2636 COL 2036 2124 2418 2506 LUBL 2059 2147 2487 2575 LUBL 2014 2418 2506 LUBL 2015 2483 3497 3585 LUBL 2015 2283 2623 2711 LUBL 2195 2	, arriorian, rioriri	an back (7.1)	1	1934	2022	2115	2203			
## 2059   2147   2487   2575   5   2080   2168   2548   2636   2548   2636   2548   2636   2548   2636   2548   2636   2548   2636   2548   2636   2548   2636   2548   2636   2548   2636   2548   2636   2548   2636   2548   2548   2636   2548   2548   2636   2548   25			2	1965	2053	2201	2289			
LUBL 2059 2147 2487 2575 LUCL 2212 2300 2944 3032 25.2" 25.2" 25.2" 25.6 lbs  Armchair, high back (B)  25.6 lbs  COM 2043 2131 2168 2256 1 2070 2158 2251 2339 2 2101 2189 2337 2425 3 2131 2219 2435 2523 4 2195 2283 2623 2711 5 2216 2304 2684 2772 5 2216 2304 2684 2772 5 216 2304 2684 2772 5 216 2304 2684 2772 COL 2172 2260 2554 2642 LUBL 2195 2283 2623 2711 LUCL 2348 2436 3080 3168		<b>₽</b> €	3	1995	2083	2299	2387			
LUBL 2059 2147 2487 2575 LUCL 2212 2300 2944 3032 25.2" 25.2" 25.2" 25.6 lbs  Armchair, high back (B)  25.6 lbs  COM 2043 2131 2168 2256 1 2070 2158 2251 2339 2 2101 2189 2337 2425 3 2131 2219 2435 2523 4 2195 2283 2623 2711 5 2216 2304 2684 2772 5 2216 2304 2684 2772 5 216 2304 2684 2772 5 216 2304 2684 2772 COL 2172 2260 2554 2642 LUBL 2195 2283 2623 2711 LUCL 2348 2436 3080 3168		Els E. I	4	2059	2147	2487	2575	100	+303	1204
LIUBL 2059 2147 2487 2575 LIUCL 2212 2300 2944 3032 25.2" 25.2" 25.6 lbs COM 2043 2131 2168 2256  1 2070 2158 2251 2339 2 2101 2189 2337 2425 3 2131 2219 2435 2523 4 2195 2283 2623 2711 5 2216 2304 2684 2772 5 2216 2304 2684 2772 COL 2172 2260 2554 2642 LIUBL 2195 2283 2623 2711 LIUCL 2348 2436 3080 3168		8 8 3 3	5	2080	2168	2548	2636	770	+3∪3	T2U4
LIUBL 2059 2147 2487 2575 LIUCL 2212 2300 2944 3032 25.2" 25.2" 25.6 lbs COM 2043 2131 2168 2256  1 2070 2158 2251 2339 2 2101 2189 2337 2425 3 2131 2219 2435 2523 4 2195 2283 2623 2711 5 2216 2304 2684 2772 5 2216 2304 2684 2772 COL 2172 2260 2554 2642 LIUBL 2195 2283 2623 2711 LIUCL 2348 2436 3080 3168		333	COL	2036	2124	2418	2506			
Armchair, high back (B)  25.6 lbs  COM  2043  2131  2168  2251  2339  2425  2 2101  2189  2337  2425  2 2101  2189  2337  2425  3 3 2131  2195  2283  2623  2711  5 2216  2304  2684  2772  COL  2172  2260  2348  2436  3080  3168		5 00 00 00 00 00 00 1		2059	2147	2487	2575			
Armchair, high back (B)  25.6 lbs  COM  2043  2131  2168  2256  1  2070  2158  2251  2339  2  2101  2189  2337  2425  3  2131  2219  2435  2523  4  2195  2283  2623  2711  LUCL  2348  2436  3080  3168		640 mm 640 mm	LUCL	2212	2300	2944	3032			
1 2070 2158 2251 2339 2 2101 2189 2337 2425 3 2131 2219 2435 2523 4 2195 2283 2623 2711 5 2216 2304 2684 2772 COL 2172 2260 2554 2642 IUBL 2195 2283 2623 2711 IUCL 2348 2436 3080 3168		25.2" 25.2"	LSL	2395	2483	3497	3585			
1 2070 2158 2251 2339 2 2101 2189 2337 2425 3 2131 2219 2435 2523 4 2195 2283 2623 2711 5 2216 2304 2684 2772 COL 2172 2260 2554 2642 LUBL 2195 2283 2623 2711 LUCL 2348 2436 3080 3168	Armchair, high l	oack (B) 25.6	lbs COM		2131					
3 2131 2219 2435 2523 4 2195 2283 2623 2711 5 2216 2304 2684 2772 COL 2172 2260 2554 2642 LUBL 2195 2283 2623 2711 LUCL 2348 2436 3080 3168	]	• ,	1	2070	2158		2339			
40 mm 640 mm 640 mm LUCL 2348 2436 3080 3168		<i>D</i> 1		2101	2189	2337	2425			
40 mm 640 mm 640 mm LUCL 2348 2436 3080 3168		/ E	3	2131	2219	2435	2523			
40 mm 640 mm 640 mm LUCL 2348 2436 3080 3168		ETS IN IN CHES	4					+90	+303	+204
40 mm 640 mm 640 mm LUCL 2348 2436 3080 3168		हा है है।	5	2216	2304	2684	2772	'/0	1000	1204
40 mm 640 mm 640 mm LUCL 2348 2436 3080 3168		SS 1 2 2 3 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	COL							
640 mm		SIS 3 8 6 60 0 5 60 1	LUBL		2283		2711			
25.2 25.2 LSL 2531 2619 3633 3721		640 mm 640 mm								
		25.2" 25.2"	LSL	2531	2619	3633	3721			

Price list 2024 - USD excl. V.A.T. - Version 1.1

Soft lane castors 42 \$



### AS100

### By Andreas Störiko

The AS series is highly inspired and highly functional. Combining elegance and utility with true mobility, the family of nesting chairs and tables leaves room for all imaginable purposes.

- 10 year warranty
  Lightweight and space-saving
  Easy to link multiple chairs for relocation
  Castro are weight activated brake castors
- Stacks horizontally as many chairs as wanted
- Return swivel mechanism with 4 positions



COLOURS	ESTS, SEATBAR AND BASE	GROUP	FULLY UPHOLSTERED (DU)
			\$
Side chair (CCS)	22 lbs	COM	1336
( ,		1	1397
	/ A	2	1458
	995 mm 19.5° m 889 mm	3	1531
		4	1640
		5	1710
		COL	1594
4 4		LUBL	1640
	700 mm 27.6" 700 mm	LUCL	1947
		LSL	2318
Armchair (CCA)	24 lbs	сом	1 <b>449</b> 1510
		1	1571
		3	1644
		4	1753
	880mm 347"	5	1823
	888 mm 19.5°	COL	1707
/ / \		LUBL	1753
	700 mm 700 mm 27 6"	LUCL	2060
	27 6"	LSL	2431

Price List 2024 - USD excl. sales tax - Version 1.1

Soft castors for hard floors 17



### 40/4 Writing tablet

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.

chiome hames c				
Writing tablet witho	chrome frame, 0.4" compact laminate	No.	Per Piece	
No Cupholder	Black	DAZS	329	
No Cupholder	White	DAZS	329	
Cupholder	Black	DAZS_Y	372	
Cupholder	White	DAZS_Y	372	
40/4 and Si	xE Transporter for writing tablets			
height: 55". Writing tablet dolly,	length: 16", depth: 24",		Per Transporter	
18 Pcs	3 boxes	404WTDLY01	1001	
36 pcs	6 boxes	404WTDLY02	2002	*



### 40/4 Linking

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.



LD linking  Width between seats: 2.6". Linking side chair to side chair; allows to link chairs in a straight line.	No.	Per Piece	
40/4 linking device LD1H in chrome	404ACCLD1H	\$ 57	
Width between seats: 4.9" Linking: side chair to side chair; side chair to armchair; allows to link chairs in a straight line.			
40/4 linking device LD2H in chrome	404ACCLD2H	72	
Width between seats: 7.3" Linking: side chair to side chair; side chair to armchair; armchair to armchair; allows to link chairs in a straight line.			
40/4 linking device LD3H in chrome	404ACCLD3H	79	,
Width between seats: 3.2" Linking side chair to side chair; allows to form the arc of chairs; the radius is adjuastable, 0-12 degrees.			
40/4 radius linking device LD2RL in chrome	404ACCLD2R L	86	
Width between seats: 7.9" Linking armchairs with writing tablets to armchairs with writing tablets; allows to link chairs in a straight line.			
40/4 linking device LD4S in chrome	404ACCLD4S	100	
Width between seats: 2.75" Linking side chair to side chair; allows to link chairs in a straight line.  Recommended for public spaces where EN 14703 is a requirement.			
40/4 safety linking device LD5S in chrome	404ACCLD5S	86	· · · · · · · · · · · · · · · · · · ·
Price List 2024 - USD excl. sales tax - Version 1.1			



### 40/4 Dolly and Glides

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.



Dollies  All accessories recommended for chrome frames only. Dollies suit side chairs and arm chairs in polyamide, veneer, or full upholstery. For dollies to other versions of the 40/4 chair - please ask HOWE	- No.	Per Piece	
Hook/eye, fin linking or without linking	DLYSSAASF10	875	4
Brace linking	DLYSSBCSF10	875	
Extra glides with felt		Per Piece	
For hook/eye and fin-linking chairs on chron	ne frames	\$	1184 \ //
Transparent female glides with felt with screws	02328WS	7	
Transparent male glides with felt with screws	02329WS	7	
Transparent regular glides with felt with pin	02352	7	
For non-linking chairs; for linking armchairs and for brace	ce-linking side cl	nairs	
Transparent regular glides with felt with pin	02352	7	
For bar chairs			
Transparent bar glides with felt for both chrome and painted frames	17330	7	
Extra glides without felt		Per Piece	1101 \ //
For hook/eye and fin-linking chairs on chron	ne frames	\$	
Transparent female glides without felt with screws	02325WS	6	
Transparent male glides without felt with screws	02326WS	6	
Transparent regular glides without felt with pin	02351	6	
For non-linking chairs; for linking armchairs and for brace	L ce-linking side cl	nairs	
Transparent regular glides without felt with pin	02351	6	
For bar chairs			
Transparent bar glides with felt for both chrome and painted frames	17327	6	



### 40/4 Linking items and book holders

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.



LD linking continued  Width between seats: 2.75" Linking side chair to side chair; allows to link chairs in a straight line.  Recommended for public spaces where EN 14703 is a requirement.  40/4 safety linking device LD5S	No.	Per Piece \$ 86	
Cup holder for 40/4 safety linking device LD5S	404ACCLD5S	11	
Numbering for 40/4 safety linking device LD5S	CUP 404ACCLD5S NUM		
Linking tool			
40/4 Linking tool  In chrome.  An aid to the linking/unlinking operation of side chairs with integrated linking.			
Linking tool (for side chairs with integrated linking)	404ACC0300 101	72	
Row spacer bar  In HOWE grey powdercoating with rubber lock, allows a 13.78" aisle between rows.  Row spacer bar for armchairs, 13.78" distance between the rows	404ACC027A 350	93	
Row spacer bar for side chairs, 13.78" distance between the rows	04ACC027S35	93	
Bookholders  40/4 book rack in chrome			
Book rack (for side chairs and armchairs)	404ACC0290 101	172	
Hymn book holder  In chrome, 4.72" high and 6.89" long; 6.1" wide (distance between front legs of chairs) with integrated linking. Note! Hymn book holder does not work with the writing tablet.  Hymn book holder (for side chairs and armchairs, non-linking)	404ACC0280 101	100	



### 40/4 Numbering tag

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.

Numbering tags for row and seat  The price of one numbering tag. The start-up fee is 450 \$	· No.	Per Piece	
		\$	
40/4 Row/seat numbering tag	404SN1120	57	

### SixE Writing tablet and Dolly

No matter how you look at SixE, it presents itself as a perfectly bold move – bending the rules of how comfortable a simple polypropylene shell chair can be.

All accessories are recommended for chrome frames only

chrome frames or	lly.			
Writing tablet without	Writing tablet without or with cupholder riting tablet without cupholder (E writing tablet, chrome frame, 0.4" compact laminate		Per Piece	
Left and right version			\$	
No Cupholder	Black	EAZS	343	
No Cupholder	White	EAZS	343	
Cupholder	Black	EAZS_Y	386	
Cupholder	White	EAZS_Y	386	
40/4 and Six	E Transporter for writing tablets			
Writing tablet dolly, u	ngth: 16", depth: 24", height: 55"		Per Transporter	
18 Pcs	3 boxes	404WTDLY01	1001	
36 pcs	6 boxes	404WTDLY02	2002	€
Dolly	for SixE 4-leg and sled			- Re
Single HOWE grey dolly with multidirectional castors Accomodates up to 25 chairs.			Per Dolly	
			\$	3 6
25 chairs		22920010	1373	



### MN1 Dolly

Whenever comfort, classic lines, and functionality are vital, the MN1 chair is the obvious choice.



Price List 2024 - USD excl. sales tax - Version 1.1

Dolly

Dolly for MN1 chairs with cantilever base Capacity of 5 chairs, HOWE grey coated.

Dolly

### Notes for chairs

Price list 2024 - USD excl. V.A.T. - Version 1.1

#### General

HOWE Standard delivery time within North America is determined on a case-to-case basis – please contact Customer Service for details.

In case of large quantities and/or customized products delivery time is usually longer than for standard products.

For chairs with upholstery, the lead time starts being counted once fabric reaches the production line.

We recommend linking only for chrome frames.

Frame colours from RAL K5 or K7 colour card are available. For quantities < 200 chairs the colour fee is 520 USD per RAL colour. For quantities ≥ 200 chairs there is no fee. Visual impressions of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

Stained veneer is possible with RAL colours from RAL K5 or K7 colour card. For quantities < 200 chairs the colour fee is 520 USD per RAL colour. For quantities ≥ 200 chairs there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

We recommend only stacking chairs with chrome frame.

Veneer is a natural material - differences in structure and colour may occur.

Upholstered armrests are as standard in the same fabric/leather type and colour as the seat and the back.

Soft castors are recommended for hard floors, hard castors for soft floors.

#### 40/4

Table surface protection protects the table surface when the chairs are hung up; it may be used only for non-linking chairs.

Please be aware that extra glides are not available for wooden frames.

40/4 can be stacked on a single, double, triple or quarto dolly. Double, triple and quarto can only be used with hook/eye linking.

As standard chair top frame and its swivel base are of the same colour but be aware that they are always matched by the chrome gas lift.

Glides for linking side chairs; the whole set for one linking side chair comprises of one male glide and one female glide at the front part of the frame (reinforcing the linking in the front part of the chair frame) plus two regular glides at the rear part of the frame; whether these are glides with or without felt depends only on customer's needs.

Regular glides are suitable for non-linking side chairs, for all types of armchairs and for lounge chairs; the whole set comprises of four clear regular glides per chair.

Glides for barstool with both chrome and painted frames; the whole set comprises of four regular glides per chair.

#### MN1

Fixed seating height - there is no possibility to install both height adjustable and return mechanism together.

Gas lift is black for black base and chrome for polished aluminium base.

#### SixE

Bag hook is recommended only for polypropylene backs.



### **FABRICS**

Enhance your designs with consciously chosen fabrics of top-notch performance and sustainable profiles. If you're seeking a solution that goes beyond standard options, please contact HOWE Customer Service.

40/4 MN1 SixE AS100



CURA by Gabriel		EMEA + US/CAN price g	EMEA + US/CAN price group 1	
Composition  Martindale: Washable: Cleanable:	: 98% post-consumer recycled polyester, 2% polyester 100.000 60-74°C YES	Flammability CAL 117: Added flame retardan Flammability M: Crib 5: Ecolabel: Oeko-Tex:	YES t: NO NO NO YES YES	
		VIEW FULL COLOR RANGI		

40/4 MN1 SixE AS100



EVENT by Gabriel	EMEA + US/CAN price group 1	
Martindale: 100,000 Washable: 60°C Cleanable: YES	Added flame retardant: Flammability M: Crib 5:	YES NO NO NO YES
	VIEW FULL COLOR RANGE	1 5

40/4 MN1

SixE AS100 Needs testing



FIGHTER by Gabriel		EMEA + US/CAN price gro	EMEA + US/CAN price group 1	
Composition	: 100% recyclable polyester	Flammability CAL 117:	YES	
Martindale: Washable:	130.000 YES	Flammability M: Crib 5:	NO NO	
Cleanable:	Only dry	Ecolabel: Oeko-Tex:	NO YES	
		VIEW FULL COLOR RANGE		

40/4 MN1 SixE AS100



MAIN LINE PLUS by Camira		EMEA + US/CAN price group 1	
Composition  Martindale: Washable: Cleanable:	n: 67% wool, 20% flame retardant viscose, 13% viscose ≥50,000 YES YES	Flammability CAL 117: Added flame retardant: Flammability M: Crib 5: Ecolabel: Oeko-Tex:	YES YES NO YES NO YES
		VIEW FULL COLOR RANGE	

40/4 MN1 SixE



OCEANIC by Camira		EMEA + US/CAN price group 1		
Composition: Martindale: Washable: Cleanable:	100% post-consumer recycled polyester ≥100,000 60°C YES		Flammability CAL 117: Added flame retardant: Flammability M: Crib 5: Ecolabel: Oeko-Tex:	YES NO NO NO YES YES
			VIEW FULL COLOR RANGE	



40/4   MNI SixE	Tide - QUE12
40/4 MN1 SixE AS100	

QUEST by Camira		EMEA + US/CAN price group 1		
Composition:	100% post-consumer recycled polyester	Flammability CAL 117: Added flame retardant:	YES	
Martindale:	≥100,000	Flammability M:	NO	
Washable:	60°C	Crib 5:	NO	
Cleanable:	YES	Ecolabel:	YES	
		Oeko-Tex:	YES	

VIEW FULL COLOR RANGE

**REPLAY** by Camira EMEA + US/CAN price group 1 Composition: 100% post-consumer Flammability CAL 117: recycled flame Added flame retardant: YES retardant polyester Flammability M: Martindale: ≥100,000 Crib 5: NO Washable: 60°C Ecolabel: YES Cleanable: YES Oeko-Tex: YES

Joy - REP07 VIEW FULL COLOR RANGE

40/4 MN1 SixE



RIVET by Camira

EMEA + US/CAN price group 1

Composition: 100% post-consumer recycled polyester

Martindale: 280,000

Martindale: 280,000

Martindale: 280,000 Flammability M: NO
Washable: 60°C Crib 5: NO
Cleanable: YES Ecolabel: YES
Oeko-Tex: NO

VIEW FULL COLOR RANGE

40/4 MN1 SixE



STEP by Gabriel

EMEA + US/CAN price group 1

Composition: 100% Trevira CS

Flammability CAL 117: YES

 Martindale:
 100.000
 Added flame retardant:
 YES

 Washable:
 60-74°C
 Flammability M:
 M1

 Cleanable:
 YES
 Crib 5:
 YES

 Ecolabel:
 YES

 Oeko-Tex:
 YES

VIEW FULL COLOR RANGE

40/4 MN1 SixE AS100



STEP MELANGE by Gabriel EMEA + US/CAN price group 1

Composition: 100% Trevira CS Flammability CAL 117: Martindale: 100.000 Added flame retardant: YES 60-74°C Washable: Flammability M: MΊ Cleanable: YES Crib 5: YES Ecolabel: YES YES Oeko-Tex:

VIEW FULL COLOR RANGE

TANNERY by Spradling

40/4 MN1 SixE AS100



Composition: Vinyl topcoat, Flammability CAL 117: cotton backing Added flame retardant: YES Flammability M: Martindale: >100.000 M2 Washable: NO Crib 5: NO Cleanable: YES Ecolabel: NO Oeko-Tex: NO

EMEA + US/CAN price group 1

Atacama - TAN-0004 VIEW FULL COLOR RANGE



40/4
MN1
SixE



Blizzard -	YS081

### XTREME by Camira

EMEA + US/CAN price group 1

Composition: 100% post-consumer Flammability CAL 117: recycled flame

Added flame retardant: YES retardant polyester Flammability M: NO

Martindale: ≥100,000 Crib 5: YES Washable: 60°C Ecolabel: YES Cleanable: YES Oeko-Tex: YES

VIEW FULL COLOR RANGE

#### 40/4 MN1 SixE AS100



Tooting - MLF17

#### MAIN LINE FLAX by Camira EMEA + US/CAN price group 2

Composition: 70% virgin wool, 30% flax Flammability CAL 117: YES Martindale: ≥50,000 Added flame retardant: NO Washable: NO Flammability M: NO Cleanable: Crib 5: YES YES Ecolabel: YES Oeko-Tex: NO

VIEW FULL COLOR RANGE

40/4 MN1 SixE



Warrior - 466553-045

#### METAPHOR by Maharam

EMEA + US/CAN price group 2

Composition: 100% polyester Flammability CAL 117: Martindale: 100,000 double rubs Added flame retardant: NO

Flammability M: Wyzenbeek NO Washable: NO Crib 5: NO Cleanable: YES Ecolabel: NO Oeko-Tex: NO

VIEW FULL COLOR RANGE

40/4 MN1



Skylight

### VALENCIA B1 by Spradling

EMEA + US/CAN price group 2

Composition: Vinyl topcoat, Flammability CAL 117: YES cotton backing Added flame retardant: YES Flammability M: Martindale: >300.000 M1 Washable: NO Crib 5: YES Cleanable: YES NO Ecolabel: Oeko-Tex: NO

VIEW FULL COLOR RANGE

40/4 MN1 SixE AS100



**CRISP** by Gabriel

EMEA + US/CAN price group 3

Composition: 93% wool, 7% polyamide Flammability CAL 117: YES Martindale: 200 000 Added flame retardant: NO Flammability M: Washable: NO Cleanable: YES Crib 5: NO Ecolabel: YES Oeko-Tex: YES

VIEW FULL COLOR RANGE

40/4 MN1 SixE AS100



FAME by Gabriel

Composition: 95% wool, 5% polyamide Flammability CAL 117: Martindale: 200 000 Added flame retardant: NO Washable: NO Flammability M: Cleanable: Only dry Crib 5: Ecolabel:

VIEW FULL COLOR RANGE

Oeko-Tex:

EMEA + US/CAN price group 3

NO

YES

YES

YES




T III OLI	
40/4 MN1 SixE AS100	0682
40/4 MN1 AS100	0926
40/4 MN1 AS100	Black - 41599
AS100	

REMIX 3 by Kvadrat		EMEA + US/CAN price group 3	
Composition: Martindale: Washable: Cleanable:	90% new wool, 10% nylon 100,000 NO Only dry	Flammability CAL 117: Added flame retardant: Flammability M: Crib 5: Ecolabel: Oeko-Tex:	YES NO NO NO YES
		VIEW FULL COLOR RANGE	

CANVAS 2 by Kvadrat EMEA + US/CAN price group 4 Composition: 90% new wool, 10% nylon Flammability CAL 117: YES Martindale: 100,000 Added flame retardant: NO Washable: NO Flammability M: NO Crib 5: Cleanable: Only dry NO Ecolabel: YES Oeko-Tex: NO VIEW FULL COLOR RANGE

ULTRA by Sørensen Leather EMEA + US/CAN price group 4 (TANGO), BLACK Flammability CAL 117: Added flame retardant: NO Composition: Protected Flammability M: Martindale: -Crib 5: Washable: Ecolabel: Cleanable: Oeko-Tex: BLACK ONLY

40/4 MN1 Needs testing



BASIC by Sørensen Leather EMEA + US/CAN price group 5 (KNIGHT), BLACK Flammability CAL 117: Added flame retardant: NO Composition: Protected Flammability M: Martindale: -Crib 5: Washable: Ecolabel: Cleanable: Oeko-Tex: YES BLACK ONLY

40/4 MN1 SixE AS100



HALLINGDAL 65 by Kvadrat		EMEA + US/CAN price group 5	
Composition:	70% new wool,	Flammability CAL 117:	YES
	30% viscose	Added flame retardant:	NO
Martindale:	100.000	Flammability M:	NO
Washable:	NO	Crib 5:	YES
Cleanable:	Only dry	Ecolabel:	YES
		Oeko-Tex:	NO
		VIEW FULL COLOR RANGE	

40/4 MN1 SixE AS100



EMEA + US/CAN price gro	up 5
Flammability CAL 117: Added flame retardant: Flammability M: Crib 5:	YES NO NO
Ecolabel: Oeko-Tex:	YES NO
0	eko-Tex:  VIEW FULL COLOR RANGE



40/4 MN1 AS100



SAVANNE by Sørensen Leather	EMEA + US/CAN price group LSL
-----------------------------	-------------------------------

Composition:Semi-anilineFlammability CAL 117:-Martindale:-Added flame retardant:-Washable:-Flammability M:-Cleanable:-Crib 5:-Ecolabel:-Ecolabel:-Oeko-Tex:YES

VIEW FULL COLOR RANGE

40/4 MN1 AS100



ULTRA by Sørensen Leather

EMEA + US/CAN price group LUCL

VIEW FULL COLOR RANGE

(TANGO), COLOURED

Flammability CAL 117: Added flame retardant: Composition: Protected

Martindale: Washable: Cleanable: Cleanable: Oeko-Tex: -



## Moveo Training

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- GreenTag<sup>CertTM</sup>
- C-leg style
- Flip top table system



	Laminate (MBB)	Veneer (MBC)	Stained veneer (MBC)	
	LU45 LU31 LU35 LU300	VU1 VU3 VU5 VU15	LW17 LW25 LW30	
Table top thickness is 1"	LU400 LU200			Linking
B6 B51 B52				
Standard frame* with castors with breaks *Other frame colours - see the notes	\$	\$	\$	
600 mm			740 mm	
1200 mm *48"		960 mm 37.8"	450 mm 17.7"	
Rectangular 48"x24" (321L)	2590	3237	3741	
Rectangular 60"x24" (342D)	2731	3414	3918	20.4
Rectangular 60"x30" (4410)	2795	3493	3997	304
Rectangular 72"x24" (362E)	2809	3511	4015	
	960 mm 37.8"	450 mm 17.7"		
V-shape 48"x24" (222F)	2701	3376	3880	304
V-shape 60"x30" (442C)	2809	3511	4015	304

Price List 2024 - USD excl. sales tax - Version 1.1

#### Moveo Training - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops  $\bf Rectangle$ : length 28"-100" | width 18"-36"



## Moveo Meeting

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- GreenTag<sup>CertTM</sup>
- Inverted T-leg styleFlip top table system



	Laminate (MTB)	Veneer (MTC)	Stained veneer (MTC)	
Laminate is with matching ABS edge. Veneer is with matching hardwood edge.	LU45 LU31 LU35	VU1 VU3 VU5	LW17	
Table top thickness is 1"	LU300 LU400 LU200	VU15		Linking
B6 B51 B52				
Standard frame* with castors with breaks *Other frame colours - see the notes	\$	\$	\$	\$
		1250 mm	W W W W W W W W W W W W W W W W W W W	
Rectangular 60"x30" (2410)	0700	49.6"	22.5"	
Rectangular 72"x36" (461R)	2798 3012	3498 3765	4002 4269	304
	1250 mm 49.6"	570 mm 22.5"		
Half-round 60"x30" (121E)	2897	3621	4125	152
	1260 mm 49.6"	570 mm 22.5	29.1"	
V-Shape 60"x30" (342C)	2811	3514	4018	N/A

Price List 2024 - USD excl. sales tax - Version 1.1

### Moveo Meeting - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops Rectangle: length 28"-100" | width 24"-36"



## Moveo Conference modular

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- GreenTag<sup>CertTM</sup>
- Flip top table system



				I .	1	
			Laminate (MVB)	Veneer (MVC)	Stained veneer (MVC)	
Laminate is with mo Veneer is with mate	atching ABS edge. ching hardwood edge.		LU45	VU1	LW17 LW25 LW30	
Table top thickness	s is 1"		LU300 LU400 LU200	VU15		Linking
B6 B51 B52	2					
Standard frame* w *Other trame colou	rith castors with breaks ors - see the notes		\$	\$	\$	\$
	7		Wall 2	1960 mm		
0	<u> </u>	2200 mm	-		, 850 mm ,	
Rectangular	88"x40" (485M)	2200 mm	5734	7168	8176	204
Rectangular Rectangular	88"x40" (485M) 88"x48" (485N)	2200 mm	5734 6697			304
		2200 mm	6697	7168 8372	8176 9380	304
Rectangular	88"x48" (485N)	2200 mm	6697	7168 8372	8176 9380	304
		2200 mm	6697	7168 8372	8176 9380	304

Price List 2024 - USD excl. sales tax - Version 1.1

### Moveo Conference, Modular - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops Rectangle: length 28"-86" | width 36"-48"



## Moveo Conference stand alone

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- GreenTag<sup>CertTM</sup>
- Inverted T-leg style
- Flip top table system



	Laminate (MRB)	Veneer (MRC)	Stained veneer (MRC)	
Laminate is with matching ABS edge. Veneer is with matching hardwood edge.	LU45 LU31 LU35 LU300	VU1 VU3 VU5 VU15	LW17	
Table top thickness is 1"	LU300 LU400 LU200	V015		Linking
B6 B51 B52				
Standard frame* with castors with breaks *Other frame colours - see the notes	\$	\$	\$	\$
	§ J	1760 mm	850 mm	
Rectangular 96"x42" (472V)	5983	7479	8487	
Rectangular 96"x48" (47IW)	6954	8692	9700	304
	1760 mm	850 mm		
Boat-shape 96"x42" (474M)	6879	8600	9608	
Boat-shape 96"x48" (472W)	7605	9506	10514	304

Price List 2024 - USD excl. sales tax - Version 1.1

### Moveo Conference, Stand alone - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops **Rectangle:** length 48"-100" | width 36"-48"



## Moveo modesty panel

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

• 10 year warranty



		Laminat	e Veneer
M	ODESTY PANEL	LU45 LU31 LU35	VU1 VU3 VU5
Moveo modesty par high, mounted on ho	nel 0.35" thick and 10" oks.	LU300 LU400 LU200	VU15 LW17 LW25 LW30
Beam length	975 mm (4C4C)	484	684
Beam length	1275 mm (4E4E)	532	752
Beam length	1575 mm (4H4H)	532	752

## Simpla

### By John Bollen

The unqiue folding system makes Simpla radically different. In addition to a minimalist and elegant silhouette, the two-piece table is flexible and space-saving.

- Lift off top
- Unique flat folding frame
- Up to 8 stacked tables on a transporter
- 5 year warranty



	Laminate	Veneer	
	(SGB)	(SGC)	
Table top thickness is 3/4" Standard frame with glides - optional to get glides	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15 LW17 LW25 LW30	Linking
B1 B7 B9 B10 B30)	\$	\$	\$
Rectangular 48"x24" (1L1L)	2326	2909	
Rectangular 60"x30" (1010)	2512	3141	31
Rectangular 72"x36" (1R1R)	2775	3469	
	.36°		730 mm 28.7"
, 1800 *7	) mm 1	720 mm 67.7" 820 mm 32.3"	
Square 30"x30" (1Z1Z)	2245	2807	31
	750 mm -30"	670 mm 26.4"	
Half-round 60"x30" (1E1E)	2690	3363	31

Price List 2024 - USD excl. sales tax - Version 1.1

2 glides and 2 castors	20 \$
------------------------	-------

<u>Simpla - custom size ranges</u> Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

Rectangle: width 12"-40" | length 24"-80"

**Square:** 24"x24" – 48"x48" **Round:** Ø34" – Ø48" Half-round: 48"x24" – 80"x40" Bar height is NOT available.

Reinforcement applied when the length is 64" or more



## Simpla

### By John Bollen

The unqiue folding system makes Simpla radically different. In addition to a minimalist and elegant silhouette, the two-piece table is flexible and space-saving.

- Lift off topUnique flat folding frame
- 5 year warranty



	Laminate	Veneer	
	(SGB)	(SGC)	
Laminate is with a matching ABS edge Veneer is standard with matching hardwood edge.  Table top thickness is 3/4" Standard frame with glides - optional to get glides and castors. Linking is incl. 2 brackets	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15 LW17 LW25 LW30	Linking
B1 B7 B9 B10 B30	\$	\$	\$
Trapezoid 60"x30" (1M2A)	2550	3187	31
1600 m 62"		28 7 9 mm	
V-Shaped 60"x30" (1E2C)	2755	3445	31
-	1500 mm *60"		
	750mm	730 mm 287	
•	33.4	670 mm 26 A"	
Round Ø42" (1Z1J)	2670	3340	31
Round Ø48" (2B1K)	2868	3587	"

2 glides and 2 castors

Price List 2024 - USD excl. sales tax - Version 1.1

<u>Simpla - custom size ranges</u> Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops **Round:** Ø34" – Ø48"

Bar height is NOT available.



20

# Simpla modesty panel

By John Bollen

The unqiue folding system makes Simpla radically different. In addition to a minimalist and elegant silhouette, the two-piece table is flexible and space-saving.



Simpla modesty po 9.8" high, with integ hooks to hang it on	Stee	el (SPS)	
1 ' ' '	anel in acrylic, 0.16" thick and greenish acrylic plastic,		
mounted on the ho	, , ,		\$
For 48" tops	(3C3CGHY/DEDEY)	4	143
For 60" tops	(3D3DGHY/DHDHY)	į	517
For 72" tops	(3F3FGHY/DKDKY)	į	517

## Tempest flip top

### By KOMPLOT Design

flips, rolls and unfolds possibilities like no other table system in the world.





Price List 2024 - USD excl. sales tax - Version 1.1

### Tempest flip T/TT legs - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Rectangle:** length 32"-80" | width 22"-42"

Bar height NOT available.



## Tempest flip top

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- World's leading flip-top table system
- Nesting depth of 5.1"
- 6 tables can be stacked on table transporter
- Elegant elliptical leg-design
- GreenTag<sup>CertTM</sup>



0.00ag		1		A STATE OF THE STA	and the second
		Laminate (TPB)	Veneer (TPC)	Stained veneer (TPC)	
Veneer is with ma		LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17 • LW25 • LW30	Linking
Standard frame w	vith glides and castors	\$	\$	\$	\$
		705/900 mm 27.8/35.4"	## 05/2 ME	550 mm 21.7"	
Crescent	48" x 30" (021C)	3071	4640	5144	204
Crescent	60" x 30" (021D)	3411	5064	5568	304
		705/900 mm 27.8/35.4"	*750 mm 550 n 21.7	nm	
Trapezoid	60" x 30" (012A)	2334	3718	4222	N/A
		705/900 mm 27.8/35.4	*750 mm   550  21.	mm 7	
Half-round	60" x 30" (021E)	2302	3679	4183	152

## Tempest fold

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Inverted elliptical T-leg style
  Legs: concealed wheel + adjustable glides
- 5 tables can be stacked on table transporter



	Laminate (TDB)	Veneer (TDC)	Stained veneer (TDC)	
Laminate is with matching ABS edge  Veneer is with matching hardwood edge.  Other RAL colours available - ASK HOWE  (1) (2) (3) (4) (4) (5) (6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17	Linking
Standard frame with glides and castors	\$	\$	\$	\$
.005. mm 000%.		115 <sub>m</sub>		
*1600 mm *72"			1210 mm 47.6"	
Rectangular 48" x 24" (041L)	2244	4009	4559	
Rectangular 48" x 30" (041M)	2301	4129	4679	
Rectangular 60" x 30" (0510)	2506	4294	4844	304
Rectangular 72" x 30" (051Q)	2582	4460	5010	
Rectangular 72" x 36" (051R)	2811	4642	5192	
*2000 mm ** 64**	(800mm)	- <del>10 10 11</del>	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Conference				
Rectangular 84" x 42" (051S)	4608	5760	5760	304
Rectangular 96" x 48" (051W)	5094	6368	6368	

Price List 2024 - USD excl. sales tax - Version 1.1

### Tempest fold T/TT legs - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Rectangle:** length 40"-96" | width 22"-48"

Bar height NOT available.



# Tempest fold

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
  Inverted elliptical T-leg style
  Legs: concealed wheel + adjustable glides
  5 tables can be stacked on table transporter



	Laminate (TDB)	Veneer (TDC)	Stained veneer (TDC)	
Laminate is with matching ABS edge  Veneer is with matching hardwood edge.  Other RAL colours available - ASK HOWE  (1)	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17 • LW25 • LW30	Linking
Table top thickness is 1 1/8"				
Standard frame with glides and castors	\$	\$	\$	\$
		1210 m 50.74 Eligib 1210 m 47.6"	n	
Crescent 48" x 30" (041C)	N/A	5377	5927	304
Crescent 48" x 30" (041C)  Crescent 60" x 30" (051D)	N/A N/A	5377 5824	5927 6374	304
				304

## Tempest fold

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warrantyInverted elliptical T-leg styleLegs: concealed wheel + adjustable glides
- 5 tables can be stacked on table transporter



	Laminate (TD2)	Veneer (TD3)	Stained veneer (TD3)	
Laminate is with matching ABS edge  Veneer is with matching hardwood edge. Other RAL colours available - ASK HOWE  ( ) 6 87 89 810 830  Table top thickness is 1 1/8"	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17 • LW25 • LW30	Linking
Standard frame with glides and castors	\$	\$	\$	\$
		E 1210 mm 47.6"		
V-Shape 60" x 30" (052C)	N/A	4827	5377	N/A
		E 1210 mn 47.6"	n .	
Half-round 60" x 30" (051E)	N/A	4377	4927	152

## Tempest fix

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Inverted elliptical T-leg style
   Legs: concealed wheel + adjustable glides
   GreenTag<sup>CertTM</sup>



	1			
	Laminate (TI2)	Veneer (TI3)	Stained veneer (TI3)	
Laminate is with matching ABS edge  Veneer is with matching hardwood edge.  Other RAL colours available - ASK HOWE  ( )	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17 • LW25 • LW30	Linking
Standard frame with glides and castors	\$	\$	\$	\$
	*800 mm	550 mm		
Rectangular 48" x 24" (061L)	2378	2971	3464	
Rectangular 48" x 30" (061M)	2464	3079	3572	
Rectangular 60" x 30" (0610)	2578	3221	3714	304
Rectangular 72" x 30" (061Q)	2686	3356	3849	
Rectangular 72" x 36" (061R)	2814	3516	4009	
		550 mm 21 J"		
Half-round 60" x 30" (061E)	2631	3288	3781	152

Price List 2024 - USD excl. sales tax - Version 1.1

### Tempest fix T/TT legs - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Rectangle:** length 32"-96" | width 22"-55"

Bar height NOT available.



## Tempest fix

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
   Inverted elliptical T-leg style
   Legs: concealed wheel + adjustable glides
   GreenTag<sup>CertTM</sup>



		Laminate (TI2)	Veneer (TI3)	Stained veneer (TI3)	
Veneer is with ma		LU31 LU35 LU45 LU200 LU300	VU1	LW17	Linking
Standard frame w	vith glides and castors	\$	\$	\$	\$
Crescent	48" x 30" (061C)	3317	4144	4637	304
Crescent	60" x 30" (061D)	3617	4520	5013	304
			550 mm 21.7"		
Trapezoid	60" x 30" (062A)	2659	3323	3816	N/A
	ŢŢ		550 mm 21.7		
V-Shape	60" x 30" (062C)	2935	3668	4161	N/A

Tempest café flip top

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- World's leading flip-top table system
- X-leg style with 4 adjustable glides
- Elegant elliptical leg-design
   GreenTag CertTM
- Table base is 100% recyclable



		Laminate (TLB)	Veneer (TLC)	Stained veneer (TLC)	
Veneer is with r Other RAL colo	h matching ABS edge matching hardwood edge. burs available - ASK HOWE	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17 • LW25 • LW30	Linking
Table top thick	ness is 1 1/8"				
Standard frame	e with 4 glides	\$	\$	\$	\$
		*800 mm [29] ZZ	800 mm 31.5."		
Square	30" x 30" (121Z)	2048	2928	3307	304
		*1200 mm 48°	800 mm 31.5 "		
Round	Ø30" (111H)	1935	3040	3419	
Round	Ø36" (221I)	2058	3363	3742	
Round	Ø42" (321J)	2328	3762	4141	N/A
Round	Ø48" (331K)	2382	3886	4265	

Price List 2024 - USD excl. sales tax - Version 1.1

### Tempest flip cafe - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Square:** 18"x18" – 40"x40" . Round: Ø24– Ø48"

Tempest café and lounge fix

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Fixed base
- X-leg style with 4 adjustable glides
- Elegant elliptical leg-design
  GreenTag<sup>CertTM</sup>
- Table base is 100% recyclable



• Table base is 100%	recyclable	and the second			
		Laminate (TNB)	Veneer (TNC)	Stained veneer (TNC)	
Veneer is with match Other RAL colours av  B1 B6 B7 B3C  Table top thickness is	ing hardwood edge. ailable - ASK HOWE	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17 • LW25 • LW30	Linking
Standard frame with	4 glides	\$	\$	\$	\$
		*30" BE 150 MM 1	38.5 " 188 J. 5"		
Square	30" x 30" (121Z)	2023	2524	2902	304
		*1200 mm 48"	380 mm 285 m		
Round	Ø30" (111H)	2113	2636	3014	
Round	Ø36" (2211)	2275	2838	3216	
Round	Ø42" (321J)	2594	3236	3614	N/A
Round	Ø48" (331K)	2694	3361	3739	
	J.	*600 mm	450 mm		
Lounge - height	24" x 24" (121Y)	1837	2324	2702	N/A

Price List 2024 - USD excl. sales tax - Version 1.1

### Tempest fix cafe - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Square:** 18"x18" – 40"x40" **Round:** Ø24- Ø48"



Tempest bar flip top

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- World's leading flip-top table system
- X-leg style with 4 adjustable glides
- Elegant elliptical leg-design
   GreenTag<sup>CertTM</sup>
- Table base is 100% recyclable



		Laminate (TLB)	Veneer (TLC)	Stained veneer (TLC)	
Veneer is with m		LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17 • LW25 • LW30	Linking
Standard frame		\$	\$	\$	\$
		*800 mm	450 mm 17.7 "		
Square	30" x 30" (121Z)	2074	2969	3348	304
Square	36" x 36" (232L)	2317	3255	3634	304
		750 mm 4	80 80 mm 80 H 80 H		
Round	Ø30" (111H)	1962	3081	3460	N//
Round	Ø36" (221I)	2084	3444	3823	N/A

Price List 2024 - USD excl. sales tax - Version 1.1

<u>Tempest flip bar - custom size ranges</u>
Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Square:** 18"x18" – 40"x40" **Round:** Ø24" – Ø40"



## Tempest bar fix

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Fixed base
- X-leg style with 4 adjustable glides
- Elegant elliptical leg-design
  GreenTag<sup>CertTM</sup>
- Table base is 100% recyclable



		Laminate (TNB)	Veneer (TNC)	Stained veneer (TNC)	
Veneer is with mat	natching ABS edge	LU31 LU35 LU45	VU1 VU3 VU5	LW17 • LW25 • LW30	
Other RAL colours	available - ASK HOWE	LU200 LU300	VU15 •		Linking
B1 B6 B7 B30					
Table top thicknes	s is 1 1/8"				
Standard frame w	ith 4 glides	\$	\$	\$	\$
		575 mm 575 mm 52.6**	1050 mm		
		*30"	450 mm		
Square	30" x 30" (121Z)	2064	2565	2943	20.4
Square	36" x 36" (232L)	2206	2730	3108	304
		750 mm 45	1050mm 41.3°		
Round	Ø30" (111H)	2154	2677	3055	N1/A
Round	Ø36" (221I)	2356	2919	3297	N/A

Price List 2024 - USD excl. sales tax - Version 1.1

### Tempest fix bar - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops


**Square:** 18"x18" - 40"x40" Round: Ø24" – Ø40"



# Tempest drop-in top

By KOMPLOT Design

flips, rolls and unfolds possibilities like no





# Tempest modesty panel

By KOMPLOT Design


	It is why the Tempest ds possibilities like no n the world.		-03000	
		Laminate	Veneer	Stained veneer
panel height 9,8".	sty panel, on hooks, ular flip-top, fold or fixed tables.	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	● LW17 ● LW25 ○ LW30
		\$	\$	\$
Rectangular	30" long tops (3A3A)	444	644	821 *
Rectangular	48" long tops (3C3C)	471	679	856 *
Rectangular	60" long tops (3D3D)	524	732	909 *
Rectangular	72" long tops (3F3F)	548	756	933 *
panel height 9,8".	sty panel, on hooks, ular flip-top or fixed tables. ame as tabletop	Laminate	Veneer	Stained Veneer
Rectangular	30" long tops (3A3A)	467	667	844 *
Rectangular	48" long tops (3C3C)	496	705	882 *
Rectangular	60" long tops (3D3D)	549	758	935 *
Rectangular	72" long tops (3F3F)	573	781	958 *
Rectangular modes panel height 9,8". Suitabe for rectang *standard colour, so	sty panel, on hooks, ular fold tables.	Laminate	Veneer	Stained Veneer
Rectangular	30" long tops (3A3A)	787	987	1164 *
Rectangular	48" long tops (3C3C)	816	1025	1202 *
Rectangular	60" long tops (3D3D)	869	1078	1255 *
Rectangular	72" long tops (3F3F)	893	1101	1278 *

<sup>\*</sup>Color fee of USD 135 per color per order



## Tutor

### By John Bollen



Price List 2024 - USD excl. sales tax - Version 1.1

Net price: RAL K7 colours for frame - see notes

### **HOWE table size ranges**

Tutor US custom-size tabletops are not possible.

### By HOWE in-house design team

Usu is a study of simplicity in both form and function. The intuitive folding mechanism and transporter, with room for ten rectangular and square tables, make Usu easy to move.

- 5 year warranty
- Up to 10 rectangular and square tables stacked on a transporter
- Stylish round 4-leg design
- Design for disassembly



	Laminate
	(UFB)
Laminate is with matching ABS edge	LU300 LU400
Table top thickness is 3/4" Standard frame with 2 glides and 2 castors.	LU200
Linking is incl. 2 brackets	
*Due to the technologi B1 ** B7* process, the black may differ in terms of its glos	slightly
Rectangular 48"x24" (1L1L)	1096
Rectangular 60"x24" (2D2D)	1181
Rectangular 72"x24" (2N2N)	1255
Rectangular 48"x30" (1M1M)	1162
Rectangular 60"x30" (1010)	1240
Rectangular 72" x 30" (1Q1Q)	1325
Rectangular 72" x 36" (1R1R)	1596
Round Ø48" (1K1K)	1353

Price List 2024 - USD excl. sales tax - Version 1.1

** Chrome base	118	\$
----------------	-----	----

**HOWE table size ranges**Usu US custom-size tabletops are not possible.

## **AS400**

### By Andreas Störiko

The AS series is highly inspired and highly functional. Combining elegance and utility with true mobility, the family of nesting chairs and tables leaves room for all imaginable purposes.

- 10 year warranty
- Café height tables
- Unbelievably easy to maneuver
- Intuitive flip-top mechanism
- Special handle allows to lift the AS tables
- Smart elastic cord firmly joins concave tables\*



18

<ul><li>Rubber bumper prot</li><li>An infinite number of together</li></ul>		atches	Laminate (ABB)	Linoleum (ABD)	Veneer (ABC)
Table tops have an ex transparent lacquer.	posed plywood ed(	ge with	LU31 LU200 LU300 LU400	FL200	VU1 VU3
Other RAL colors availe Standard base colors:					
B6 B7 B31 B51			\$	\$	\$
		640 mm 25.2"	745 mm 29.3	160 mm	
Square (*tiny pre-drills in the top; p	25.2" x 25.2" possibility to order linking	g later)	1314	1794	1949
Square with link	25.2" x 25.2"		1395	1875	2030
		830 mm 32.7"	745 mm	160 mm 6.3°	
Round	Ø32.7"		1314	1794	1949
Concave with link	Ø32.7"		1422	1911	2074

oft castors for hard floors

### **HOWE table size ranges**

Price List 2024 - USD excl. sales tax - Version 1.1

AS400 Custom-size tabletops are not possible.

### AS500

### By Andreas Störiko

The AS series is highly inspired and highly functional. Combining elegance and utility with true mobility, the family of nesting chairs and tables leaves room for all imaginable purposes.


- 10 year warranty
- Bar height tables
- Unbelievably easy to maneuver
- Intuitive flip-top mechanism
- Special handle allows to lift the AS tables
- Smart elastic cord may join square tables together\*
- Rubber bumper protects tables from scratches
- An infinite number of tables can then be nested together



Table tops have an exposed plywood edge with transparent lacquer.	LU31 LU200 LU300 LU400	•	FL200	VU1 VU3
Other RAL colors available - ASK HOWE Standard base colors:				
B6 B7 B31 B51		\$	\$	\$
	0.60			



11.	figurate 23.6" x 23.6"  Thiny pre-drills in the top; possibility to order linking later)	1408	1901	2064
S	square with link 23.6" x 23.6"	1489	1982	2145
Г				



Price List 2024 - USD excl. sales tax - Version 1.1

Soft castors for hard floors 18

### **HOWE table size ranges**

AS500 Custom-size tabletops are not possible.

## Folding surfaces

### By Jones & Partners

With Folding Surfaces, users gain the ability to adjust their office space as necessary. This innovative product concept allows users to unfold a surface wherever needed, thereby redefining workspace dynamics.

- Cleverly integrated power solutions
- One of the largest mobile double-folding benches on the market



Fold and tuck away the tables when not in use     Madara gotthetic leak				
<ul><li>Modern, aesthetic look</li><li>Intuitive and effortless handling</li></ul>	Melamine*	Laminate	Veneer*	
Surface levelling feature	FS1	FS2	FS3	
Melamine and laminate are standard with matching ABS edge. Veneer is with matching hardwood edge. Table top thickness is 25 mm - melamine; 27 mm laminate and veneer Standard B6 satin black frame, 4 castors.	M310*	LU200 LU300	V3*	
86	\$	\$	\$	
1130 mm 1320 mm 52"		1500 mm *40°		
Square 60"x 60" (1010)				
without electrification	3,140	4,200	4,580	
Electrification cover top (CUT-OUTS ONLY) - incl. cover top, metal tray, felt cover. 2x cut-outs for battery, 2x cut-outs for pip (excl. battery and pip)	3,968	6,121	6,501	
Electrification cover top (incl. pip, excl battery) - incl. cover top, metal tray, felt cover. 2x cut-outs for battery, 2x cut-outs for pip, interconnecting cables, pip, battery docking (excl. battery)	5,283	7,436	7,816	
2400 mm	=	2400 mm *96"	1600 mm	
Rectangular 96" x 60" (6C6C	)			
without electrification	3,660	5,200	5580	
Electrification cover top (CUT-OUTS ONLY) - incl. cover top, metal tray, felt cover. 2x cut-outs for battery, 2x cut-outs for pip (excl. battery and pip)	4,860	7,628	8,008	
Electrification cover top (incl. pip, excl battery) - incl. cover top, metal tray, felt cover. 2x cut-outs for battery, 2x cut-outs for pip, interconnecting cables, pip, battery docking (excl. battery)	6,175	8,943	9,323	
Battery**				
Battery and high power USB charging module in a portable housing (all black)		1,461		

Price list 2024 - USD excl. V.A.T. - Version 1.1



<sup>\*</sup> longer lead time

<sup>\*\*</sup>Shipment only directly to the end customer or to a warehouse certified for storage and handling of dangerous goods OE deliveries within North America may have shipping fee.

This depends on the order value and is shown separately in the offer.

Please contact Customer Service for details.

### Folding Surfaces Mobile Power Unit

As a natural extension for the family, Folding Surfaces come with mobile power units that provide extra power on demand.



Per Piece

\$

	\$	
Folding Surfaces Mobile Power Uni	it	
White melamine		
Single, Rectangular 30"		
Semi solution - preparation for battery, 1xQikdoc for battery, 2xPIP TUF-R A+C (HP)	1576	
Cut-outs only - preparation for battery, 1xCUT-OUT for battery, 2x CUT OUTS for pip TUF-R A+C (HP)	1128	FR
Double, Rectangular 60"		1 1 1
Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)	2423	
Cut-outs only - preparation for battery, 2xCUT- OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)	1536	
Black laminate		1)
Single, Rectangular 30"		
Semi solution - preparation for battery, 1xQikdoc for battery, 2xPIP TUF-R A+C (HP)		
Cut-outs only - preparation for battery, 1xCUT- OUT for battery, 2x CUT OUTS for pip TUF-R A+C (HP)	1734	
Double, Rectangular 60"		
Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)	3706	
Cut-outs only - preparation for battery, 2xCUT-OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)	2819	
Battery*		3
Quickpack carry black - OE animate battery and high power USB charging module in a neat, portable housing	1461	

Price list 2024 - EUR excl. V.A.T. - Version 1.1




<sup>\*</sup>Shipment only directly to the end customer or to a warehouse certified for storage and handling of dangerous goods OE deliveries within North America may have shipping fee.

This depends on the order value and is shown separately in the offer.

Please contact Customer Service for details.

### Tables' transporters

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like



Price List 2024 - USD excl. sales tax - Version 1.1



UNTLS000310

2317

### Tables' transporters cont.

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.



Simpla  Capacity up to 8 tables. Colour B10 Howe grey. Dimensions: height 74.5", depth 33", adjustable width Suitable for rectangular tables: length 40"-72" and width up to 36". For other shapes and sizes, please ask HOWE.  Transporter Simpla	No. STRA1000000 010	Per Piece	
Tutor single size  Capacity up to 30 tables. Suitable for single size Tutor tables. Color B10 Howe grey.  Transporter Tutor	OLYS0600SF1 0	Per Piece	
Tutor double size  Capacity up to 30 tables. Suitable for double size Tutor tables. Colour B10 Howe grey.  Transporter Tutor	OLYS1200SS1	Per Piece	

### Linking

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.



Linking for Usu tables  Usu linking bracket, black, 1 pcs*  Linking Usu	No.	Per Piece	
Linking for Simpla tables			
Simpla linking U-bracket, B1 Chrome, 1 pcs*		Per Piece	
Linking Cincols		\$	
Linking Simpla	SAU01	31	
Linking for Tutor tables  Tutor linking bracket, B7 Black		Per Piece	
Linking Tutor	TUA1480	36	
Linking for Tutor tables  Tutor file tray* linking, B30 White		Per Piece	
Linking Tutor	TUA1490	286	

### Grommets

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.

Round  SAPOP; white plastic Ø2 3/4"; suitable top thickness ≥ 3/4".	No.	Per Piece	
		\$	
	SAPOP	49	
Round			
SAPOA; nature andolized aluminium with black brush, Ø3.5"; suitable top thickness ≥ 3/4".		Per Piece	
	SAPOA	136	
Rectangular			
SAPRA¹; rectangular cable outlet comprised of two lids in nature anodized aluminium with black brushes; 12" x 4.25"; suitable top thickness ≥ 3/4".		Per Piece	
		\$	
	M1*	172	



### Electrification

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.

All electrification solutions must be consulted with HOWEs Customer Service Team.



Quickpack carry*  Quickpack carry black - OE animate battery and high power USB charging module in a neat, portable housing	No.	Туре	Prices from*	
	OE4387596	Black	1461	
	OE4387602	White	1461	
Quick dock				
Quick dock black by OE - dedicated container for QIKPAC CARRY portable battery; it locates and secures in/under surfaces			Prices from	
			\$	
	OE438765744 31572	Black	265	
	OE438766444 31572	White	265	
Charger				_a ad ad
Charger by OE - charging station for up to 3 QIKPAC batteries	OE6002275	charger black	1429	
	OE6002268	charger white	1429	
Wireless charge				
A wireless charger by AH Byrne called Qi Charging Puck. The sleek grommet design can be quickly installed in any worksurface, and once in place, provides cord-free, tangle-free power for any Qienabled device. Forget packing your own charger, simply place your smartphone or tablet on our puck's surface and it's powering up – all from a single outlet.			Prices from	
Wireless. Effortless.	BE07643	wireless charger	119	



<sup>\*</sup>Shipment only directly to the end customer or to a warehouse certified for storage and handling of dangerous goods OE deliveries within North America may have shipping fee.

This depends on the order value and is shown separately in the offer. Please contact Customer Service for details.

### Cable trays, channels & fittings

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.

with HOWEs Customer Service Team.			
Cable tray  L-shaped cable tray in black coated steel; mounted with screws; for table top thickness ≥ 3/4"; height of cable tray is 4"; works as a low modesty panel.	No.	Per Piece	
15.75"	CTLS040007	72	
25"	CTLL064007	107	/
33"	CTLL084007	143	
41"	CTLL104007	172	
Clickable cable channel Tempest  Cable channel for Tempest, in chrome powder coated aluminium as standard <sup>1</sup>		Per Piece	
Tempest	CHT053051	72	
Clickable cable channel Moveo  Cable channel for Moveo, in anodised aluminium as standard <sup>1</sup>		Per Piece	
Moveo	CHM42052	33	. ₹
Cable holder  Grey plastic cable holder to guide cables underneath the tabletop; 1pc double holder		Per Piece	
All tables	082011	N/A	# A

I



### AS tables privacy screens

Aesthetically pleasing, the innovative felt privacy screen creates enclosure to spaces during work, education, and meeting areas.

It gives flexibility to produce boundaries, as well as visual privacy.



Privacy screen	No.	Per Piece	
Privacy screen for AS round and round concave tables. 46.75"wide x13.75" high; 0.5 thick; light grey felt		\$	
Screen	66091001	572	

### Notes for tables

Price list 2024 - USD excl. V.A.T. - Version 1.1

### General

HOWE Standard delivery time within North America is determined on a case-to-case basis – please contact Customer Service for details

In case of large quantities and/or customized products delivery time is usually longer than for standard products.

In case of using any electrification, accessories, or making configurations, the lead time starts being counted once technical drawings are approved by the customer.

Linking is recommended to ensure strong connection and levelling. Please use for both temporary and lasting tables' arrangements.

Crescent shape – the inside curve of top may be exchanged for straight edge, especially if Modesty panels are needed – ask Customer Service for details.

Table ranges are estimates, mostly for rectangular tops. For non-rectangular tables or questions for sizes outside of the ranges, please contact your local Customer Service (CS) representative. If chamfered edges are requested, minimum size increases - check with CS.

#### Moveo

Moveo linking for rectangular and V-shaped tables includes 4 brackets and 4 fittings. Moveo linking for half-round and half-boat tables includes 2 brackets and 2 fittings. This type of linking is available for tables with straight edges only. Another linking type is available for tables with chamfered edges. Here you also get 4 brackets and 4 fittings for rectangular and V-shape tables and 2 brackets and 2 fitting for half-round and half-boat tables.

All RAL colours from RAL K5 or K7 colour card available. For quantities < 20 tables the colour fee is 520 USD per RAL colour. For quantities ≥ 20 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

### Simpla

Please note that Simpla linking does not need any pre-drills and may be ordered at any time as a separate accessory. There are 2 pcs of linking recommended per a set of two tables.

Please note that Modesty panels for Simpla are just hanged on the frame and may be ordered at any time as a separate accessory.

All RAL colours from RAL K5 or K7 colour card available. For quantities < 50 tables the colour fee is 520 USD per RAL colour. For quantities ≥ 50 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

### **Tempest**

Tempest linking for rectangular, crescent, and square tables includes 4 brackets and 4 fittings. Tempest linking for half-round tables includes 2 brackets and 2 fittings. This type of linking is available for tables with straight edges only. Another linking type is available for tables with chamfered edges. Please contact HOWE for options.

All RAL colours from RAL K5 or K7 colour card available. For quantities < 20 tables the colour fee is 520 USD per RAL colour. For quantities ≥ 20 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

### Usu

Please note that Usu linking may be ordered at any time as a separate accessory.

### Tutor

All RAL colours from RAL K5 or K7 colour card available. For quantities < 50 tables the colour fee is 520 USD per RAL colour. For quantities ≥ 50 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.



40/4 Seats / backs Natural wood veneers



V2 - beech

V3 - oak







V5 - cherry

EMEA ONLY

V13 - birch EMEA ONLY

40/4 Seats / backs Stains





Any RAL

All RAL colours available based upon customer sample

40/4 Seats / backs Polyamide





PA100 - Howe grey







PA360 - olive green

PA320 - mandarin

PA250 - blue eyes PA370 - mint turquoise PA380 - aubergine

40/4 Seats / backs Metal









All RAL colours available based upon customer sample

40/4 WOOD FRAME Seats / backs

Natural wood veneers / stains









SixE Shells Polypropolyne



PP200 - black

VIRGIN OR

100% RECYCLED

PP270 - ocean VIRGIN



100% RECYCLED

PP120 - red ochre

PP300 - chalk

VIRGIN OR

50% RECYCLED

2









PP110 - Ayers Rock red PP360 - olive green VIRGIN

VIRGIN



MN1 Backs Natural wood veneers / stains



LW17 - black stain LW25 - walnut stain

**CHAIRS** NORTH AMERICA

40/4 SIXE Frames





B6 - satin black





B9 - alu grey

B10 - Howe grey



All RAL colours available based upon customer sample

SIXE ONLY







Fawn



SIXE SWIVEL SIXE LEARN

Base Polyamide



PA100 - Howe grey

SIXE SWIVEL SIXE LEARN\*

Swing arm\* Gas lift



B10 - Howe grey

MN1 Bases



- Cantilever only



B7 - black

B51 - polished alu

AS100 Bases / seat frames



B7 - black



B51 - polished alu





AS TABLES MOVEO SIMPLA **TEMPEST** 

Tops Natural wood veneers / stains



VU1 - maple



VU3 - oak

LW17 - black stain LW25 - walnut stain LW30 - white stain



VU5 - cherry



VU15 - walnut



Any RAL

AS tables standard: VU1 maple, VU3 oak ONLY

All RAL colors available based upon customer sample

### FOLDING SURFACES

Natural wood veneers / stains



V3 - oak

AS TABLES MOVEO SIMPLA **TEMPEST** 

Tops Wood grain laminates



LU31 - maple




LU35 - cherry



LU45 - walnut

AS tables standard: LU31 maple ONLY



Tops Coloured laminates



LU300 - white



LU400 - grey



LU200 - black



Any FORMICA / WILSONART colored laminates

Folding Surfaces standard: LU300 white, LU200 black ONLY

\*Any FORMICA / WILSONART colored laminates does not apply to Usu and Folding Surfaces

TUTOR

Tops Bendable compact laminates

F300 - white



F200 - black



Any bendable



Tops Linoleums











M310 - white





SIMPLA TUTOR Bases Steel



B7 - black







B10 - Howe grey B30 - white

**TEMPEST** Bases Steel



B1 - chrome



B6 - satin black









USU Bases Steel





MOVEO Bases Aluminum







B6 - satin black

- feet only

B51 - polished alu B52 - anodized alu - columns only

AS TABLES

Bases



B6 - satin black



B7 - black



B31 satin white - columns only



B51 - polished alu - bases only

### FOLDING SURFACES

Bases



B6 - satin black



75 13





COLOUR REFERENCE ONLY
Variations in colours and structures may occur
Subject to ongoing changes and adjustments



### General conditions of sales

Price list 2024 - USD excl. V.A.T. - Version 1.1

#### General

These general conditions of sale and terms of delivery shall apply to all agreements concluded between HOWE US Inc. (hereinafter HOWE) and its customers (hereinafter the Buyer), unless otherwise specifically agreed in writing between the Parties

### Conclusion of agreements, etc.

An agreement has not been concluded until HOWE has accepted an offer made by the Buyer by issuing an order acknowledgement, an invoice or other such written agreement based on the terms and conditions specified in this document. All prices stated in price lists and catalogues include packaging, such as pallets and transport containers, and exclude taxes and/or any other charges. HOWE reserves the right to adjust the prices stated without prior warning in case of an increase in the price of raw materials, production costs, transport costs, packaging, or other sudden changes in the cost level. All agreements are thus concluded on the basis of the prices in force at the time when the order is received.

The agreement basis is thus the information, including information relating to price, materials, qualities, etc., that is stated in the order acknowledgement, invoice, or other such agreement, since other information shall be deemed to be for guidance only and may be corrected up until but not later than the time when the agreement is concluded. Unless otherwise explicitly agreed in writing, the goods have been sold for normal, standard use for the intended purpose.

An Order shall constitute an offer for the sale of goods and does not constitute an acceptance by Buyer of any offer to sell, any quotation, or any proposal. No Order shall become a binding contract for the sale of goods unless and until such Order has been received and accepted by HOWE us Inc. in the state of Michigan.

### Payment, etc.

Payment terms are subject to credit insurance at Coface. In case a customer cannot be insured a prepayment, or a bank guarantee will be required. If credit payment terms can be granted, payment shall be made in accordance with the terms of payment stated on the invoice, which basically means that payment shall be made in cash not later than 30 days after the date of invoice ("net 30 days"), unless otherwise explicitly agreed. The Buyer shall not be entitled to withhold any part of its' payments due and may under no circumstances offset. If payment is delayed, HOWE shall be entitled to charge interest at a rate of 0.75 % per month or part thereof from the due date. Also, HOWE shall at its' discretion be entitled to fully or partially withhold subsequent deliveries, to demand special terms of payment, or cancel agreements with the Buyer.

HOWE shall be entitled to charge the following fees:

- o A fee of thirteen (\$13) for each reminder on late payment
- o All invoices sent by paper will be added an invoice fee of five (\$5)

### **Property reservation**

HOWE shall retain property in all the goods stated in the order acknowledgement or other such written agreement until the full purchase sum has been paid. The Buyer shall keep the goods fully insured until such time as the purchase sum has been paid and during this period the Buyer shall be responsible towards HOWE for any all and any damage suffered by the goods. HOWE has the right to inspect the goods at any time.

### Delivery

'Unless otherwise agreed, delivery in Zone 1 in the US shall be made to the Buyer's warehouse situated on the ground floor at a price of two and a half  $(2\frac{1}{2})$  % of the list price. Delivery in Zone 2 in the US shall be made to the Buyer's warehouse situated on the ground floor at a price of four and a half  $(4\frac{1}{2})$  % of the list price. Outside Zone 1 and 2 the added price for delivery is determined on a case-to-case basis by HOWE.

HOWE Standard delivery time within North America is determined on a case-to-case basis – please contact Customer Service for details.

Regardless of whether the Buyer is present at the time of delivery, all risks in relation to the goods shall pass to the Buyer upon delivery to the agreed location. The Buyer shall ensure that the place of delivery is accessible and appropriately laid out for unloading the goods and storing them in their standard packages.

Any deviation from the terms of delivery shall be deemed to constitute one joint deviation from the above, in which case the Buyer shall take over the risk in relation to the goods at the earlier time when the goods were collected or could have been collected in accordance with the agreement made.

If the Buyer requests a postponement of delivery the following charges shall apply:

- o If the Buyer requests postponement no later than five workdays prior to the planned and confirmed time of dispatch, a supplementary charge of ten (\$10) per pallet shall be made per month or part thereof. Minimum charge, forty (\$40) per month or part thereof.
- o If the Buyer changes its' delivery address no later than five workdays prior to dispatch, an administrative charge of one hundred (\$100) shall be added.
- o If the sales price is below net five hundred (\$500) a freight charge of one hundred (\$100) will be added.
- o If the Buyer wishes a fixed delivery, a fee of five hundred (\$500) will be added.

### BATTERIES' SHIPMENTS

OE batteries contain Lithium-Ion (Li-ion) cells which are classed as hazardous materials. As such they are individually packed in UN38.3 compliant packaging, including special Li Ion Battery Label. They should be kept in that packaging until they are either fitted in the furniture or get to the site for use.

If one consolidates the battery into an outer carton, it must remain in the box it is shipped to the person in inside the outer carton. The outer carton would then need to be marked with 'OVERPACK' word in English and the local language – the rules are even stricter for air freight - consult details with your freight forwarder (OE can supply UN38.3 certificates).

That is why at HOWE we:

- a) always place a separate order and use road shipments for batteries,
- b) strongly recommend shipping batteries directly to the end customer.

OE is experienced in shipping batteries to a number of international locations. Still, we strongly advise to state in advance to which country destination one is quoting for. On that basis we can confirm that battery export to the said country is allowed and possible.

In case the customer asks for the shipment to the warehouse, they must confirm the place is officially complying with all the regulations regarding storage and handling of dangerous goods which include:

- Staff training on dangerous goods handling chargeable course required (renewable every couple of years) –
  also a DGSA must to be appointed or trained,
- Being equipped with fire proof cabinet storage,
- o Having Property owner and insurance authorisation.

### Fee and MOQ for non-standard choices

For any non-standard product there is a \$500 fee. In most cases there is also a minimum order quantity (MOQ).

### Buyers' cancellation of contract

Provided the manufacture/dispatch/delivery of the goods has not yet commenced the Buyer shall be entitled to cancel the contract up until forty-eight (48) hours after the order confirmation has been issued. A cancellation fee of 5% of the purchase sum and any extra loss incurred by HOWE as a consequence of the cancellation will apply. In the event more than five (5) workdays have passed since the order confirmation was issued, the contract may be cancelled only up until 4 (four) weeks before confirmed shipment time. A cancellation fee of fifty (50) % of the purchase sum plus transport and administration costs, and any extra loss incurred by HOWE as a consequence of the cancellation will apply. Following four (4) weeks before confirmed shipment time the contract cannot be cancelled.

### **Delays**

The confirmed time of delivery is only an estimated deadline since HOWE shall be entitled to make changes to or temporarily postpone deliveries in order to be able to organize its goods deliveries and administration appropriately. HOWE cannot be held liable for any loss suffered by the Buyer as a result of a changed or postponed time of delivery. Furthermore, HOWE does not automatically offer loan furniture in these situations.

### Deficiencies, etc.

HOWE shall only be liable for deficiencies in the goods sold if such deficiencies are the result of matters relating to the materials used or the craftsmanship applied. In particular, HOWE shall not be liable for matters resulting from wrong or abnormal use or storage, including in relation to climate and temperature conditions, or any other aspects related to HOWE's instructions.

When the risks in relation to the goods have passed to the Buyer, HOWE can only be held liable for faults and deficiencies to the extent specified in this provision.

The Buyer shall be obliged to carry out a detailed examination of the consignment immediately upon receipt. Complaints regarding deficiencies and/or visible transport damage which are – or should have been – discovered in this examination shall be written on the bill of landing (BOL), which must be given to carrier upon receipt of goods and HOWE CS notified. Any complaints regarding "non-visible" transport damage must reach HOWE not later than seven (7) days after the date of delivery and any complaints regarding any deficiencies ascertained must in each case be forwarded not later than seven (7) days after they were – or should have been – discovered. If the complaint is not made within these deadlines, the Buyer's access to advance claims in relation to any such deficiencies shall be forfeited.

A complaint shall be in writing and shall contain a specific description of the deficiencies with accompanying photo documentation or, alternatively, the deficient component/product shall be forwarded with the complaint.

Unless the deficiency ascertained is the result of gross negligence or intent on the part of HOWE, the Buyer shall in no instance not be entitled to any other rights than to have the goods replaced at no cost to the Buyer. Thus, the Buyer shall not be entitled to cancel the transaction or any rebate, damages, other compensation, or repayment. Further, HOWE shall under no circumstances whatsoever be liable for operating loss, loss of profit, time loss, other indirect loss or damages suffered by the Buyer as a consequence of deficiencies in the goods delivered.

The deficient goods belong to HOWE and shall be returned to HOWE upon request. Basically, the Buyer shall bear the costs and risk of such transport. Unless HOWE has explicitly undertaken to guarantee for the object sold for a longer period, HOWE shall under no circumstances be held liable for faults or deficiencies for which no written complaint has been sent within two years of the hand-over to the Buyer.

#### **Product liability**

The Buyer shall indemnify, defend, and hold harmless HOWE for any and all claims made by third parties for damage or injury for which HOWE is not liable towards the Buyer. HOWE's liability for product liability claims shall not exceed ten thousand (\$10,000), and HOWE shall under no circumstances be held liable to the Buyer for operating loss, loss of profit, time loss, other indirect loss or damages or punitive damages. The Buyer shall immediately inform HOWE of any lawsuit or type of claim for damage or injury caused by products manufactured by HOWE.

### Design alterations

HOWE reserves the right at all times to make such changes to product design, etc., as HOWE deems to be necessary. In such case, information about significant alterations shall be forwarded to the Buyer prior to delivery.

### Use and maintenance guides

The Buyer shall not change the content of Use- and Maintenance guides provided by HOWE. Further, the Buyer shall at all times provide its customers with copies of such guides and specifically draw the customers' attention to the warnings contained in the guides.

### No waiver

If HOWE fails to exercise or claim its' rights under these Sales conditions, such failure shall not constitute a waiver of such right on the part of HOWE. Also, such failure shall not prevent the right to be invoked or claimed by HOWE at a later point in time.

### Venue and Service of Process

If a dispute of any kind whatsoever arises between the Parties in connection with these Sales Conditions and other aspects in relation to the sales transaction, the Parties shall attempt to settle such dispute amicably.

Provided the Parties are not able to agree upon an amicable settlement within a reasonable time and not later than thirty (30) calendar days after initiation of settlement discussions, any controversy or claim arising (whether contractually or in tort) and including disputes regarding the validity of this provision shall be settled by the American Arbitration Association (AAA). The place of Arbitration shall be Grand Rapids, Michigan. Provided the dispute in question amounts to \$100,000.00 or less, the Arbitration Panel shall consist of one (1) arbitrator. Provided the dispute in question exceeds \$100,000.00 the Arbitration Panel

shall consist of three (3) arbitrators. The right to discovery shall be limited to the widest extent permitted by the AAA procedural rules.

The result of the Arbitration shall be final and binding upon the Parties, and the arbitrator(s) shall in their discretion have to power to award reasonable costs and attorney's fees to the prevailing Party.

Despite the arbitration procedure agreed upon above, the Parties shall not be precluded from carrying out interim measures via the appropriate judicial authority.

These Sales Conditions shall be governed by Michigan State law and applicable US Federal law.

Be advised that HOWE reserves the right to correct any printing errors, inaccuracies, or omissions.

# Shipping zone rates

Price list 2024 - USD excl. V.A.T. - Version 1.0

### Shipping zone rates

- o For deliveries in zone 1 please add 2.5% to the list pricing. The minimum freight charge is \$200.
- o For deliveries in zone 2 please add 4.5% to the list pricing. The minimum freight charge is \$200.
- o For deliveries out of Zone 1 and 2, please ask HOWE.



### Warranties

Price list 2024 - USD excl. V.A.T. - Version 1.1

#### General

At HOWE US we recognize the value of products that can stand up to continuous use, and we know by experience that good material combined with true craftsmanship and thorough design provides sturdy and durable furniture.

Our high and uniform quality policy secures that our products are always tested to the highest level of international standards and legislations. We constantly strive to optimize our products and services to maintain the high level of quality and durability that is expected of a HOWE product.

HOWE US warrants its products against defects in materials and workmanship as follows:

### **Limited warranty**

HOWE warrants its' products against defects in materials and workmanship as described in the following. All warranties are expressly limited to the types of warranties offered. Thus, no other implied or express warranties shall apply.

### 10 year warranty

HOWE offers on all chairs of its David Rowland 40/4 chair collection a 10 (ten) year guarantee under normal use against weld breakages, defective material, workmanship, and performance. Only exception is the 40/4 wood frame, which has a 5 (five) year guarantee.

The 40/4 chair is compliant with the following tests in the ANSI/BIFMA X5.1-2011 Chair Test Standard:

- Back Strength
- o Drop-Dynamic
- Seating Durability
- Backrest Durability-Non-Tilt
- Leg Strength

HOWE offers on Moveo and Tempest table systems, SixE, MN1 and AS chairs a 10 (ten) year guarantee under normal use against weld breakages, defective material, workmanship, and performance. Excluded are: gas lifts, turn / tilt mechanism, castors, folding adaptors, where 5 (five) year guarantee applies.

### 5 year warranty

HOWE offers on all other furniture products, except Folding Surfaces, a 5 (five) year guarantee under normal use against weld breakages, defective material, workmanship, and performance.

### 2 year warranty

On all power and data solutions we refer to our sub supplier. Their warranty period is 2 (two) years. The HOWE guarantee period runs from the date of shipment.

HOWE offers on AS privacy screens and Folding Surfaces a 2 (two) year guarantee under normal use against weld breakages, defective material, workmanship, and performance.

### **Exclusions**

This warranty does not apply to product failure resulting from:

- Normal wear and tear
- o Abuse, misuse, accidents, or repeated knocks
- Improper handling/usage or improper cleaning/maintenance
- o Alteration or modification of the product

In addition, HOWE does not warrant:

- o Changes in surface finishes due to aging, scratches, markings, stains, or other damage due to normal wear and tear, or due to contact with sharp or hard objects
- o Changes in surface finishes due to exposure to light
- Oxidizing of outdoor treated frames
- Natural variations in wood grain or the presence of character marks. This includes matching of grains, colors, or textures of natural materials
- Customers own fabrics and leather (COL & COM)
- o All service parts (meaning all moving and mechanical parts)
- Customized solutions
- o Marks in fabric/leather after stacking of chairs
- For leather: Marks as scars, insect bites, fat creases and neck wrinkles. This is beauty marks that reflect the normal life
  of an animal.

HOWE recommends chromium plated steel frames on all 40/4 chairs where repeated handling is intended. Please, be aware that constant impacts from handling of painted linking chairs are likely to cause scratches and flaking over time. This is considered normal wear and tear and therefore not covered by the HOWE Warranty.

### Original spare parts delivery guarantee

Furniture programs from HOWE US are designed with focus on durability and timeless design. In case a product should be discontinued all original spare parts are available for 5 (five) years from the date the discontinuation has been carried through. If a component to a discontinued product for some reason is not available, a corresponding product is offered instead.

In case David Rowlands 40/4 chair should be discontinued all original spare parts are available for 10 (ten) years from the date the discontinuation has been carried through. In case the Tempest and Moveo table systems or the SixE chair family should be discontinued all original spare parts are available for 10 (ten) years from the date the discontinuation has been carried through.

The guarantee does not apply to product and component modifications and enhancements.